

Příloha

Fytocenologické snímky / Phytosociological relevés

Příloha 1. Hlavičková data fytocenologických snímků vegetace suchých trávníků zapsaných na studovaných lokalitách. Vysvětlivky: autor – DB = Dariia Borovyk, DK = Daniel Kadaš, DV = Denys Vynkurov, HC = Helena Chytrá, MK = Michaela Krejčová.

Supplement 1. Header data of phytosociological relevés of dry grassland vegetation recorded at the study sites. Glossary: author – DB = Dariia Borovyk, DK = Daniel Kadaš, DV = Denys Vynkurov, HC = Helena Chytrá, MK = Michaela Krejčová.

id	Název lokality	Autor	Datum	Z. šířka	Z. délka	Orientace	Sklon	Biotop
	Site name	Author	Date	Latitude	Longitude	Aspect	Slope	Habitat
ENV01_1	NPR Tabulová, vrcholové plato	HC	20230524	48,8395158	16,6374569	NA	0°	T3.3
ENV01_2	NPR Tabulová, vrcholové plato	HC	20230524	48,8396189	16,6373628	NA	0°	T3.3
ENV02_1	Klentnické sady	HC, DK	20230525	48,8420161	16,6509678	292,5°	10°	T3.4
ENV03_1	NPR Tabulová, jižní úpatí	HC	20230526	48,8359903	16,6391308	247,5°	5°	T3.4
ENV03_2	NPR Tabulová, jižní úpatí	HC	20230526	48,8357881	16,6398308	337,5°	8°	T3.4
ENV04_1	PP Langewart	HC	20230530	48,7997836	16,5193333	22,5°	7°	T3.4
ENV05_1	PP Skalky u Sedlece	HC	20230530	48,7784783	16,67272	NA	0°	T3.4
ENV05_2	PP Skalky u Sedlece	HC	20230530	48,7791969	16,6726883	NA	0°	T3.4
ENV06_1	NPR Děvín, severní úpatí	HC	20230601	48,8749975	16,64547	292,5°	10°	T3.4
ENV06_2	NPR Děvín, severní úpatí	HC	20230601	48,8736467	16,6422414	337,5°	2°	T3.4
ENV07_1	PP Studánkový vrch	HC	20230605	48,7933597	16,7206814	270°	8°	T3.4
ENV07_2	PP Studánkový vrch	HC	20230605	48,7932375	16,7210019	270°	5°	T3.4
ENV08_1	PP Paví kopec	HC	20230606	48,7633011	16,6943831	337,5°	5°	T3.3/T3.4
ENV08_2	PP Paví kopec	HC	20230606	48,7638692	16,6938883	0°	7°	T3.3/T3.4
ENV09_1	PP Skalky u Havraníků	HC	20230613	48,7989164	16,0079367	NA	0°	T3.5
ENV10_1	PP Pustý kopec u Konic	HC	20230613	48,8121075	16,038875	NA	0°	T3.5
ENV10_2	PP Pustý kopec u Konic	HC	20230613	48,8125425	16,0368486	NA	0°	T3.5
ENV11_1	Přerovský vrch	HC	20230618	48,8120164	16,5140467	270°	3°	T3.3
ENV11_2	Přerovský vrch	HC	20230618	48,8122919	16,5143306	270°	3°	T3.3
ENV12_1	NPP Dunajovické kopce, jih	HC	20230619	48,8381775	16,5650478	0°	10°	T3.4
ENV12_2	NPP Dunajovické kopce, jih	HC	20230619	48,8366894	16,5674519	0°	18°	T3.4
ENV13_1	NPP Dunajovické kopce, střed	HC	20230624	48,8479603	16,5596858	22,5°	3°	T3.4
ENV13_2	NPP Dunajovické kopce, střed	HC	20230702	48,8470017	16,5642456	22,5°	3°	T3.4
ENV14_1	NPR Děvín, Martinka	HC, DK	20230607	48,861939	16,634516	247,5°	7,5°	T3.4

id	Název lokality	Autor	Datum	Z. šířka	Z. délka	Orientace	Sklon	Biotop
	Site name	Author	Date	Latitude	Longitude	Aspect	Slope	Habitat
ENV14_2	NPR Děvín, Martinka	HC, DK	20230607	48,860568	16,635088	247,5°	7,5°	T3.4
ENV15_1	PR Liščí vrch	DK	20230529	48,790442	16,691665	225°	5°	T3.4
ENV15_2	PR Liščí vrch	DK	20230608	48,791535	16,69241	225°	2,5°	T3.3/T3.4
ENV15_3	PR Liščí vrch	DK	20230608	48,793694	16,693569	225°	10°	T3.3/T3.4
ENV16_1	PP Růžový kopec	DK	20230530	48,820497	16,62605	NA	0°	T3.3/T3.4
ENV16_2	PP Růžový kopec	DK	20230530	48,82282	16,624588	45°	5°	T3.3/T3.4
ENV16_3	PP Růžový kopec	DK	20230530	48,821537	16,624369	NA	0°	T3.3/T3.4
ENV17_1	PP Anenský vrch	DK	20230605	48,826	16,618008	45°	15°	T3.4
ENV17_2	PP Anenský vrch	DK	20230605	48,825873	16,618382	45°	10°	T3.4
ENV18_1	PP Kienberg	DK	20230616	48,803058	16,686281	225°	20°	T3.3/T3.4
ENV18_2	PP Kienberg	DK	20230616	48,802498	16,687904	135°	15°	T3.3/T3.4
ENV19_1	NPP Dunajovické kopce, sever	DK	20230626	48,859908	16,552438	247,5°	15°	T3.3/T3.4
ENV19_2	NPP Dunajovické kopce, sever	DK	20230626	48,857644	16,55219	247,5°	5°	T3.3/T3.4
ENV20_1	NPP Miroslavské kopce	DB	20230522	48,93136	16,3027	245°	9°	T3.3
ENV20_2	NPP Miroslavské kopce	DB, DV	20230701	48,93903	16,3153	160°	13°	T3.3
ENV21_1	PP U Kapličky	DB, DV	20230701	48,95302	16,26296	175°	10°	T3.5
ENV22_1	PR Na Kocourkách	DB, DV	20230701	48,99574	16,24727	185°	7°	T3.5
ENV22_2	PR Na Kocourkách	DB, DV	20230701	48,99559	16,24707	185°	8°	T3.5
ENV23_1	PP Kozének	DB, MK	20230529	49,11105	16,24302	10°	12°	T3.5
ENV23_2	PP Kozének	DB, MK	20230529	49,10998	16,24013	NA	0°	T3.5
ENV25_1	PP Patočkova hora	DB	20230611	49,1471	16,39165	280°	15°	T3.5
ENV25_2	PP Patočkova hora	DB	20230611	49,14722	16,39179	290°	13°	T3.5
ENV26_1	PP Žebětín	DB, MK	20230529	49,08202	16,44372	240°	17°	T3.5
ENV27_1	PP Bouchal	DB, MK	20230529	49,10284	16,34503	210°	8°	T3.5
ENV27_2	PP Bouchal	DB, MK	20230529	49,10322	16,34479	NA	0°	T3.5
ENV28_1	PR Kamenný vrch	DB	20230612	49,18349	16,55109	195°	10°	T3.5
ENV28_2	PR Kamenný vrch	DB	20230612	49,18404	16,55169	190°	8°	T3.5
ENV29_1	NPR Mohelenská hadcová step	DB	20230610	49,10658	16,18999	170°	5°	T3.3
ENV29_2	NPR Mohelenská hadcová step	DB	20230610	49,10936	16,18524	200°	5°	T3.3
ENV30_1	NPP Pouzďfanská step	DB	20230626	48,94673	16,64262	200°	13°	T3.3/T3.4
ENV30_2	NPP Pouzďfanská step	DB	20230626	48,94257	16,64264	190°	5°	T3.3
ENV31_1	PP Hochberk	DB	20230610	48,94079	16,67079	280°	15°	T3.4
ENV31_2	PP Hochberk	MK	20220516	48,94190278	16,67148333	278°	12°	T3.4
ENV32_1	PP Kamenný vrch u Kurdějova	DB	20230603	48,96615	16,75403	270°	5°	T3.4
ENV32_2	PP Kamenný vrch u Kurdějova	DB	20230613	48,96881	16,7518	250°	5°	T3.4

id	Název lokality	Autor	Datum	Z. šířka	Z. délka	Orientace	Sklon	Biotop
	Site name	Author	Date	Latitude	Longitude	Aspect	Slope	Habitat
ENV34_1	PR Zázmoníky	DB	20230613	48,93574	16,85511	240°	13°	T3.4
ENV34_2	PR Zázmoníky	DB	20230613	48,93443	16,85595	240°	15°	T3.4
ENV34_3	Bořetice, Zázmoníky, mimo CHÚ	MK	20220516	48,93478333	16,85595	264°	3°	T3.4
ENV35_1	NPP Na Adamcích	DB	20230528	49,00809	17,00302	320°	25°	T3.4
ENV35_2	NPP Na Adamcích	DB	20230528	49,00851	17,00351	320°	22°	T3.4
ENV36_1	PP Hovoranské louky	DB, MK	20230530	48,96491	16,97409	335°	17°	T3.4
ENV36_2	PP Hovoranské louky	DB, MK	20230530	48,96658	16,97547	15°	13°	T3.4
ENV37_1	PP Záповěd u Karlína	DB, MK	20230530	48,97035	16,96825	295°	10°	T3.4
ENV37_2	PP Záповěd u Karlína	DB, MK	20230530	48,97071	16,96857	295°	15°	T3.4
ENV38_1	PP Špidláký	DB	20230603	48,9165	16,96457	350°	5°	T3.3/T3.4
ENV38_2	PP Špidláký	DB	20230603	48,92309	16,95621	345°	7°	T3.3/T3.4
ENV39_1	PP Přední kopaniny	DB	20230602	48,95481	16,74111	250°	15°	T3.4
ENV39_2	PP Přední kopaniny	DB	20230602	48,95498	16,74068	250°	15°	T3.4
ENV39_3	Hustopeče, PP Přední Kopaniny	MK	20220516	48,957675	16,74165556	60°	10°	T3.4
ENV40_1	PP Jesličky	DB	20230613	48,94285	16,83924	140°	15°	T3.4
ENV40_2	PP Jesličky	MK	20220516	48,94251944	16,83986389	278°	20°	T3.4
ENV40_3	PP Jesličky	MK	20220516	48,94256111	16,84011111	266°	19°	T3.3
ENV41_1	PP Nosperk	DB	20230613	48,94255	16,84307	175°	15°	T3.4
ENV42_1	PR Šévy	DB	20230526	49,13598	16,97285	25°	25°	T3.4
ENV42_2	PR Šévy	DB	20230526	49,13588	16,97294	110°	23°	T3.4
ENV43_1	PP Člupy	DB	20230527	49,14725	16,9473	280°	30°	T3.4
ENV44_1	PP Návdavky u Němčan	DB	20230523	49,15589	16,92186	345°	23°	T3.4
ENV44_2	PP Návdavky u Němčan	DB	20230526	49,15564	16,92205	325°	17°	T3.4
ENV45_1	PP Stepní stráně u Komořan	DB	20230523	49,19594	16,92559	260°	15°	T3.4
ENV45_2	PP Stepní stráně u Komořan	DB	20230523	49,19723	16,92533	265°	15°	T3.4
ENV46_1	NPP Větrníky	DB	20230528	49,19759	16,97927	145°	13°	T3.3/T3.4
ENV46_2	NPP Větrníky	DB	20230528	49,19721	16,97802	145°	15°	T3.3/T3.4
ENV47_1	PR Hašky	DB	20230527	49,15865	17,04797	125°	15°	T3.4
ENV47_2	PR Hašky	DB	20230527	49,15854	17,04845	125°	15°	T3.4
ENV48_1	PP Roviny	DB	20230527	49,15402	17,05435	295°	20°	T3.4
ENV48_2	PP Roviny	DB	20230527	49,15362	17,05307	315°	20°	T3.4
ENV49_1	NPP Malhotky	DB	20230525	49,14854	17,05683	150°	15°	T3.4
ENV49_2	NPP Malhotky	DB	20230525	49,14816	17,05371	150°	17°	T3.4
ENV50_1	PP Baračka	DB	20230525	49,12868	17,01921	300°	16°	T3.4
ENV50_2	PP Baračka	DB	20230525	49,12921	17,01893	260°	17°	T3.4
ENV51_1	PP Přehon	DB	20230524	49,17056	17,23628	125°	15°	T3.4
ENV51_2	PP Přehon	DB	20230524	49,17082	17,2355	125°	15°	T3.4

id	Název lokality	Autor	Datum	Z. šířka	Z. délka	Orientace	Sklon	Biotop
	Site name	Author	Date	Latitude	Longitude	Aspect	Slope	Habitat
ENV52_1	NPR Strabišov-Oulehla	DB	20230524	49,17143	17,21041	160°	13°	T3.4
ENV52_2	NPR Strabišov-Oulehla	DB	20230524	49,17061	17,21101	160°	15°	T3.4
ENV53_1	PP Kuče	DB	20230524	49,15391	17,15972	30°	15°	T3.4
ENV54_1	Želetice, u starého lomu	MK	20220510	48,93931944	16,18402778	180°	8°	T3.3
ENV55_1	Němčičky	MK	20220510	49,04585833	16,51850833	235°	16°	T3.3
ENV56_1	Pravlov	MK	20220511	49,05683889	16,49241944	265°	5°	T3.3
ENV57_1	Mělčany	MK	20220511	49,0637	16,50497778	105°	20°	T3.3
ENV58_1	PP Lipiny	MK	20220516	48,96824722	16,76931111	180°	15°	T3.4
ENV58_2	PP Lipiny	MK	20220516	48,96653056	16,76366111	180°	15°	T3.4
ENV59_1	Znojmo, 1 km V pod Kraví horou, u železniční trati	MK	20220707	48,84244444	16,04913889	45°	4°	T3.4
ENV60_1	Havraníky	MK	20220707	48,80400833	16,00931944	230°	3°	T3.5
ENV60_2	Havraníky	MK	20220707	48,80508333	16,00268889	125°	5°	T3.5
ENV61_1	Výrovce, 400 m SZ od kapličky	MK	20220708	48,93050833	16,11553889	100°	10°	T3.5
ENV62_1	Božice, 300 m SZ od kostela, prudká stráž nad hřištěm	MK	20220708	48,83681111	16,27263611	170°	25°	T3.5
ENV63_1	Blučina	MK	20220714	49,04656389	16,67008056	280°	15°	T3.4
ENV64_1	Židlochovice	MK	20220714	49,02664722	16,64594444	205°	25°	T3.4
ENV65_1	Křepice	MK	20220714	48,98779167	16,70954722	150°	30°	T3.4
ENV65_2	Křepice	MK	20220714	48,98631667	16,71030556	300°	25°	T3.4
ENV66_1	Nikolčice	MK	20220714	49,00259444	16,74837778	270°	25°	T3.4
ENV67_1	Šitbořice	MK	20220714	49,00115	16,777725	270°	4°	T3.4
ENV68_1	Řeznovice, nad řekou Jihlavou nad skalkou	MK	20220714	49,08794444	16,32335278	277°	25°	T3.3
ENV69_1	Syrovce, PP Bezourek	MK	20230531	49,09158889	16,550175	330°	14°	T3.4
ENV70_1	Budkovice, PP Budkovické slepence, horní hrana svahu	MK	20230531	49,06831944	16,34276389	175°	12°	T3.3

Příloha 2. Hlavičková data fytoocenologických snímků vegetace suchých trávníků zapsaných na studovaných lokalitách; pokračování.

Supplement 2. Header data of phytosociological relevés of dry grassland vegetation recorded at the study sites; cont.

id	Pokryvnost e2; %	Pokryvnost e1; %	Pokryvnost e0; %	Pokryvnost stafiny; %	Prům. výška e1; cm	Pastva	Expertní hodnocení	Údaje garantů lokalit
	Cover e2; %	Cover e1; %	Cover e0; %	Cover of litter; %	Av. height e1; cm	Pasture	Expert assessment	Data from site guarantors
ENV01_1	0	85	0	50	90	ANO	abandoned	irregular mosaic
ENV01_2	0	75	0	50	65	ANO	irregular	irregular mosaic
ENV02_1	0	75	40	20	30		regular	irregular mosaic
ENV03_1	0	70	30	40	50	ANO	irregular	irregular mosaic
ENV03_2	0	60	40	60	45	ANO	abandoned	irregular mosaic
ENV04_1	0	70	15	10	60	ANO	abandoned	abandoned
ENV05_1	5	50	1	70	50		abandoned	abandoned
ENV05_2	0	70	15	20	30	ANO	regular	regular mowing
ENV06_1	3	70	20	40	40		irregular	regular mowing
ENV06_2	0	55	30	40	60		abandoned	abandoned
ENV07_1	0	70	30	20	30		regular	regular mowing
ENV07_2	0	80	20	30	50		irregular	regular mowing
ENV08_1	0	60	50	50	40		irregular	irregular mosaic
ENV08_2	0	55	70	30	35		regular	irregular mosaic
ENV09_1	0	70	1	50	60	ANO	abandoned	irregular mowing
ENV10_1	2	60	1	80	65		abandoned	regular mowing
ENV10_2	0	80	1	20	50		regular	regular mowing
ENV11_1	0	75	15	20	50		regular	regular mosaic
ENV11_2	0	80	10	40	60		irregular	regular mosaic
ENV12_1	0	70	10	10	30		irregular	irregular mowing
ENV12_2	0	70	10	10	60		abandoned	irregular mowing
ENV13_1	1	65	10	20	30		irregular	regular mosaic
ENV13_2	0	70	5	40	65		abandoned	abandoned
ENV14_1	0	75	10	50	60	ANO	irregular	irregular mosaic
ENV14_2	0	70	5	30	60	ANO	irregular	irregular mosaic
ENV15_1	0	65	30	25	30	ANO	irregular	irregular mosaic
ENV15_2	0	65	30	10	30	ANO	irregular	irregular mosaic
ENV15_3	0	75	40	40	30	ANO	irregular	irregular mosaic
ENV16_1	0	65	10	13	30		irregular	irregular mosaic
ENV16_2	0	75	10	25	40		irregular	regular mosaic
ENV16_3	0	60	5	5	20		irregular	regular mosaic
ENV17_1	0	80	30	10	15	ANO	regular	regular mosaic
ENV17_2	0	80	15	20	30		abandoned	irregular mosaic
ENV18_1	0	80	40	15	30		irregular	irregular mosaic
ENV18_2	0	70	10	35	30	ANO	irregular	irregular mosaic
ENV19_1	0	80	0	20	25	ANO	irregular	irregular mosaic
ENV19_2	0	70	10	10	25	ANO	irregular	irregular mosaic
ENV20_1	20	50	30	55	30	ANO	irregular	regular mowing

id	Pokryvnost e2; %	Pokryvnost e1; %	Pokryvnost e0; %	Pokryvnost stařiny; %	Prům. výška e1; cm	Pastva	Expertní hodnocení	Údaje garantů lokalit
	Cover e2; %	Cover e1; %	Cover e0; %	Cover of litter; %	Av. height e1; cm	Pasture	Expert assessment	Data from site guarantors
ENV20_2	17	65	20	45	30	ANO	irregular	irregular mosaic
ENV21_1	0	70	40	20	17		abandoned	abandoned
ENV22_1	5	65	20	45	70		irregular	abandoned
ENV22_2	0	75	30	30	30		regular	abandoned
ENV23_1	0	60	11	55	15	ANO	irregular	regular mosaic
ENV23_2	0	75	5	10	10	ANO	regular	regular mosaic
ENV25_1	10	60	15	60	45		irregular	regular mowing
ENV25_2	0	70	30	35	30		regular	irregular mowing
ENV26_1	0	50	45	25	30		regular	regular mowing
ENV27_1	0	60	15	30	30	ANO	abandoned	abandoned
ENV27_2	0	60	0	70	40	ANO	abandoned	abandoned
ENV28_1	0	70	40	7	18		regular	irregular mowing
ENV28_2	5	60	15	60	60		irregular	regular mowing
ENV29_1	2	60	10	90	65	ANO	abandoned	irregular mosaic
ENV29_2	0	70	20	65	35	ANO	irregular	irregular mosaic
ENV30_1	0	65	10	30	35	ANO	irregular	irregular mosaic
ENV30_2	0	75	5	5	20	ANO	irregular	irregular mosaic
ENV31_1	0	85	10	40	40	ANO	irregular	irregular mowing
ENV31_2	0	70	2	15	15		irregular	abandoned
ENV32_1	0	80	25	20	20		regular	regular mowing
ENV32_2	0	70	10	80	80		abandoned	abandoned
ENV34_1	0	70	30	5	30		regular	irregular mowing
ENV34_2	15	60	2	65	45		irregular	irregular mowing
ENV34_3	0	70	2	40	25		abandoned	abandoned
ENV35_1	0	85	10	70	45	ANO	irregular	regular mosaic
ENV35_2	0	80	60	5	20		regular	regular mosaic
ENV36_1	5	65	5	80	35		irregular	irregular mowing
ENV36_2	0	70	35	20	15		regular	irregular mowing
ENV37_1	0	90	2	80	35		irregular	irregular mowing
ENV37_2	0	70	15	7	18		regular	irregular mowing
ENV38_1	0	45	10	90	35		irregular	irregular mowing
ENV38_2	0	85	30	15	17		abandoned	abandoned
ENV39_1	3	75	15	60	95		abandoned	irregular mowing
ENV39_2	0	75	35	5	18		regular	irregular mowing
ENV39_3	0	70	5	5	13		irregular	abandoned
ENV40_1	0	90	15	15	35		regular	regular mosaic
ENV40_2	0	80	2	15	22		irregular	abandoned
ENV40_3	0	40	2	30	30		irregular	abandoned
ENV41_1	5	65	1	90	60		abandoned	abandoned
ENV42_1	1	85	10	80	65		irregular	regular mowing
ENV42_2	0	75	20	15	18		regular	regular mowing
ENV43_1	15	55	10	60	35	ANO	abandoned	abandoned

id	Pokryvnost e2; %	Pokryvnost e1; %	Pokryvnost e0; %	Pokryvnost stařiny; %	Prům. výška e1; cm	Pastva	Expertní hodnocení	Údaje garantů lokalit
	Cover e2; %	Cover e1; %	Cover e0; %	Cover of litter; %	Av. height e1; cm	Pasture	Expert assessment	Data from site guarantors
ENV44_1	0	80	20	10	25		regular	regular mowing
ENV44_2	15	50	2	75	30		abandoned	regular mowing
ENV45_1	0	93	7	7	20	ANO	regular	regular mosaic
ENV45_2	1	72	3	70	30	ANO	irregular	regular mosaic
ENV46_1	25	45	1	85	40	ANO	abandoned	abandoned
ENV46_2	0	65	15	35	28	ANO	irregular	irregular mowing
ENV47_1	2	40	10	80	25		irregular	regular mosaic
ENV47_2	0	60	20	5	15		regular	regular mosaic
ENV48_1	30	45	10	80	25		abandoned	regular mosaic
ENV48_2	0	65	65	15	17		regular	regular mosaic
ENV49_1	0	80	35	5	18		regular	regular mosaic
ENV49_2	2	50	2	85	25		irregular	regular mosaic
ENV50_1	0	85	25	25	35		irregular	regular mosaic
ENV50_2	30	55	5	70	50		abandoned	regular mosaic
ENV51_1	20	50	3	80	35		abandoned	abandoned
ENV51_2	0	85	40	5	17		regular	regular mowing
ENV52_1	25	55	5	85	35		irregular	regular mosaic
ENV52_2	0	85	35	10	18		regular	regular mosaic
ENV53_1	0	75	35	5	30		irregular	regular mosaic
ENV54_1	0	50	1	65	30		abandoned	abandoned
ENV55_1	0	60	30	40	15		abandoned	regular mosaic
ENV56_1	0	35	30	60	20		abandoned	abandoned
ENV57_1	0	40	25	30	20		abandoned	abandoned
ENV58_1	0	60	10	10	15		abandoned	irregular mowing
ENV58_2	0	50	5	20	15		irregular	abandoned
ENV59_1	0	75	5	40	22		abandoned	abandoned
ENV60_1	1	55	5	70	27	ANO	abandoned	abandoned
ENV60_2	1	65	3	50	20		irregular	abandoned
ENV61_1	1	80	2	90	0		abandoned	abandoned
ENV62_1	1	35	0	30	12		abandoned	abandoned
ENV63_1	0	70	10	40	26		abandoned	abandoned
ENV64_1	0	25	10	90	17		abandoned	abandoned
ENV65_1	0	30	0	35	45		abandoned	abandoned
ENV65_2	0	55	30	50	30		abandoned	abandoned
ENV66_1	1	74	0	50	0		abandoned	irregular mowing
ENV67_1	0	70	30	70	25		abandoned	abandoned
ENV68_1	0	65	10	80	0		abandoned	abandoned
ENV69_1	0	50	70	15	15		abandoned	irregular mowing
ENV70_1	0	60	40	20	25		abandoned	regular mosaic

Příloha 3. Fytocenologické snímky vegetace suchých trávníků zapsané na studovaných lokalitách; data o druhovém složení a pokryvnosti jednotlivých druhů. Vysvětlivky: vegetační patro – juv. = dřeviny v bylinném patře, seedl. = semenáčky dřevin, H = bylinné patro, S = keřové patro.

Supplement 3. Phytosociological relevés of dry grassland vegetation recorded at the study sites; data on species composition and cover of individual species. Glossary: vegetation layer – juv. = woody plants in the herb layer, seedl. = tree seedlings, H = herb layer, S = shrub layer.

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV01_1	<i>Achillea millefolium</i> agg.	H	3
ENV01_1	<i>Anthriscus cerefolium</i>	H	0,5
ENV01_1	<i>Arenaria serpyllifolia</i>	H	0,5
ENV01_1	<i>Arrhenatherum elatius</i>	H	62,5
ENV01_1	<i>Carduus acanthoides</i>	H	3
ENV01_1	<i>Centaurea scabiosa</i>	H	3
ENV01_1	<i>Cerastium tenoreanum</i>	H	0,05
ENV01_1	<i>Erysimum diffusum</i>	H	0,05
ENV01_1	<i>Falcaria vulgaris</i>	H	3
ENV01_1	<i>Festuca rupicola</i>	H	3
ENV01_1	<i>Galium glaucum</i>	H	3
ENV01_1	<i>Galium verum</i>	H	3
ENV01_1	<i>Geranium pusillum</i>	H	0,05
ENV01_1	<i>Hesperis tristis</i>	H	0,05
ENV01_1	<i>Medicago falcata</i>	H	0,5
ENV01_1	<i>Microthlaspi perfoliatum</i>	H	0,05
ENV01_1	<i>Ornithogalum kochii</i>	H	0,05
ENV01_1	<i>Salvia pratensis</i>	H	10
ENV01_1	<i>Securigera varia</i>	H	0,5
ENV01_1	<i>Taraxacum</i> sect. <i>Taraxacum</i>	H	0,5
ENV01_1	<i>Trifolium campestre</i>	H	0,5
ENV01_1	<i>Veronica arvensis</i>	H	0,05
ENV01_1	<i>Veronica chamaedrys</i> agg.	H	0,5
ENV01_1	<i>Vicia angustifolia</i>	H	0,5
ENV01_1	<i>Vicia tetrasperma</i>	H	0,5
ENV01_1	<i>Viola tricolor</i>	H	0,5
ENV01_2	<i>Achillea millefolium</i> agg.	H	20
ENV01_2	<i>Arenaria serpyllifolia</i>	H	0,5
ENV01_2	<i>Arrhenatherum elatius</i>	H	20
ENV01_2	<i>Berteroa incana</i>	H	0,05
ENV01_2	<i>Carduus acanthoides</i>	H	3
ENV01_2	<i>Centaurea scabiosa</i>	H	3
ENV01_2	<i>Cerastium tenoreanum</i>	H	0,5
ENV01_2	<i>Echium vulgare</i>	H	0,5
ENV01_2	<i>Erysimum diffusum</i>	H	0,05
ENV01_2	<i>Falcaria vulgaris</i>	H	0,5
ENV01_2	<i>Festuca rupicola</i>	H	37,5
ENV01_2	<i>Galium glaucum</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV01_2	<i>Galium verum</i>	H	0,5
ENV01_2	<i>Hesperis tristis</i>	H	0,5
ENV01_2	<i>Hypericum perforatum</i>	H	0,5
ENV01_2	<i>Lactuca serriola</i>	H	0,05
ENV01_2	<i>Medicago falcata</i>	H	0,5
ENV01_2	<i>Myosotis arvensis</i>	H	0,5
ENV01_2	<i>Ornithogalum kochii</i>	H	0,5
ENV01_2	<i>Phleum phleoides</i>	H	0,5
ENV01_2	<i>Pimpinella saxifraga</i>	H	0,5
ENV01_2	<i>Poa angustifolia</i>	H	3
ENV01_2	<i>Ranunculus illyricus</i>	H	0,5
ENV01_2	<i>Salvia pratensis</i>	H	20
ENV01_2	<i>Scabiosa ochroleuca</i>	H	0,5
ENV01_2	<i>Taraxacum</i> sect. <i>Taraxacum</i>	H	0,5
ENV01_2	<i>Trifolium campestre</i>	H	0,5
ENV01_2	<i>Valerianella locusta</i>	H	0,5
ENV01_2	<i>Veronica arvensis</i>	H	0,5
ENV01_2	<i>Veronica chamaedrys</i> agg.	H	0,5
ENV01_2	<i>Vicia angustifolia</i>	H	0,5
ENV01_2	<i>Vicia tetrasperma</i>	H	0,5
ENV01_2	<i>Viola tricolor</i>	H	0,5
ENV02_1	<i>Achillea millefolium</i> agg.	H	0,5
ENV02_1	<i>Anemone sylvestris</i>	H	3
ENV02_1	<i>Anthyllis vulneraria</i>	H	0,05
ENV02_1	<i>Arrhenatherum elatius</i>	H	10
ENV02_1	<i>Aster amellus</i>	H	0,5
ENV02_1	<i>Brachypodium pinnatum</i>	H	37,5
ENV02_1	<i>Briza media</i>	H	0,5
ENV02_1	<i>Bromus erectus</i>	H	10
ENV02_1	<i>Bupleurum falcatum</i>	H	0,5
ENV02_1	<i>Carex montana</i>	H	0,5
ENV02_1	<i>Carex tomentosa</i>	H	0,5
ENV02_1	<i>Carlina acaulis</i>	H	0,5
ENV02_1	<i>Centaurea jacea</i>	H	0,5
ENV02_1	<i>Centaurea scabiosa</i>	H	3
ENV02_1	<i>Dactylis glomerata</i>	H	0,5
ENV02_1	<i>Dorycnium germanicum</i>	H	0,5
ENV02_1	<i>Festuca rupicola</i>	H	20
ENV02_1	<i>Helictotrichon pubescens</i>	H	0,5
ENV02_1	<i>Holcus lanatus</i>	H	0,5
ENV02_1	<i>Chamaecytisus ratisbonensis</i>	H	0,5
ENV02_1	<i>Knautia arvensis</i> agg.	H	0,5
ENV02_1	<i>Lathyrus latifolius</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV02_1	<i>Leucanthemum vulgare</i> agg.	H	0,5
ENV02_1	<i>Lotus corniculatus</i>	H	0,5
ENV02_1	<i>Medicago falcata</i>	H	0,5
ENV02_1	<i>Peucedanum cervaria</i>	H	0,5
ENV02_1	<i>Pimpinella saxifraga</i>	H	0,5
ENV02_1	<i>Plantago lanceolata</i>	H	0,5
ENV02_1	<i>Plantago media</i>	H	0,5
ENV02_1	<i>Poa angustifolia</i>	H	0,5
ENV02_1	<i>Polygala major</i>	H	0,5
ENV02_1	<i>Potentilla heptaphylla</i>	H	0,05
ENV02_1	<i>Primula veris</i>	H	0,05
ENV02_1	<i>Ranunculus polyanthemos</i>	H	0,5
ENV02_1	<i>Rosa</i> sp.	H	0,5
ENV02_1	<i>Salvia pratensis</i>	H	3
ENV02_1	<i>Sanguisorba minor</i>	H	0,5
ENV02_1	<i>Seseli annuum</i>	H	0,05
ENV02_1	<i>Tragopogon orientalis</i>	H	0,5
ENV02_1	<i>Trifolium montanum</i>	H	0,5
ENV02_1	<i>Viola hirta</i>	H	0,5
ENV03_1	<i>Acinos arvensis</i>	H	0,05
ENV03_1	<i>Achillea millefolium</i> agg.	H	0,5
ENV03_1	<i>Anthericum ramosum</i>	H	0,05
ENV03_1	<i>Arrhenatherum elatius</i>	H	3
ENV03_1	<i>Brachypodium pinnatum</i>	H	37,5
ENV03_1	<i>Bromus erectus</i>	H	20
ENV03_1	<i>Carex michelii</i>	H	0,5
ENV03_1	<i>Centaurea jacea</i>	H	3
ENV03_1	<i>Centaurea scabiosa</i>	H	3
ENV03_1	<i>Cerastium pumilum</i> agg.	H	0,05
ENV03_1	<i>Dactylis glomerata</i>	H	0,5
ENV03_1	<i>Eryngium campestre</i>	H	0,5
ENV03_1	<i>Falcaria vulgaris</i>	H	0,05
ENV03_1	<i>Festuca rupicola</i>	H	3
ENV03_1	<i>Galium glaucum</i>	H	0,5
ENV03_1	<i>Knautia arvensis</i> agg.	H	0,5
ENV03_1	<i>Medicago falcata</i>	H	0,5
ENV03_1	<i>Ornithogalum kochii</i>	H	0,05
ENV03_1	<i>Peucedanum alsaticum</i>	H	0,5
ENV03_1	<i>Peucedanum cervaria</i>	H	0,5
ENV03_1	<i>Picris hieracioides</i>	H	0,05
ENV03_1	<i>Pimpinella saxifraga</i>	H	0,5
ENV03_1	<i>Poa angustifolia</i>	H	0,5
ENV03_1	<i>Prunus avium</i>	H	0,05

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV03_1	<i>Prunus</i> sp.	H	0,05
ENV03_1	<i>Salvia pratensis</i>	H	10
ENV03_1	<i>Sanguisorba minor</i>	H	0,05
ENV03_1	<i>Securigera varia</i>	H	0,05
ENV03_1	<i>Silene vulgaris</i>	H	0,5
ENV03_1	<i>Taraxacum</i> sect. <i>Taraxacum</i>	H	0,05
ENV03_1	<i>Tragopogon orientalis</i>	H	0,05
ENV03_1	<i>Vicia tenuifolia</i>	H	10
ENV03_2	<i>Achillea millefolium</i> agg.	H	0,5
ENV03_2	<i>Allium senescens</i> subsp. <i>montanum</i>	H	0,5
ENV03_2	<i>Arrhenatherum elatius</i>	H	10
ENV03_2	<i>Bromus erectus</i>	H	20
ENV03_2	<i>Bupleurum falcatum</i>	H	0,5
ENV03_2	<i>Centaurea scabiosa</i>	H	10
ENV03_2	<i>Cerastium holosteoides</i>	H	0,5
ENV03_2	<i>Convolvulus arvensis</i>	H	0,05
ENV03_2	<i>Crataegus</i> sp.	H	3
ENV03_2	<i>Dactylis glomerata</i>	H	0,5
ENV03_2	<i>Dianthus pontederæ</i>	H	0,5
ENV03_2	<i>Eryngium campestre</i>	H	0,5
ENV03_2	<i>Festuca rupicola</i>	H	10
ENV03_2	<i>Hesperis tristis</i>	H	0,5
ENV03_2	<i>Hypericum perforatum</i>	H	0,5
ENV03_2	<i>Chamaecytisus ratisbonensis</i>	H	0,5
ENV03_2	<i>Knautia arvensis</i> agg.	H	0,5
ENV03_2	<i>Lotus corniculatus</i>	H	0,5
ENV03_2	<i>Medicago falcata</i>	H	0,5
ENV03_2	<i>Microthlaspi perfoliatum</i>	H	0,5
ENV03_2	<i>Onobrychis viciifolia</i> agg.	H	0,5
ENV03_2	<i>Ornithogalum kochii</i>	H	0,5
ENV03_2	<i>Peucedanum alsaticum</i>	H	0,5
ENV03_2	<i>Peucedanum cervaria</i>	H	0,5
ENV03_2	<i>Pimpinella saxifraga</i>	H	0,5
ENV03_2	<i>Plantago media</i>	H	3
ENV03_2	<i>Poa angustifolia</i>	H	3
ENV03_2	<i>Primula veris</i>	H	3
ENV03_2	<i>Sanguisorba minor</i>	H	0,5
ENV03_2	<i>Scorzonera austriaca</i>	H	0,05
ENV03_2	<i>Seseli annuum</i>	H	0,5
ENV03_2	<i>Silene nutans</i>	H	0,5
ENV03_2	<i>Teucrium chamaedrys</i>	H	0,5
ENV03_2	<i>Thymus pannonicus</i> agg.	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV04_1	<i>Agrimonia eupatoria</i>	H	0,5
ENV04_1	<i>Achillea millefolium</i> agg.	H	0,5
ENV04_1	<i>Allium scorodoprasum</i>	H	0,05
ENV04_1	<i>Arabis hirsuta</i> agg.	H	0,5
ENV04_1	<i>Aristolochia clematitis</i>	H	3
ENV04_1	<i>Arrhenatherum elatius</i>	H	20
ENV04_1	<i>Ballota nigra</i>	H	0,5
ENV04_1	<i>Brachypodium pinnatum</i>	H	10
ENV04_1	<i>Bromus hordeaceus</i>	H	3
ENV04_1	<i>Bromus japonicus</i>	H	0,5
ENV04_1	<i>Bromus sterilis</i>	H	0,5
ENV04_1	<i>Campanula rapunculoides</i>	H	0,05
ENV04_1	<i>Carduus acanthoides</i>	H	0,5
ENV04_1	<i>Cerastium holosteoides</i>	H	0,5
ENV04_1	<i>Cerastium pumilum</i> agg.	H	0,5
ENV04_1	<i>Clematis vitalba</i>	H	3
ENV04_1	<i>Crataegus</i> sp.	H	10
ENV04_1	<i>Dactylis glomerata</i>	H	3
ENV04_1	<i>Erigeron annuus</i>	H	0,5
ENV04_1	<i>Euphorbia esula</i>	H	0,5
ENV04_1	<i>Fragaria vesca</i>	H	0,5
ENV04_1	<i>Galium album</i>	H	10
ENV04_1	<i>Galium verum</i>	H	0,5
ENV04_1	<i>Geum urbanum</i>	H	0,5
ENV04_1	<i>Glechoma hederacea</i>	H	0,5
ENV04_1	<i>Humulus lupulus</i>	H	0,5
ENV04_1	<i>Hypericum perforatum</i>	H	0,5
ENV04_1	<i>Inula conyzae</i>	H	0,5
ENV04_1	<i>Libanotis pyrenaica</i>	H	0,5
ENV04_1	<i>Lithospermum officinale</i>	H	0,5
ENV04_1	<i>Melica transsilvanica</i>	H	0,05
ENV04_1	<i>Origanum vulgare</i>	H	3
ENV04_1	<i>Peucedanum cervaria</i>	H	0,5
ENV04_1	<i>Plantago lanceolata</i>	H	0,5
ENV04_1	<i>Poa angustifolia</i>	H	3
ENV04_1	<i>Poa trivialis</i>	H	0,5
ENV04_1	<i>Prunus</i> sp.	H	0,5
ENV04_1	<i>Ranunculus polyanthemos</i>	H	0,5
ENV04_1	<i>Rhamnus cathartica</i>	H	0,5
ENV04_1	<i>Rosa</i> sp.	H	10
ENV04_1	<i>Rubus caesius</i> agg.	H	37,5
ENV04_1	<i>Silene latifolia</i> subsp. <i>alba</i>	H	0,05
ENV04_1	<i>Stachys recta</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV04_1	<i>Tanacetum corymbosum</i>	H	0,5
ENV04_1	<i>Taraxacum</i> sect. <i>Taraxacum</i>	H	0,5
ENV04_1	<i>Veronica arvensis</i>	H	0,5
ENV04_1	<i>Veronica polita</i>	H	0,05
ENV04_1	<i>Viola hirta</i>	H	0,5
ENV05_1	<i>Agrimonia eupatoria</i>	H	0,5
ENV05_1	<i>Arrhenatherum elatius</i>	H	0,5
ENV05_1	<i>Brachypodium pinnatum</i>	H	37,5
ENV05_1	<i>Bromus erectus</i>	H	10
ENV05_1	<i>Centaurea scabiosa</i>	H	0,05
ENV05_1	<i>Cirsium</i> cf. <i>pannonicum</i>	H	0,05
ENV05_1	<i>Crataegus monogyna</i> agg.	S	3
ENV05_1	<i>Crataegus</i> sp.	H	3
ENV05_1	<i>Eryngium campestre</i>	H	0,5
ENV05_1	<i>Euphorbia cyparissias</i>	H	0,05
ENV05_1	<i>Festuca rupicola</i>	H	10
ENV05_1	<i>Fragaria viridis</i>	H	3
ENV05_1	<i>Galium verum</i>	H	0,5
ENV05_1	<i>Knautia arvensis</i> agg.	H	0,5
ENV05_1	<i>Lathyrus tuberosus</i>	H	0,05
ENV05_1	<i>Libanotis pyrenaica</i>	H	3
ENV05_1	<i>Ligustrum vulgare</i>	H	0,5
ENV05_1	<i>Medicago falcata</i>	H	0,5
ENV05_1	<i>Peucedanum cervaria</i>	H	0,5
ENV05_1	<i>Poa angustifolia</i>	H	3
ENV05_1	<i>Prunus spinosa</i>	H	3
ENV05_1	<i>Prunus spinosa</i>	S	0,5
ENV05_1	<i>Rhamnus cathartica</i>	H	0,5
ENV05_1	<i>Rosa</i> sp.	H	0,5
ENV05_1	<i>Securigera varia</i>	H	0,5
ENV05_1	<i>Silene latifolia</i> subsp. <i>alba</i>	H	0,5
ENV05_1	<i>Silene vulgaris</i>	H	0,5
ENV05_1	<i>Stipa pennata</i>	H	0,5
ENV05_1	<i>Vincetoxicum hirsutinaria</i>	H	0,05
ENV05_1	<i>Viola</i> cf. <i>suavis</i>	H	0,5
ENV05_1	<i>Viola hirta</i>	H	0,5
ENV05_2	<i>Agrimonia eupatoria</i>	H	0,5
ENV05_2	<i>Achillea millefolium</i> agg.	H	0,5
ENV05_2	<i>Anthyllis vulneraria</i>	H	0,5
ENV05_2	<i>Arabis hirsuta</i> agg.	H	0,5
ENV05_2	<i>Brachypodium pinnatum</i>	H	10
ENV05_2	<i>Briza media</i>	H	0,5
ENV05_2	<i>Bromus erectus</i>	H	20

id	Taxon	Vegetační patro	Pokryvnost, %
	Taxon	Vegetation layer	Cover, %
ENV05_2	<i>Carex flacca</i>	H	0,5
ENV05_2	<i>Centaurea jacea</i>	H	0,5
ENV05_2	<i>Centaurea scabiosa</i>	H	0,5
ENV05_2	<i>Crataegus</i> sp.	H	0,5
ENV05_2	<i>Dactylis glomerata</i>	H	0,5
ENV05_2	<i>Dorycnium germanicum</i>	H	10
ENV05_2	<i>Eryngium campestre</i>	H	0,5
ENV05_2	<i>Festuca rupicola</i>	H	20
ENV05_2	<i>Fragaria viridis</i>	H	3
ENV05_2	<i>Galium verum</i>	H	0,5
ENV05_2	<i>Knautia arvensis</i> agg.	H	0,5
ENV05_2	<i>Koeleria macrantha</i>	H	3
ENV05_2	<i>Lathyrus pratensis</i>	H	0,5
ENV05_2	<i>Libanotis pyrenaica</i>	H	3
ENV05_2	<i>Lotus corniculatus</i>	H	0,5
ENV05_2	<i>Lotus maritimus</i>	H	0,5
ENV05_2	<i>Medicago lupulina</i>	H	0,5
ENV05_2	<i>Ononis spinosa</i>	H	0,5
ENV05_2	<i>Pilosella officinarum</i>	H	0,5
ENV05_2	<i>Pimpinella saxifraga</i>	H	0,5
ENV05_2	<i>Plantago lanceolata</i>	H	0,5
ENV05_2	<i>Plantago media</i>	H	0,5
ENV05_2	<i>Poa angustifolia</i>	H	0,5
ENV05_2	<i>Ranunculus polyanthemus</i>	H	0,5
ENV05_2	<i>Sanguisorba minor</i>	H	0,5
ENV05_2	<i>Securigera varia</i>	H	0,5
ENV05_2	<i>Senecio jacobaea</i>	H	0,5
ENV05_2	<i>Silene vulgaris</i>	H	0,5
ENV05_2	<i>Tragopogon dubius</i>	H	0,05
ENV06_1	<i>Achillea millefolium</i> agg.	H	3
ENV06_1	<i>Arenaria serpyllifolia</i>	H	0,5
ENV06_1	<i>Arrhenatherum elatius</i>	H	10
ENV06_1	<i>Brachypodium pinnatum</i>	H	37,5
ENV06_1	<i>Bromus erectus</i>	H	0,5
ENV06_1	<i>Carex caryophyllea</i>	H	3
ENV06_1	<i>Centaurea scabiosa</i>	H	3
ENV06_1	<i>Crataegus</i> sp.	H	3
ENV06_1	<i>Dactylis glomerata</i>	H	3
ENV06_1	<i>Eryngium campestre</i>	H	3
ENV06_1	<i>Erysimum odoratum</i>	H	0,05
ENV06_1	<i>Euphorbia cyparissias</i>	H	0,5
ENV06_1	<i>Falcaria vulgaris</i>	H	0,5
ENV06_1	<i>Festuca rupicola</i>	H	10

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV06_1	<i>Festuca valesiaca</i>	H	0,5
ENV06_1	<i>Filipendula vulgaris</i>	H	3
ENV06_1	<i>Fraxinus excelsior</i>	H	0,5
ENV06_1	<i>Galatella linosyris</i>	H	0,5
ENV06_1	<i>Galium verum</i>	H	10
ENV06_1	<i>Helictotrichon pratense</i>	H	0,5
ENV06_1	<i>Helictotrichon pubescens</i>	H	0,5
ENV06_1	<i>Hypericum perforatum</i>	H	0,5
ENV06_1	<i>Knautia arvensis</i> agg.	H	0,5
ENV06_1	<i>Koeleria macrantha</i>	H	0,5
ENV06_1	<i>Ligustrum vulgare</i>	H	3
ENV06_1	<i>Medicago falcata</i>	H	3
ENV06_1	<i>Peucedanum cervaria</i>	H	0,5
ENV06_1	<i>Pimpinella saxifraga</i>	H	0,5
ENV06_1	<i>Plantago media</i>	H	0,5
ENV06_1	<i>Poa angustifolia</i>	H	3
ENV06_1	<i>Potentilla heptaphylla</i>	H	0,5
ENV06_1	<i>Prunus</i> sp.	H	0,5
ENV06_1	<i>Ranunculus polyanthemos</i>	H	0,5
ENV06_1	<i>Rhinanthus</i> sp.	H	0,5
ENV06_1	<i>Rosa</i> sp.	S	3
ENV06_1	<i>Rosa</i> sp.	H	0,5
ENV06_1	<i>Salvia pratensis</i>	H	20
ENV06_1	<i>Sanguisorba minor</i>	H	0,5
ENV06_1	<i>Scabiosa ochroleuca</i>	H	0,5
ENV06_1	<i>Seseli annuum</i>	H	0,5
ENV06_1	<i>Silene vulgaris</i>	H	0,5
ENV06_1	<i>Stachys recta</i>	H	0,5
ENV06_1	<i>Teucrium chamaedrys</i>	H	0,5
ENV06_1	<i>Thalictrum minus</i>	H	0,5
ENV06_1	<i>Thesium ramosum</i>	H	0,05
ENV06_1	<i>Veronica chamaedrys</i> agg.	H	0,5
ENV06_1	<i>Vicia tenuifolia</i>	H	0,5
ENV06_1	<i>Viola hirta</i>	H	0,5
ENV06_2	<i>Acer campestre</i>	juv.	3
ENV06_2	<i>Achillea millefolium</i> agg.	H	3
ENV06_2	<i>Arabis hirsuta</i> agg.	H	0,05
ENV06_2	<i>Arrhenatherum elatius</i>	H	20
ENV06_2	<i>Astragalus glycyphyllos</i>	H	0,5
ENV06_2	<i>Ballota nigra</i>	H	0,5
ENV06_2	<i>Brachypodium pinnatum</i>	H	20
ENV06_2	<i>Bromus erectus</i>	H	0,5
ENV06_2	<i>Carex michelii</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV06_2	<i>Carpinus betulus</i>	juv.	0,5
ENV06_2	<i>Centaurea jacea</i>	H	3
ENV06_2	<i>Centaurea scabiosa</i>	H	3
ENV06_2	<i>Clinopodium vulgare</i>	H	0,5
ENV06_2	<i>Crataegus</i> sp.	H	0,5
ENV06_2	<i>Dactylis glomerata</i>	H	0,5
ENV06_2	<i>Elymus repens</i>	H	3
ENV06_2	<i>Euphorbia cyparissias</i>	H	0,5
ENV06_2	<i>Festuca rupicola</i>	H	10
ENV06_2	<i>Fraxinus excelsior</i>	H	10
ENV06_2	<i>Galium aparine</i>	H	0,5
ENV06_2	<i>Geum urbanum</i>	H	0,5
ENV06_2	<i>Helictotrichon pubescens</i>	H	0,5
ENV06_2	<i>Knautia arvensis</i> agg.	H	0,5
ENV06_2	<i>Medicago falcata</i>	H	3
ENV06_2	<i>Microthlaspi perfoliatum</i>	H	0,05
ENV06_2	<i>Peucedanum cervaria</i>	H	0,5
ENV06_2	<i>Pimpinella saxifraga</i>	H	0,5
ENV06_2	<i>Poa angustifolia</i>	H	3
ENV06_2	<i>Potentilla heptaphylla</i>	H	0,5
ENV06_2	<i>Primula veris</i>	H	3
ENV06_2	<i>Ranunculus polyanthemus</i>	H	0,5
ENV06_2	<i>Salvia pratensis</i>	H	10
ENV06_2	<i>Sanguisorba minor</i>	H	0,5
ENV06_2	<i>Veronica chamaedrys</i> agg.	H	0,5
ENV06_2	<i>Vincetoxicum hirundinaria</i>	H	0,5
ENV06_2	<i>Viola hirta</i>	H	3
ENV07_1	<i>Agrimonia eupatoria</i>	H	3
ENV07_1	<i>Achillea millefolium</i> agg.	H	0,5
ENV07_1	<i>Arrhenatherum elatius</i>	H	3
ENV07_1	<i>Aster amellus</i>	H	0,5
ENV07_1	<i>Brachypodium pinnatum</i>	H	10
ENV07_1	<i>Bromus erectus</i>	H	0,5
ENV07_1	<i>Bromus inermis</i>	H	10
ENV07_1	<i>Campanula glomerata</i>	H	0,5
ENV07_1	<i>Carex flacca</i>	H	10
ENV07_1	<i>Centaurea scabiosa</i>	H	0,5
ENV07_1	<i>Centaurea stoebe</i>	H	0,5
ENV07_1	<i>Cornus sanguinea</i>	H	0,5
ENV07_1	<i>Crataegus</i> sp.	H	3
ENV07_1	<i>Dactylis glomerata</i>	H	0,5
ENV07_1	<i>Dorycnium germanicum</i>	H	10
ENV07_1	<i>Eryngium campestre</i>	H	3

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV07_1	<i>Euphorbia virgata</i>	H	0,5
ENV07_1	<i>Falcaria vulgaris</i>	H	0,5
ENV07_1	<i>Festuca rupicola</i>	H	10
ENV07_1	<i>Fragaria viridis</i>	H	3
ENV07_1	<i>Galatella linosyris</i>	H	0,5
ENV07_1	<i>Galium verum</i>	H	0,5
ENV07_1	<i>Chamaecytisus austriacus</i>	H	10
ENV07_1	<i>Knautia arvensis</i> agg.	H	0,5
ENV07_1	<i>Koeleria macrantha</i>	H	0,5
ENV07_1	<i>Lathyrus latifolius</i>	H	10
ENV07_1	<i>Leucanthemum vulgare</i> agg.	H	0,5
ENV07_1	<i>Ligustrum vulgare</i>	H	3
ENV07_1	<i>Linum tenuifolium</i>	H	0,5
ENV07_1	<i>Lotus corniculatus</i>	H	0,5
ENV07_1	<i>Lotus maritimus</i>	H	0,5
ENV07_1	<i>Melampyrum arvense</i>	H	0,5
ENV07_1	<i>Onobrychis viciifolia</i> agg.	H	0,5
ENV07_1	<i>Origanum vulgare</i>	H	0,5
ENV07_1	<i>Peucedanum alsaticum</i>	H	0,5
ENV07_1	<i>Peucedanum cervaria</i>	H	3
ENV07_1	<i>Plantago major</i>	H	3
ENV07_1	<i>Poa angustifolia</i>	H	0,5
ENV07_1	<i>Prunus spinosa</i>	H	0,5
ENV07_1	<i>Rhamnus cathartica</i>	H	0,5
ENV07_1	<i>Rosa</i> sp.	H	0,5
ENV07_1	<i>Sanguisorba minor</i>	H	3
ENV07_1	<i>Scabiosa ochroleuca</i>	H	0,5
ENV07_1	<i>Solidago virgaurea</i>	H	0,05
ENV07_1	<i>Thymus pannonicus</i> agg.	H	0,5
ENV07_1	<i>Viburnum lantana</i>	H	0,5
ENV07_1	<i>Vicia tenuifolia</i>	H	0,5
ENV07_1	<i>Viola hirta</i>	H	0,5
ENV07_2	<i>Agrimonia eupatoria</i>	H	3
ENV07_2	<i>Achillea millefolium</i> agg.	H	3
ENV07_2	<i>Arenaria serpyllifolia</i>	H	0,5
ENV07_2	<i>Arrhenatherum elatius</i>	H	10
ENV07_2	<i>Aster amellus</i>	H	0,5
ENV07_2	<i>Astragalus glycyphyllos</i>	H	0,5
ENV07_2	<i>Brachypodium pinnatum</i>	H	10
ENV07_2	<i>Bromus erectus</i>	H	3
ENV07_2	<i>Campanula glomerata</i>	H	0,5
ENV07_2	<i>Centaurea jacea</i>	H	0,5
ENV07_2	<i>Centaurea scabiosa</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost, %
	Taxon	Vegetation layer	Cover, %
ENV07_2	<i>Cerastium pumilum</i> agg.	H	0,5
ENV07_2	<i>Crataegus</i> sp.	H	3
ENV07_2	<i>Dactylis glomerata</i>	H	0,5
ENV07_2	<i>Dorycnium germanicum</i>	H	3
ENV07_2	<i>Eryngium campestre</i>	H	0,5
ENV07_2	<i>Euphorbia virgata</i>	H	0,5
ENV07_2	<i>Falcaria vulgaris</i>	H	0,5
ENV07_2	<i>Festuca rupicola</i>	H	10
ENV07_2	<i>Fragaria viridis</i>	H	20
ENV07_2	<i>Galatella linosyris</i>	H	0,5
ENV07_2	<i>Galium verum</i>	H	0,5
ENV07_2	<i>Chamaecytisus austriacus</i>	H	3
ENV07_2	<i>Knautia arvensis</i> agg.	H	0,5
ENV07_2	<i>Koeleria macrantha</i>	H	0,5
ENV07_2	<i>Lathyrus latifolius</i>	H	3
ENV07_2	<i>Lotus corniculatus</i>	H	0,5
ENV07_2	<i>Orobanche</i> sp.	H	0,5
ENV07_2	<i>Peucedanum cervaria</i>	H	10
ENV07_2	<i>Pimpinella saxifraga</i>	H	0,5
ENV07_2	<i>Plantago media</i>	H	0,5
ENV07_2	<i>Poa angustifolia</i>	H	0,5
ENV07_2	<i>Potentilla heptaphylla</i>	H	0,5
ENV07_2	<i>Potentilla recta</i>	H	0,5
ENV07_2	<i>Prunus spinosa</i>	H	3
ENV07_2	<i>Rosa</i> sp.	H	0,5
ENV07_2	<i>Salvia verticillata</i>	H	0,5
ENV07_2	<i>Securigera varia</i>	H	3
ENV07_2	<i>Trifolium campestre</i>	H	0,5
ENV07_2	<i>Trisetum flavescens</i>	H	0,5
ENV07_2	<i>Vicia tenuifolia</i>	H	37,5
ENV08_1	<i>Adonis vernalis</i>	H	3
ENV08_1	<i>Achillea millefolium</i> agg.	H	0,5
ENV08_1	<i>Arrhenatherum elatius</i>	H	0,5
ENV08_1	<i>Aster amellus</i>	H	0,5
ENV08_1	<i>Brachypodium pinnatum</i>	H	10
ENV08_1	<i>Bromus erectus</i>	H	3
ENV08_1	<i>Carlina acaulis</i>	H	0,5
ENV08_1	<i>Centaurea scabiosa</i>	H	0,5
ENV08_1	<i>Crataegus</i> sp.	H	0,5
ENV08_1	<i>Cytisus procumbens</i>	H	10
ENV08_1	<i>Dactylis glomerata</i>	H	0,5
ENV08_1	<i>Dianthus pontederiae</i>	H	0,5
ENV08_1	<i>Dorycnium germanicum</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV08_1	<i>Eryngium campestre</i>	H	0,5
ENV08_1	<i>Festuca rupicola</i>	H	0,5
ENV08_1	<i>Festuca valesiaca</i>	H	10
ENV08_1	<i>Galatella linosyris</i>	H	0,5
ENV08_1	<i>Galium glaucum</i>	H	3
ENV08_1	<i>Globularia bisnagarica</i>	H	0,5
ENV08_1	<i>Helictotrichon pratense</i>	H	0,5
ENV08_1	<i>Inula ensifolia</i>	H	0,5
ENV08_1	<i>Inula hirta</i>	H	0,5
ENV08_1	<i>Knautia arvensis</i> agg.	H	0,5
ENV08_1	<i>Koeleria macrantha</i>	H	0,5
ENV08_1	<i>Melampyrum arvense</i>	H	0,5
ENV08_1	<i>Odontites luteus</i>	H	0,5
ENV08_1	<i>Onobrychis viciifolia</i> agg.	H	0,5
ENV08_1	<i>Peucedanum cervaria</i>	H	10
ENV08_1	<i>Phleum phleoides</i>	H	0,5
ENV08_1	<i>Prunus</i> sp.	H	0,05
ENV08_1	<i>Rubus caesius</i> agg.	H	0,5
ENV08_1	<i>Sanguisorba minor</i>	H	3
ENV08_1	<i>Scabiosa ochroleuca</i>	H	0,5
ENV08_1	<i>Seseli annuum</i>	H	0,05
ENV08_1	<i>Stipa pulcherrima</i>	H	20
ENV08_1	<i>Thymus pannonicus</i> agg.	H	3
ENV08_1	<i>Vicia tenuifolia</i>	H	0,5
ENV08_2	<i>Adonis vernalis</i>	H	0,5
ENV08_2	<i>Achillea millefolium</i> agg.	H	0,5
ENV08_2	<i>Anthericum ramosum</i>	H	0,5
ENV08_2	<i>Arrhenatherum elatius</i>	H	0,5
ENV08_2	<i>Aster amellus</i>	H	3
ENV08_2	<i>Brachypodium pinnatum</i>	H	10
ENV08_2	<i>Briza media</i>	H	0,5
ENV08_2	<i>Bromus erectus</i>	H	3
ENV08_2	<i>Campanula glomerata</i>	H	0,5
ENV08_2	<i>Carex humilis</i>	H	10
ENV08_2	<i>Centaurea scabiosa</i>	H	0,5
ENV08_2	<i>Cornus sanguinea</i>	H	0,5
ENV08_2	<i>Crataegus</i> sp.	H	0,05
ENV08_2	<i>Cytisus procumbens</i>	H	0,5
ENV08_2	<i>Dactylis glomerata</i>	H	0,5
ENV08_2	<i>Dorycnium germanicum</i>	H	10
ENV08_2	<i>Festuca rupicola</i>	H	3
ENV08_2	<i>Filipendula vulgaris</i>	H	0,5
ENV08_2	<i>Galium glaucum</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV08_2	<i>Globularia bisnagarica</i>	H	0,5
ENV08_2	<i>Helictotrichon pratense</i>	H	0,5
ENV08_2	<i>Hieracium umbellatum</i>	H	0,5
ENV08_2	<i>Chamaecytisus ratisbonensis</i>	H	0,5
ENV08_2	<i>Inula ensifolia</i>	H	3
ENV08_2	<i>Inula hirta</i>	H	0,5
ENV08_2	<i>Knautia arvensis</i> agg.	H	0,5
ENV08_2	<i>Koeleria macrantha</i>	H	0,5
ENV08_2	<i>Linum tenuifolium</i>	H	0,5
ENV08_2	<i>Lotus corniculatus</i>	H	0,5
ENV08_2	<i>Melampyrum arvense</i>	H	0,5
ENV08_2	<i>Odontites luteus</i>	H	0,5
ENV08_2	<i>Peucedanum cervaria</i>	H	10
ENV08_2	<i>Pilosella officinarum</i>	H	0,5
ENV08_2	<i>Plantago media</i>	H	0,5
ENV08_2	<i>Salvia pratensis</i>	H	0,5
ENV08_2	<i>Sanguisorba minor</i>	H	0,5
ENV08_2	<i>Seseli annuum</i>	H	0,5
ENV08_2	<i>Stipa pulcherrima</i>	H	10
ENV08_2	<i>Tanacetum corymbosum</i>	H	0,5
ENV08_2	<i>Thymus pannonicus</i> agg.	H	3
ENV08_2	<i>Veronica spicata</i>	H	0,5
ENV08_2	<i>Viola ambigua</i>	H	0,5
ENV09_1	<i>Achillea millefolium</i> agg.	H	0,5
ENV09_1	<i>Arrhenatherum elatius</i>	H	37,5
ENV09_1	<i>Artemisia campestris</i>	H	0,5
ENV09_1	<i>Centaurea stoebe</i>	H	0,5
ENV09_1	<i>Echium vulgare</i>	H	0,5
ENV09_1	<i>Eryngium campestre</i>	H	3
ENV09_1	<i>Falcaria vulgaris</i>	H	0,5
ENV09_1	<i>Festuca ovina</i>	H	0,5
ENV09_1	<i>Festuca valesiaca</i>	H	3
ENV09_1	<i>Galium verum</i>	H	10
ENV09_1	<i>Hypericum perforatum</i>	H	0,5
ENV09_1	<i>Koeleria macrantha</i>	H	0,5
ENV09_1	<i>Linaria genistifolia</i>	H	0,05
ENV09_1	<i>Melampyrum arvense</i>	H	3
ENV09_1	<i>Odontites vernus</i>	H	0,5
ENV09_1	<i>Pimpinella saxifraga</i>	H	0,5
ENV09_1	<i>Plantago lanceolata</i>	H	0,5
ENV09_1	<i>Poa angustifolia</i>	H	3
ENV09_1	<i>Potentilla argentea</i>	H	0,5
ENV09_1	<i>Rumex acetosella</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover, %
ENV09_1	<i>Trifolium arvense</i>	H	10
ENV09_1	<i>Trifolium campestre</i>	H	37,5
ENV09_1	<i>Veronica arvensis</i>	H	0,5
ENV09_1	<i>Vicia angustifolia</i>	H	3
ENV09_1	<i>Vicia hirsuta</i>	H	0,5
ENV10_1	<i>Agrimonia eupatoria</i>	H	0,5
ENV10_1	<i>Achillea millefolium</i> agg.	H	0,5
ENV10_1	<i>Arrhenatherum elatius</i>	H	20
ENV10_1	<i>Bromus inermis</i>	H	20
ENV10_1	<i>Convolvulus arvensis</i>	H	0,05
ENV10_1	<i>Crataegus</i> sp.	H	0,5
ENV10_1	<i>Dactylis glomerata</i>	H	0,5
ENV10_1	<i>Eryngium campestre</i>	H	0,05
ENV10_1	<i>Euphorbia virgata</i>	H	0,05
ENV10_1	<i>Falcaria vulgaris</i>	H	3
ENV10_1	<i>Festuca rupicola</i>	H	3
ENV10_1	<i>Fragaria viridis</i>	H	3
ENV10_1	<i>Galium glaucum</i>	H	0,5
ENV10_1	<i>Hypericum perforatum</i>	H	0,05
ENV10_1	<i>Linaria vulgaris</i>	H	0,5
ENV10_1	<i>Poa angustifolia</i>	H	10
ENV10_1	<i>Potentilla argentea</i>	H	0,5
ENV10_1	<i>Rosa</i> sp.	S	3
ENV10_1	<i>Rosa</i> sp.	H	10
ENV10_1	<i>Rubus caesius</i> agg.	H	10
ENV10_1	<i>Rumex crispus</i>	H	0,5
ENV10_1	<i>Verbascum phoeniceum</i>	H	0,5
ENV10_1	<i>Vicia angustifolia</i>	H	3
ENV10_1	<i>Vicia hirsuta</i>	H	3
ENV10_2	<i>Agrimonia eupatoria</i>	H	0,5
ENV10_2	<i>Achillea millefolium</i> agg.	H	10
ENV10_2	<i>Alopecurus pratensis</i>	H	0,5
ENV10_2	<i>Arrhenatherum elatius</i>	H	3
ENV10_2	<i>Bromus hordeaceus</i>	H	0,5
ENV10_2	<i>Bromus inermis</i>	H	0,5
ENV10_2	<i>Centaurea scabiosa</i>	H	0,5
ENV10_2	<i>Dactylis glomerata</i>	H	0,5
ENV10_2	<i>Eryngium campestre</i>	H	10
ENV10_2	<i>Festuca</i> sp.	H	20
ENV10_2	<i>Fragaria viridis</i>	H	20
ENV10_2	<i>Galium glaucum</i>	H	3
ENV10_2	<i>Galium verum</i>	H	0,5
ENV10_2	<i>Hypericum perforatum</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV10_2	<i>Pimpinella saxifraga</i>	H	0,5
ENV10_2	<i>Plantago lanceolata</i>	H	0,5
ENV10_2	<i>Poa angustifolia</i>	H	10
ENV10_2	<i>Potentilla argentea</i>	H	10
ENV10_2	<i>Rubus caesius</i> agg.	H	10
ENV10_2	<i>Rumex acetosa</i>	H	0,5
ENV10_2	<i>Securigera varia</i>	H	3
ENV10_2	<i>Trifolium arvense</i>	H	0,5
ENV10_2	<i>Trifolium campestre</i>	H	0,5
ENV10_2	<i>Verbascum phoeniceum</i>	H	0,5
ENV10_2	<i>Veronica arvensis</i>	H	0,05
ENV10_2	<i>Vicia angustifolia</i>	H	0,5
ENV10_2	<i>Vicia hirsuta</i>	H	3
ENV11_1	<i>Agrimonia eupatoria</i>	H	0,5
ENV11_1	<i>Achillea millefolium</i> agg.	H	3
ENV11_1	<i>Alyssum alyssoides</i>	H	0,5
ENV11_1	<i>Arenaria serpyllifolia</i>	H	0,5
ENV11_1	<i>Arrhenatherum elatius</i>	H	10
ENV11_1	<i>Asparagus officinalis</i>	H	0,5
ENV11_1	<i>Bromus inermis</i>	H	10
ENV11_1	<i>Centaurea scabiosa</i>	H	0,5
ENV11_1	<i>Cerastium pumilum</i> agg.	H	0,5
ENV11_1	<i>Dorycnium germanicum</i>	H	10
ENV11_1	<i>Echium vulgare</i>	H	0,5
ENV11_1	<i>Eryngium campestre</i>	H	10
ENV11_1	<i>Erysimum diffusum</i>	H	0,5
ENV11_1	<i>Euphorbia cyparissias</i>	H	0,5
ENV11_1	<i>Euphorbia esula</i>	H	0,5
ENV11_1	<i>Festuca rupicola</i>	H	0,5
ENV11_1	<i>Festuca valesiaca</i>	H	20
ENV11_1	<i>Fragaria viridis</i>	H	3
ENV11_1	<i>Galium verum</i>	H	3
ENV11_1	<i>Hypericum perforatum</i>	H	0,5
ENV11_1	<i>Knautia arvensis</i> agg.	H	0,5
ENV11_1	<i>Medicago lupulina</i>	H	0,05
ENV11_1	<i>Melampyrum arvense</i>	H	0,5
ENV11_1	<i>Muscari</i> sp.	H	0,05
ENV11_1	<i>Nonea pulla</i>	H	0,5
ENV11_1	<i>Peucedanum alsaticum</i>	H	10
ENV11_1	<i>Phleum phleoides</i>	H	0,5
ENV11_1	<i>Pimpinella saxifraga</i>	H	3
ENV11_1	<i>Plantago lanceolata</i>	H	0,5
ENV11_1	<i>Poa angustifolia</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV11_1	<i>Rosa</i> sp.	H	0,5
ENV11_1	<i>Scabiosa ochroleuca</i>	H	0,5
ENV11_1	<i>Securigera varia</i>	H	0,5
ENV11_1	<i>Senecio jacobaea</i>	H	0,5
ENV11_1	<i>Seseli pallasii</i>	H	3
ENV11_1	<i>Thymus pannonicus</i> agg.	H	0,5
ENV11_1	<i>Verbascum lychnitis</i>	H	0,5
ENV11_1	<i>Viola hirta</i>	H	0,5
ENV11_2	<i>Agrimonia eupatoria</i>	H	3
ENV11_2	<i>Achillea millefolium</i> agg.	H	3
ENV11_2	<i>Arenaria serpyllifolia</i>	H	0,5
ENV11_2	<i>Arrhenatherum elatius</i>	H	20
ENV11_2	<i>Asparagus officinalis</i>	H	0,5
ENV11_2	<i>Bromus sterilis</i>	H	0,5
ENV11_2	<i>Calamagrostis epigejos</i>	H	0,5
ENV11_2	<i>Centaurea scabiosa</i>	H	0,5
ENV11_2	<i>Centaurea stoebe</i>	H	0,5
ENV11_2	<i>Cerastium pumilum</i> agg.	H	0,5
ENV11_2	<i>Crataegus</i> sp.	H	3
ENV11_2	<i>Elymus repens</i>	H	0,5
ENV11_2	<i>Eryngium campestre</i>	H	20
ENV11_2	<i>Erysimum diffusum</i>	H	0,05
ENV11_2	<i>Euphorbia esula</i>	H	0,5
ENV11_2	<i>Festuca valesiaca</i>	H	0,5
ENV11_2	<i>Fragaria viridis</i>	H	10
ENV11_2	<i>Galium verum</i>	H	3
ENV11_2	<i>Hypericum perforatum</i>	H	0,5
ENV11_2	<i>Knautia arvensis</i> agg.	H	3
ENV11_2	<i>Linaria genistifolia</i>	H	0,5
ENV11_2	<i>Medicago falcata</i>	H	3
ENV11_2	<i>Melampyrum arvense</i>	H	3
ENV11_2	<i>Melica transsilvanica</i>	H	0,5
ENV11_2	<i>Pimpinella saxifraga</i>	H	0,5
ENV11_2	<i>Poa angustifolia</i>	H	3
ENV11_2	<i>Prunus</i> sp.	H	0,5
ENV11_2	<i>Ranunculus polyanthemos</i>	H	0,5
ENV11_2	<i>Rosa</i> sp.	H	0,5
ENV11_2	<i>Securigera varia</i>	H	0,5
ENV11_2	<i>Senecio jacobaea</i>	H	0,5
ENV11_2	<i>Seseli pallasii</i>	H	0,5
ENV11_2	<i>Silene latifolia</i> subsp. <i>alba</i>	H	0,5
ENV11_2	<i>Verbascum lychnitis</i>	H	3
ENV11_2	<i>Vicia angustifolia</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost, %
	Taxon	Vegetation layer	Cover, %
ENV11_2	<i>Vicia hirsuta</i>	H	10
ENV11_2	<i>Vicia tetrasperma</i>	H	0,5
ENV12_1	<i>Anthericum ramosum</i>	H	0,5
ENV12_1	<i>Arabis hirsuta</i> agg.	H	0,5
ENV12_1	<i>Asperula cynanchica</i>	H	0,5
ENV12_1	<i>Aster amellus</i>	H	0,5
ENV12_1	<i>Brachypodium pinnatum</i>	H	10
ENV12_1	<i>Calamagrostis epigejos</i>	H	0,5
ENV12_1	<i>Campanula glomerata</i>	H	0,5
ENV12_1	<i>Carex humilis</i>	H	20
ENV12_1	<i>Carlina acaulis</i>	H	0,5
ENV12_1	<i>Carlina vulgaris</i>	H	0,5
ENV12_1	<i>Centaurea scabiosa</i>	H	3
ENV12_1	<i>Dactylis glomerata</i>	H	0,5
ENV12_1	<i>Dictamnus albus</i>	H	0,5
ENV12_1	<i>Dorycnium germanicum</i>	H	10
ENV12_1	<i>Euphorbia cyparissias</i>	H	0,5
ENV12_1	<i>Festuca rupicola</i>	H	0,5
ENV12_1	<i>Galium verum</i>	H	0,5
ENV12_1	<i>Genista tinctoria</i>	H	0,5
ENV12_1	<i>Geranium sanguineum</i>	H	0,5
ENV12_1	<i>Gypsophila paniculata</i>	H	0,5
ENV12_1	<i>Helictotrichon pratense</i>	H	0,5
ENV12_1	<i>Hieracium umbellatum</i>	H	0,5
ENV12_1	<i>Chamaecytisus austriacus</i>	H	3
ENV12_1	<i>Inula ensifolia</i>	H	3
ENV12_1	<i>Inula hirta</i>	H	0,5
ENV12_1	<i>Koeleria macrantha</i>	H	0,5
ENV12_1	<i>Leontodon hispidus</i>	H	0,5
ENV12_1	<i>Linum tenuifolium</i>	H	0,5
ENV12_1	<i>Lotus corniculatus</i>	H	0,5
ENV12_1	<i>Melampyrum arvense</i>	H	0,5
ENV12_1	<i>Onobrychis viciifolia</i> agg.	H	0,5
ENV12_1	<i>Orchis militaris</i>	H	0,5
ENV12_1	<i>Origanum vulgare</i>	H	0,5
ENV12_1	<i>Peucedanum cervaria</i>	H	20
ENV12_1	<i>Pilosella bauhini</i>	H	0,5
ENV12_1	<i>Pilosella officinarum</i>	H	0,5
ENV12_1	<i>Plantago media</i>	H	0,5
ENV12_1	<i>Prunella grandiflora</i>	H	0,5
ENV12_1	<i>Sanguisorba minor</i>	H	0,5
ENV12_1	<i>Scabiosa ochroleuca</i>	H	0,5
ENV12_1	<i>Silene vulgaris</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV12_1	<i>Teucrium chamaedrys</i>	H	0,5
ENV12_1	<i>Viola hirta</i>	H	0,5
ENV12_2	<i>Agrimonia eupatoria</i>	H	0,5
ENV12_2	<i>Achillea millefolium</i> agg.	H	0,5
ENV12_2	<i>Anemone sylvestris</i>	H	3
ENV12_2	<i>Anthericum ramosum</i>	H	3
ENV12_2	<i>Anthyllis vulneraria</i>	H	0,5
ENV12_2	<i>Arrhenatherum elatius</i>	H	3
ENV12_2	<i>Aster amellus</i>	H	0,5
ENV12_2	<i>Astragalus cicer</i>	H	0,5
ENV12_2	<i>Betonica officinalis</i>	H	0,5
ENV12_2	<i>Brachypodium pinnatum</i>	H	10
ENV12_2	<i>Bromus inermis</i>	H	0,5
ENV12_2	<i>Bupleurum falcatum</i>	H	0,5
ENV12_2	<i>Calamagrostis epigejos</i>	H	0,5
ENV12_2	<i>Campanula glomerata</i>	H	0,5
ENV12_2	<i>Carlina vulgaris</i>	H	0,5
ENV12_2	<i>Centaurea scabiosa</i>	H	10
ENV12_2	<i>Cornus sanguinea</i>	H	20
ENV12_2	<i>Crataegus</i> sp.	H	0,5
ENV12_2	<i>Dactylis glomerata</i>	H	0,5
ENV12_2	<i>Dorycnium germanicum</i>	H	3
ENV12_2	<i>Euphorbia cyparissias</i>	H	0,5
ENV12_2	<i>Festuca</i> cf. <i>rubra</i>	H	0,5
ENV12_2	<i>Galium verum</i>	H	0,5
ENV12_2	<i>Genista tinctoria</i>	H	3
ENV12_2	<i>Geranium sanguineum</i>	H	20
ENV12_2	<i>Hieracium umbellatum</i>	H	0,5
ENV12_2	<i>Leontodon hispidus</i>	H	3
ENV12_2	<i>Libanotis pyrenaica</i>	H	0,5
ENV12_2	<i>Lotus corniculatus</i>	H	0,5
ENV12_2	<i>Medicago falcata</i>	H	0,5
ENV12_2	<i>Origanum vulgare</i>	H	3
ENV12_2	<i>Peucedanum cervaria</i>	H	10
ENV12_2	<i>Poa angustifolia</i>	H	3
ENV12_2	<i>Prunus avium</i>	H	0,5
ENV12_2	<i>Prunus mahaleb</i>	H	0,5
ENV12_2	<i>Prunus</i> sp.	H	0,5
ENV12_2	<i>Rhamnus cathartica</i>	H	0,5
ENV12_2	<i>Sanguisorba minor</i>	H	0,05
ENV12_2	<i>Scabiosa ochroleuca</i>	H	0,5
ENV12_2	<i>Silene vulgaris</i>	H	0,5
ENV12_2	<i>Vincetoxicum hirundinaria</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV12_2	<i>Viola hirta</i>	H	0,5
ENV13_1	<i>Acinos arvensis</i>	H	0,5
ENV13_1	<i>Agrimonia eupatoria</i>	H	3
ENV13_1	<i>Achillea millefolium</i> agg.	H	0,5
ENV13_1	<i>Aster amellus</i>	H	10
ENV13_1	<i>Astragalus cicer</i>	H	3
ENV13_1	<i>Brachypodium pinnatum</i>	H	20
ENV13_1	<i>Bromus inermis</i>	H	3
ENV13_1	<i>Bupleurum falcatum</i>	H	0,5
ENV13_1	<i>Carlina vulgaris</i>	H	0,5
ENV13_1	<i>Crataegus</i> sp.	S	3
ENV13_1	<i>Crataegus</i> sp.	H	0,5
ENV13_1	<i>Dactylis glomerata</i>	H	0,5
ENV13_1	<i>Eryngium campestre</i>	H	3
ENV13_1	<i>Euphorbia virgata</i>	H	0,05
ENV13_1	<i>Falcaria vulgaris</i>	H	0,5
ENV13_1	<i>Festuca rupicola</i>	H	10
ENV13_1	<i>Fragaria viridis</i>	H	3
ENV13_1	<i>Galium album</i>	H	0,5
ENV13_1	<i>Galium verum</i>	H	0,5
ENV13_1	<i>Hieracium umbellatum</i>	H	0,5
ENV13_1	<i>Hypericum perforatum</i>	H	0,05
ENV13_1	<i>Chamaecytisus austriacus</i>	H	0,5
ENV13_1	<i>Inula ensifolia</i>	H	0,5
ENV13_1	<i>Knautia arvensis</i> agg.	H	0,5
ENV13_1	<i>Leontodon hispidus</i>	H	20
ENV13_1	<i>Libanotis pyrenaica</i>	H	3
ENV13_1	<i>Lotus corniculatus</i>	H	3
ENV13_1	<i>Melampyrum arvense</i>	H	3
ENV13_1	<i>Onobrychis viciifolia</i> agg.	H	0,5
ENV13_1	<i>Origanum vulgare</i>	H	3
ENV13_1	<i>Orobanche alsatica</i>	H	0,05
ENV13_1	<i>Oxytropis pilosa</i>	H	3
ENV13_1	<i>Peucedanum alsaticum</i>	H	0,5
ENV13_1	<i>Pilosella bauhinii</i>	H	3
ENV13_1	<i>Poa angustifolia</i>	H	0,5
ENV13_1	<i>Potentilla recta</i>	H	3
ENV13_1	<i>Prunus</i> sp.	H	0,5
ENV13_1	<i>Ranunculus polyanthemos</i>	H	0,5
ENV13_1	<i>Rapistrum perenne</i>	H	3
ENV13_1	<i>Rosa</i> sp.	H	0,5
ENV13_1	<i>Sanguisorba minor</i>	H	0,5
ENV13_1	<i>Securigera varia</i>	H	3

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover, %
ENV13_1	<i>Veronica teucrium</i>	H	0,5
ENV13_1	<i>Vicia tenuifolia</i>	H	0,5
ENV13_1	<i>Viola hirta</i>	H	0,5
ENV13_2	<i>Agrimonia eupatoria</i>	H	3
ENV13_2	<i>Achillea millefolium</i> agg.	H	0,5
ENV13_2	<i>Anemone sylvestris</i>	H	0,5
ENV13_2	<i>Aster amellus</i>	H	0,5
ENV13_2	<i>Astragalus cicer</i>	H	10
ENV13_2	<i>Astragalus glycyphyllos</i>	H	3
ENV13_2	<i>Brachypodium pinnatum</i>	H	37,5
ENV13_2	<i>Bromus inermis</i>	H	0,5
ENV13_2	<i>Calamagrostis epigejos</i>	H	0,5
ENV13_2	<i>Campanula glomerata/bo-noniensis</i>	H	0,5
ENV13_2	<i>Carlina vulgaris</i>	H	0,5
ENV13_2	<i>Centaurea scabiosa</i>	H	3
ENV13_2	<i>Cornus sanguinea</i>	H	0,5
ENV13_2	<i>Crataegus</i> sp.	H	3
ENV13_2	<i>Dactylis glomerata</i>	H	0,5
ENV13_2	<i>Daucus carota</i>	H	0,5
ENV13_2	<i>Falcaria vulgaris</i>	H	0,5
ENV13_2	<i>Fragaria viridis</i>	H	3
ENV13_2	<i>Galium verum</i>	H	0,5
ENV13_2	<i>Hieracium umbellatum</i>	H	0,5
ENV13_2	<i>Chamaecytisus austriacus</i>	H	10
ENV13_2	<i>Lathyrus tuberosus</i>	H	0,5
ENV13_2	<i>Libanotis pyrenaica</i>	H	3
ENV13_2	<i>Lotus corniculatus</i>	H	0,5
ENV13_2	<i>Lotus maritimus</i>	H	0,5
ENV13_2	<i>Melilotus officinalis</i>	H	0,5
ENV13_2	<i>Peucedanum alsaticum</i>	H	0,5
ENV13_2	<i>Poa angustifolia</i>	H	3
ENV13_2	<i>Prunus</i> sp.	H	0,5
ENV13_2	<i>Prunus spinosa</i>	H	0,5
ENV13_2	<i>Rosa</i> sp.	H	0,5
ENV13_2	<i>Rubus caesius</i> agg.	H	3
ENV13_2	<i>Securigera varia</i>	H	0,5
ENV14_1	<i>Agrimonia eupatoria</i>	H	3
ENV14_1	<i>Achillea millefolium</i> agg.	H	0,5
ENV14_1	<i>Anthericum ramosum</i>	H	0,5
ENV14_1	<i>Arabis hirsuta</i> agg.	H	0,5
ENV14_1	<i>Arrhenatherum elatius</i>	H	10
ENV14_1	<i>Astragalus cicer</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV14_1	<i>Astragalus glycyphyllos</i>	H	0,5
ENV14_1	<i>Brachypodium pinnatum</i>	H	10
ENV14_1	<i>Carduus acanthoides</i>	H	0,05
ENV14_1	<i>Centaurea scabiosa</i>	H	3
ENV14_1	<i>Convolvulus arvensis</i>	H	0,5
ENV14_1	<i>Crataegus</i> sp.	juv.	3
ENV14_1	<i>Dactylis glomerata</i>	H	0,5
ENV14_1	<i>Elymus hispidus</i>	H	0,5
ENV14_1	<i>Eryngium campestre</i>	H	0,05
ENV14_1	<i>Falcaria vulgaris</i>	H	0,5
ENV14_1	<i>Festuca rupicola</i>	H	37,5
ENV14_1	<i>Galium verum</i>	H	3
ENV14_1	<i>Helictotrichon pratense</i>	H	3
ENV14_1	<i>Helictotrichon pubescens</i>	H	0,5
ENV14_1	<i>Inula ensifolia</i>	H	0,5
ENV14_1	<i>Lotus borbasii</i>	H	0,5
ENV14_1	<i>Medicago falcata</i>	H	0,5
ENV14_1	<i>Origanum vulgare</i>	H	0,5
ENV14_1	<i>Peucedanum alsaticum</i>	H	10
ENV14_1	<i>Pimpinella saxifraga</i>	H	0,5
ENV14_1	<i>Poa pratensis</i> agg.	H	3
ENV14_1	<i>Prunus spinosa</i>	juv.	0,5
ENV14_1	<i>Rhamnus cathartica</i>	juv.	0,5
ENV14_1	<i>Rosa</i> sp.	juv.	3
ENV14_1	<i>Salvia pratensis</i>	H	20
ENV14_1	<i>Sanguisorba minor</i>	H	0,5
ENV14_1	<i>Scabiosa ochroleuca</i>	H	0,5
ENV14_1	<i>Securigera varia</i>	H	0,5
ENV14_1	<i>Veronica chamaedrys</i> agg.	H	0,5
ENV14_1	<i>Viola ambigua</i>	H	0,5
ENV14_2	<i>Agrimonia eupatoria</i>	H	0,5
ENV14_2	<i>Achillea millefolium</i> agg.	H	3
ENV14_2	<i>Allium</i> sp.	H	0,05
ENV14_2	<i>Arabis hirsuta</i> agg.	H	0,5
ENV14_2	<i>Arenaria serpyllifolia</i>	H	0,5
ENV14_2	<i>Arrhenatherum elatius</i>	H	0,5
ENV14_2	<i>Aster amellus</i>	H	0,5
ENV14_2	<i>Astragalus cicer</i>	H	0,5
ENV14_2	<i>Astragalus glycyphyllos</i>	H	0,5
ENV14_2	<i>Brachypodium pinnatum</i>	H	10
ENV14_2	<i>Bupleurum falcatum</i>	H	0,5
ENV14_2	<i>Carduus acanthoides</i>	H	0,5
ENV14_2	<i>Centaurea scabiosa</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV14_2	<i>Cornus sanguinea</i>	juv.	3
ENV14_2	<i>Crataegus</i> sp.	juv.	3
ENV14_2	<i>Dactylis glomerata</i>	H	0,5
ENV14_2	<i>Eryngium campestre</i>	H	3
ENV14_2	<i>Falcaria vulgaris</i>	H	0,5
ENV14_2	<i>Festuca rupicola</i>	H	37,5
ENV14_2	<i>Galium album</i>	H	0,05
ENV14_2	<i>Galium verum</i>	H	3
ENV14_2	<i>Helictotrichon pratense</i>	H	0,5
ENV14_2	<i>Knautia arvensis</i> agg.	H	0,5
ENV14_2	<i>Koeleria macrantha</i>	H	0,5
ENV14_2	<i>Ligustrum vulgare</i>	juv.	0,5
ENV14_2	<i>Lotus borbasii</i>	H	10
ENV14_2	<i>Medicago falcata</i>	H	0,5
ENV14_2	<i>Muscari comosum</i>	H	0,5
ENV14_2	<i>Odontites vernus</i>	H	0,5
ENV14_2	<i>Origanum vulgare</i>	H	0,5
ENV14_2	<i>Peucedanum alsaticum</i>	H	0,5
ENV14_2	<i>Pimpinella saxifraga</i>	H	0,5
ENV14_2	<i>Plantago media</i>	H	0,5
ENV14_2	<i>Poa pratensis</i> agg.	H	0,5
ENV14_2	<i>Prunus</i> sp.	juv.	3
ENV14_2	<i>Ranunculus polyanthemos</i>	H	0,5
ENV14_2	<i>Rhamnus cathartica</i>	juv.	0,5
ENV14_2	<i>Rosa</i> sp.	juv.	0,5
ENV14_2	<i>Salvia pratensis</i>	H	10
ENV14_2	<i>Scabiosa ochroleuca</i>	H	0,5
ENV14_2	<i>Securigera varia</i>	H	0,5
ENV14_2	<i>Thymus pannonicus</i> agg.	H	0,5
ENV14_2	<i>Vicia angustifolia</i>	H	0,5
ENV14_2	<i>Viola ambigua</i>	H	0,5
ENV15_1	<i>Acinos arvensis</i>	H	0,5
ENV15_1	<i>Agrimonia eupatoria</i>	H	0,5
ENV15_1	<i>Achillea millefolium</i> agg.	H	0,5
ENV15_1	<i>Alyssum alyssoides</i>	H	0,5
ENV15_1	<i>Arenaria serpyllifolia</i>	H	0,5
ENV15_1	<i>Arrhenatherum elatius</i>	H	3
ENV15_1	<i>Aster amellus</i>	H	0,5
ENV15_1	<i>Brachypodium pinnatum</i>	H	3
ENV15_1	<i>Bromus erectus</i>	H	20
ENV15_1	<i>Centaurea scabiosa</i>	H	0,5
ENV15_1	<i>Cornus sanguinea</i>	juv.	0,5
ENV15_1	<i>Crataegus</i> sp.	juv.	3

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV15_1	<i>Dactylis glomerata</i>	H	0,5
ENV15_1	<i>Dorycnium pentaphyllum</i> agg.	H	10
ENV15_1	<i>Echium vulgare</i>	H	0,05
ENV15_1	<i>Eryngium campestre</i>	H	3
ENV15_1	<i>Euphorbia virgata</i>	H	0,5
ENV15_1	<i>Festuca rupicola</i>	H	10
ENV15_1	<i>Fragaria vesca</i>	H	10
ENV15_1	<i>Galium verum</i>	H	0,5
ENV15_1	<i>Knautia arvensis</i> agg.	H	0,5
ENV15_1	<i>Koeleria macrantha</i>	H	0,5
ENV15_1	<i>Ligustrum vulgare</i>	juv.	0,5
ENV15_1	<i>Lotus corniculatus</i>	H	0,5
ENV15_1	<i>Medicago lupulina</i>	H	0,05
ENV15_1	<i>Melampyrum arvense</i>	H	0,5
ENV15_1	<i>Peucedanum alsaticum</i>	H	0,05
ENV15_1	<i>Peucedanum cervaria</i>	H	0,5
ENV15_1	<i>Pilosella officinarum</i>	H	0,5
ENV15_1	<i>Plantago lanceolata</i>	H	0,5
ENV15_1	<i>Poa pratensis</i> agg.	H	0,5
ENV15_1	<i>Ranunculus polyanthemos</i>	H	0,05
ENV15_1	<i>Rosa</i> sp.	juv.	0,5
ENV15_1	<i>Rubus caesius</i> agg.	H	0,5
ENV15_1	<i>Sanguisorba minor</i>	H	0,5
ENV15_1	<i>Silene nutans</i>	H	0,5
ENV15_1	<i>Stachys recta</i>	H	0,05
ENV15_1	<i>Stipa pennata</i>	H	0,5
ENV15_1	<i>Teucrium chamaedrys</i>	H	0,5
ENV15_1	<i>Thymus pannonicus</i> agg.	H	3
ENV15_1	<i>Vicia tenuifolia</i>	H	3
ENV15_1	<i>Viola ambigua</i>	H	0,5
ENV15_2	<i>Adonis vernalis</i>	H	0,5
ENV15_2	<i>Achillea millefolium</i> agg.	H	0,5
ENV15_2	<i>Alyssum alyssoides</i>	H	0,5
ENV15_2	<i>Arenaria serpyllifolia</i>	H	0,5
ENV15_2	<i>Arrhenatherum elatius</i>	H	0,5
ENV15_2	<i>Artemisia campestris</i>	H	0,5
ENV15_2	<i>Aster amellus</i>	H	0,5
ENV15_2	<i>Brachypodium pinnatum</i>	H	10
ENV15_2	<i>Bromus erectus</i>	H	10
ENV15_2	<i>Bupleurum falcatum</i>	H	0,5
ENV15_2	<i>Carex humilis</i>	H	3
ENV15_2	<i>Centaurea jacea</i> agg.	H	0,05
ENV15_2	<i>Centaurea scabiosa</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV15_2	<i>Crataegus</i> sp.	juv.	0,5
ENV15_2	<i>Dactylis glomerata</i>	H	0,5
ENV15_2	<i>Dianthus carthusianorum</i> agg.	H	0,5
ENV15_2	<i>Dorycnium pentaphyllum</i> agg.	H	0,5
ENV15_2	<i>Elymus hispidus</i>	H	0,5
ENV15_2	<i>Erysimum odoratum</i>	H	0,05
ENV15_2	<i>Euphorbia cyparissias</i>	H	0,5
ENV15_2	<i>Festuca rupicola</i>	H	10
ENV15_2	<i>Galium verum</i>	H	0,5
ENV15_2	<i>Helictotrichon pubescens</i>	H	3
ENV15_2	<i>Chamaecytisus austriacus</i>	H	3
ENV15_2	<i>Inula ensifolia</i>	H	0,5
ENV15_2	<i>Jurinea mollis</i>	H	0,5
ENV15_2	<i>Medicago lupulina</i>	H	0,5
ENV15_2	<i>Melampyrum arvense</i>	H	0,5
ENV15_2	<i>Onobrychis viciifolia</i>	H	0,5
ENV15_2	<i>Peucedanum cervaria</i>	H	3
ENV15_2	<i>Phleum phleoides</i>	H	10
ENV15_2	<i>Plantago media</i>	H	0,5
ENV15_2	<i>Rosa</i> sp.	juv.	0,5
ENV15_2	<i>Sanguisorba minor</i>	H	0,5
ENV15_2	<i>Scabiosa ochroleuca</i>	H	0,5
ENV15_2	<i>Stachys recta</i>	H	3
ENV15_2	<i>Stipa pennata</i>	H	0,5
ENV15_2	<i>Teucrium chamaedrys</i>	H	0,5
ENV15_2	<i>Thesium linophyllum</i>	H	10
ENV15_3	<i>Acinos arvensis</i>	H	0,5
ENV15_3	<i>Agrimonia eupatoria</i>	H	0,5
ENV15_3	<i>Achillea millefolium</i> agg.	H	0,5
ENV15_3	<i>Arenaria serpyllifolia</i>	H	0,5
ENV15_3	<i>Arrhenatherum elatius</i>	H	0,5
ENV15_3	<i>Aster amellus</i>	H	0,5
ENV15_3	<i>Astragalus austriacus</i>	H	0,05
ENV15_3	<i>Astragalus glycyphyllos</i>	H	0,5
ENV15_3	<i>Brachypodium pinnatum</i>	H	20
ENV15_3	<i>Bromus erectus</i>	H	20
ENV15_3	<i>Bupleurum falcatum</i>	H	0,5
ENV15_3	<i>Centaurea scabiosa</i>	H	0,5
ENV15_3	<i>Crataegus</i> sp.	juv.	10
ENV15_3	<i>Dactylis glomerata</i>	H	0,5
ENV15_3	<i>Dianthus carthusianorum</i> agg.	H	0,5
ENV15_3	<i>Dorycnium pentaphyllum</i> agg.	H	10
ENV15_3	<i>Elymus hispidus</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV15_3	<i>Eryngium campestre</i>	H	0,5
ENV15_3	<i>Festuca rupicola</i>	H	3
ENV15_3	<i>Fragaria viridis</i>	H	0,5
ENV15_3	<i>Galium verum</i>	H	0,5
ENV15_3	<i>Helictotrichon pubescens</i>	H	0,5
ENV15_3	<i>Knautia arvensis</i> agg.	H	0,5
ENV15_3	<i>Ligustrum vulgare</i>	juv.	0,5
ENV15_3	<i>Linum hirsutum</i>	H	3
ENV15_3	<i>Linum tenuifolium</i>	H	0,05
ENV15_3	<i>Lotus borbasii</i>	H	0,5
ENV15_3	<i>Medicago lupulina</i>	H	0,5
ENV15_3	<i>Melampyrum pratense</i>	H	0,5
ENV15_3	<i>Peucedanum alsaticum</i>	H	0,5
ENV15_3	<i>Pilosella bauhini</i>	H	0,5
ENV15_3	<i>Pimpinella saxifraga</i>	H	0,5
ENV15_3	<i>Plantago media</i>	H	0,5
ENV15_3	<i>Potentilla incana</i>	H	10
ENV15_3	<i>Rosa</i> sp.	juv.	0,5
ENV15_3	<i>Rubus caesius</i> agg.	H	0,5
ENV15_3	<i>Salvia pratensis</i>	H	0,5
ENV15_3	<i>Sanguisorba minor</i>	H	0,5
ENV15_3	<i>Scabiosa ochroleuca</i>	H	0,5
ENV15_3	<i>Stachys recta</i>	H	0,5
ENV15_3	<i>Teucrium chamaedrys</i>	H	0,5
ENV15_3	<i>Viola ambigua</i>	H	3
ENV16_1	<i>Agrimonia eupatoria</i>	H	0,5
ENV16_1	<i>Achillea millefolium</i> agg.	H	3
ENV16_1	<i>Arenaria serpyllifolia</i>	H	0,5
ENV16_1	<i>Arrhenatherum elatius</i>	H	3
ENV16_1	<i>Aster amellus</i>	H	0,5
ENV16_1	<i>Brachypodium pinnatum</i>	H	20
ENV16_1	<i>Bupleurum falcatum</i>	H	0,5
ENV16_1	<i>Centaurea scabiosa</i>	H	0,5
ENV16_1	<i>Cornus sanguinea</i>	juv.	3
ENV16_1	<i>Crataegus</i> sp.	juv.	0,5
ENV16_1	<i>Dactylis glomerata</i>	H	0,5
ENV16_1	<i>Eryngium campestre</i>	H	0,5
ENV16_1	<i>Falcaria vulgaris</i>	H	0,5
ENV16_1	<i>Festuca rupicola</i>	H	10
ENV16_1	<i>Galatella linosyris</i>	H	0,05
ENV16_1	<i>Galium verum</i>	H	0,5
ENV16_1	<i>Inula ensifolia</i>	H	0,5
ENV16_1	<i>Knautia arvensis</i> agg.	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover, %
ENV16_1	<i>Koeleria macrantha</i>	H	3
ENV16_1	<i>Lepidium campestre</i>	H	0,05
ENV16_1	<i>Lotus corniculatus</i>	H	0,05
ENV16_1	<i>Melampyrum arvense</i>	H	0,5
ENV16_1	<i>Origanum vulgare</i>	H	3
ENV16_1	<i>Oxytropis pilosa</i>	H	0,5
ENV16_1	<i>Peucedanum alsaticum</i>	H	0,5
ENV16_1	<i>Pilosella bauhinii</i>	H	0,5
ENV16_1	<i>Plantago lanceolata</i>	H	0,05
ENV16_1	<i>Poa pratensis</i> agg.	H	0,5
ENV16_1	<i>Rosa</i> sp.	juv.	3
ENV16_1	<i>Stipa pennata</i> agg.	H	0,5
ENV16_1	<i>Verbascum</i> sp.	H	0,05
ENV16_1	<i>Veronica teucrium</i>	H	0,5
ENV16_1	<i>Vicia tenuifolia</i>	H	3
ENV16_2	<i>Achillea millefolium</i> agg.	H	0,5
ENV16_2	<i>Arrhenatherum elatius</i>	H	37,5
ENV16_2	<i>Asparagus officinalis</i>	H	0,5
ENV16_2	<i>Aster amellus</i>	H	0,5
ENV16_2	<i>Brachypodium pinnatum</i>	H	10
ENV16_2	<i>Bupleurum falcatum</i>	H	0,5
ENV16_2	<i>Calamagrostis epigejos</i>	H	0,5
ENV16_2	<i>Centaurea scabiosa</i>	H	3
ENV16_2	<i>Crataegus</i> sp.	juv.	0,5
ENV16_2	<i>Dactylis glomerata</i>	H	3
ENV16_2	<i>Dictamnus albus</i>	H	0,05
ENV16_2	<i>Dorycnium pentaphyllum</i> agg.	H	0,5
ENV16_2	<i>Eryngium campestre</i>	H	0,5
ENV16_2	<i>Euphorbia virgata</i>	H	0,5
ENV16_2	<i>Festuca rupicola</i>	H	10
ENV16_2	<i>Galatella linosyris</i>	H	0,05
ENV16_2	<i>Galium verum</i>	H	0,5
ENV16_2	<i>Geranium sanguineum</i>	H	0,05
ENV16_2	<i>Knautia arvensis</i> agg.	H	0,5
ENV16_2	<i>Ligustrum vulgare</i>	juv.	0,5
ENV16_2	<i>Lotus corniculatus</i>	H	0,5
ENV16_2	<i>Origanum vulgare</i>	H	3
ENV16_2	<i>Oxytropis pilosa</i>	H	0,5
ENV16_2	<i>Peucedanum cervaria</i>	H	0,5
ENV16_2	<i>Poa pratensis</i> agg.	H	3
ENV16_2	<i>Stachys recta</i>	H	0,5
ENV16_2	<i>Thalictrum minus</i>	H	3
ENV16_2	<i>Verbascum</i> sp.	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV16_2	<i>Veronica teucrium</i>	H	0,5
ENV16_2	<i>Vicia tenuifolia</i>	H	0,5
ENV16_2	<i>Vincetoxicum hirundinaria</i>	H	0,05
ENV16_2	<i>Viola hirta</i>	H	0,5
ENV16_3	<i>Achillea millefolium</i> agg.	H	0,5
ENV16_3	<i>Arrhenatherum elatius</i>	H	3
ENV16_3	<i>Aster amellus</i>	H	0,5
ENV16_3	<i>Brachypodium pinnatum</i>	H	10
ENV16_3	<i>Carex humilis</i>	H	3
ENV16_3	<i>Carex michelii</i>	H	0,5
ENV16_3	<i>Centaurea scabiosa</i>	H	0,5
ENV16_3	<i>Cytisus procumbens</i>	H	3
ENV16_3	<i>Dorycnium pentaphyllum</i> agg.	H	3
ENV16_3	<i>Eryngium campestre</i>	H	0,05
ENV16_3	<i>Euphorbia cyparissias</i>	H	0,5
ENV16_3	<i>Falcaria vulgaris</i>	H	0,05
ENV16_3	<i>Festuca rupicola</i>	H	10
ENV16_3	<i>Galatella linosyris</i>	H	0,5
ENV16_3	<i>Geranium sanguineum</i>	H	0,5
ENV16_3	<i>Inula ensifolia</i>	H	0,5
ENV16_3	<i>Knautia arvensis</i> agg.	H	0,5
ENV16_3	<i>Koeleria macrantha</i>	H	0,5
ENV16_3	<i>Linaria genistifolia</i>	H	0,5
ENV16_3	<i>Origanum vulgare</i>	H	0,5
ENV16_3	<i>Oxytropis pilosa</i>	H	3
ENV16_3	<i>Peucedanum cervaria</i>	H	3
ENV16_3	<i>Pilosella bauhini</i>	H	0,5
ENV16_3	<i>Polygonatum odoratum</i>	H	0,5
ENV16_3	<i>Potentilla incana</i>	H	0,5
ENV16_3	<i>Sanguisorba minor</i>	H	0,5
ENV16_3	<i>Stachys recta</i>	H	0,5
ENV16_3	<i>Stipa pennata</i> agg.	H	3
ENV16_3	<i>Teucrium chamaedrys</i>	H	0,5
ENV16_3	<i>Thalictrum minus</i>	H	0,5
ENV16_3	<i>Thymus pannonicus</i> agg.	H	0,5
ENV16_3	<i>Verbascum</i> sp.	H	0,05
ENV16_3	<i>Veronica teucrium</i>	H	0,5
ENV16_3	<i>Vincetoxicum hirundinaria</i>	H	0,5
ENV16_3	<i>Viola ambigua</i>	H	0,5
ENV17_1	<i>Agrimonia eupatoria</i>	H	0,5
ENV17_1	<i>Achillea millefolium</i> agg.	H	0,5
ENV17_1	<i>Anemone sylvestris</i>	H	0,5
ENV17_1	<i>Anthericum ramosum</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV17_1	<i>Arrhenatherum elatius</i>	H	3
ENV17_1	<i>Aster amellus</i>	H	0,5
ENV17_1	<i>Brachypodium pinnatum</i>	H	37,5
ENV17_1	<i>Bromus erectus</i>	H	0,5
ENV17_1	<i>Bupleurum falcatum</i>	H	0,5
ENV17_1	<i>Campanula glomerata</i>	H	0,5
ENV17_1	<i>Carduus acanthoides</i>	H	0,5
ENV17_1	<i>Carex humilis</i>	H	10
ENV17_1	<i>Carex montana</i>	H	10
ENV17_1	<i>Centaurea scabiosa</i>	H	3
ENV17_1	<i>Crataegus</i> sp.	juv.	0,5
ENV17_1	<i>Crepis</i> sp.	H	0,05
ENV17_1	<i>Cytisus procumbens</i>	H	3
ENV17_1	<i>Dactylis glomerata</i>	H	0,5
ENV17_1	<i>Dictamnus albus</i>	H	0,05
ENV17_1	<i>Dorycnium pentaphyllum</i> agg.	H	10
ENV17_1	<i>Festuca rupicola</i>	H	0,5
ENV17_1	<i>Filipendula vulgaris</i>	H	0,5
ENV17_1	<i>Galatella linosyris</i>	H	0,5
ENV17_1	<i>Chamaecytisus ratisbonensis</i>	H	0,5
ENV17_1	<i>Inula ensifolia</i>	H	3
ENV17_1	<i>Knautia arvensis</i> agg.	H	0,5
ENV17_1	<i>Linaria genistifolia</i>	H	0,05
ENV17_1	<i>Lotus corniculatus</i>	H	0,5
ENV17_1	<i>Origanum vulgare</i>	H	0,5
ENV17_1	<i>Peucedanum cervaria</i>	H	3
ENV17_1	<i>Plantago media</i>	H	0,5
ENV17_1	<i>Poa pratensis</i> agg.	H	0,5
ENV17_1	<i>Polygala major</i>	H	0,5
ENV17_1	<i>Potentilla verna</i>	H	0,5
ENV17_1	<i>Sanguisorba minor</i>	H	0,5
ENV17_1	<i>Scabiosa ochroleuca</i>	H	0,5
ENV17_1	<i>Stachys recta</i>	H	0,5
ENV17_1	<i>Tragopogon dubius</i>	H	0,05
ENV17_1	<i>Verbascum</i> sp.	H	0,5
ENV17_1	<i>Veronica teucrium</i>	H	0,5
ENV17_1	<i>Vicia tenuifolia</i>	H	0,5
ENV17_1	<i>Viola hirta</i>	H	0,5
ENV17_2	<i>Agrimonia eupatoria</i>	H	0,5
ENV17_2	<i>Achillea millefolium</i> agg.	H	0,5
ENV17_2	<i>Anemone sylvestris</i>	H	0,5
ENV17_2	<i>Arrhenatherum elatius</i>	H	37,5
ENV17_2	<i>Brachypodium pinnatum</i>	H	10

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV17_2	<i>Bromus erectus</i>	H	3
ENV17_2	<i>Bupleurum falcatum</i>	H	0,5
ENV17_2	<i>Calamagrostis epigejos</i>	H	0,5
ENV17_2	<i>Campanula glomerata</i>	H	0,5
ENV17_2	<i>Carduus acanthoides</i>	H	0,5
ENV17_2	<i>Carex montana</i>	H	20
ENV17_2	<i>Centaurea scabiosa</i>	H	0,5
ENV17_2	<i>Cornus sanguinea</i>	juv.	0,5
ENV17_2	<i>Crataegus</i> sp.	juv.	3
ENV17_2	<i>Cytisus procumbens</i>	H	0,5
ENV17_2	<i>Dactylis glomerata</i>	H	3
ENV17_2	<i>Festuca rupicola</i>	H	0,5
ENV17_2	<i>Galium album</i>	H	0,5
ENV17_2	<i>Hypericum perforatum</i>	H	0,5
ENV17_2	<i>Knautia arvensis</i> agg.	H	0,5
ENV17_2	<i>Lathyrus latifolius</i>	H	3
ENV17_2	<i>Ligustrum vulgare</i>	juv.	0,5
ENV17_2	<i>Origanum vulgare</i>	H	3
ENV17_2	<i>Peucedanum alsaticum</i>	H	0,5
ENV17_2	<i>Peucedanum cervaria</i>	H	3
ENV17_2	<i>Poa pratensis</i> agg.	H	0,5
ENV17_2	<i>Rosa</i> sp.	juv.	0,5
ENV17_2	<i>Salvia pratensis</i>	H	3
ENV17_2	<i>Scabiosa ochroleuca</i>	H	0,5
ENV17_2	<i>Veronica teucrium</i>	H	0,5
ENV17_2	<i>Veronica vindobonensis</i>	H	0,5
ENV17_2	<i>Vicia tenuifolia</i>	H	0,5
ENV17_2	<i>Vincetoxicum hirundinaria</i>	H	0,5
ENV17_2	<i>Viola ambigua</i>	H	0,5
ENV18_1	<i>Acinos arvensis</i>	H	0,5
ENV18_1	<i>Agrimonia eupatoria</i>	H	3
ENV18_1	<i>Achillea millefolium</i> agg.	H	0,5
ENV18_1	<i>Aster amellus</i>	H	0,5
ENV18_1	<i>Astragalus glycyphyllos</i>	H	0,5
ENV18_1	<i>Astragalus onobrychis</i>	H	10
ENV18_1	<i>Brachypodium pinnatum</i>	H	3
ENV18_1	<i>Bupleurum falcatum</i>	H	0,5
ENV18_1	<i>Calamagrostis epigejos</i>	H	10
ENV18_1	<i>Carduus acanthoides</i>	H	0,05
ENV18_1	<i>Centaurea scabiosa</i>	H	0,5
ENV18_1	<i>Cornus sanguinea</i>	juv.	0,5
ENV18_1	<i>Crataegus</i> sp.	juv.	3
ENV18_1	<i>Dactylis glomerata</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV18_1	<i>Dorycnium pentaphyllum</i> agg.	H	10
ENV18_1	<i>Eryngium campestre</i>	H	0,5
ENV18_1	<i>Falcaria vulgaris</i>	H	0,5
ENV18_1	<i>Festuca rupicola</i>	H	37,5
ENV18_1	<i>Galatella linosyris</i>	H	0,05
ENV18_1	<i>Galium verum</i>	H	3
ENV18_1	<i>Helictotrichon pratense</i>	H	0,5
ENV18_1	<i>Knautia arvensis</i> agg.	H	0,5
ENV18_1	<i>Koeleria macrantha</i>	H	3
ENV18_1	<i>Ligustrum vulgare</i>	juv.	3
ENV18_1	<i>Lotus corniculatus</i>	H	3
ENV18_1	<i>Medicago lupulina</i>	H	0,5
ENV18_1	<i>Melampyrum arvense</i>	H	0,05
ENV18_1	<i>Origanum vulgare</i>	H	3
ENV18_1	<i>Oxytropis pilosa</i>	H	3
ENV18_1	<i>Peucedanum alsaticum</i>	H	0,5
ENV18_1	<i>Pilosella bauhinii</i>	H	0,05
ENV18_1	<i>Pilosella officinarum</i>	H	3
ENV18_1	<i>Plantago lanceolata</i>	H	0,5
ENV18_1	<i>Plantago media</i>	H	0,5
ENV18_1	<i>Poa pratensis</i> agg.	H	0,5
ENV18_1	<i>Rosa</i> sp.	juv.	0,5
ENV18_1	<i>Securigera varia</i>	H	0,5
ENV18_1	<i>Vicia hirsuta</i>	H	0,5
ENV18_2	<i>Acinos arvensis</i>	H	0,5
ENV18_2	<i>Agrimonia eupatoria</i>	H	3
ENV18_2	<i>Achillea millefolium</i> agg.	H	0,5
ENV18_2	<i>Anemone sylvestris</i>	H	0,05
ENV18_2	<i>Arrhenatherum elatius</i>	H	0,5
ENV18_2	<i>Astragalus glycyphyllos</i>	H	0,5
ENV18_2	<i>Brachypodium pinnatum</i>	H	20
ENV18_2	<i>Bupleurum falcatum</i>	H	0,5
ENV18_2	<i>Calamagrostis epigejos</i>	H	0,5
ENV18_2	<i>Carlina vulgaris</i>	H	0,5
ENV18_2	<i>Centaurea scabiosa</i>	H	0,5
ENV18_2	<i>Crataegus</i> sp.	juv.	10
ENV18_2	<i>Dactylis glomerata</i>	H	0,5
ENV18_2	<i>Dorycnium pentaphyllum</i> agg.	H	3
ENV18_2	<i>Falcaria vulgaris</i>	H	0,5
ENV18_2	<i>Festuca rupicola</i>	H	20
ENV18_2	<i>Fragaria viridis</i>	H	10
ENV18_2	<i>Galium verum</i>	H	0,5
ENV18_2	<i>Hypericum perforatum</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover, %
ENV18_2	<i>Chamaecytisus austriacus</i>	H	3
ENV18_2	<i>Knautia arvensis</i> agg.	H	0,5
ENV18_2	<i>Lathyrus latifolius</i>	H	0,5
ENV18_2	<i>Leucanthemum vulgare</i> agg.	H	0,5
ENV18_2	<i>Ligustrum vulgare</i>	juv.	0,5
ENV18_2	<i>Lotus corniculatus</i>	H	0,5
ENV18_2	<i>Medicago lupulina</i>	H	0,5
ENV18_2	<i>Melampyrum arvense</i>	H	0,05
ENV18_2	<i>Origanum vulgare</i>	H	3
ENV18_2	<i>Peucedanum alsaticum</i>	H	0,5
ENV18_2	<i>Pilosella officinarum</i>	H	0,5
ENV18_2	<i>Poa pratensis</i> agg.	H	0,5
ENV18_2	<i>Prunus spinosa</i>	juv.	0,5
ENV18_2	<i>Rosa</i> sp.	juv.	0,5
ENV18_2	<i>Salvia pratensis</i>	H	3
ENV18_2	<i>Securigera varia</i>	H	0,5
ENV18_2	<i>Solidago</i> sp.	H	0,5
ENV18_2	<i>Tragopogon dubius</i>	H	0,05
ENV18_2	<i>Vicia tenuifolia</i>	H	0,5
ENV19_1	<i>Agrimonia eupatoria</i>	H	10
ENV19_1	<i>Achillea millefolium</i> agg.	H	3
ENV19_1	<i>Arrhenatherum elatius</i>	H	0,5
ENV19_1	<i>Aster amellus</i>	H	0,5
ENV19_1	<i>Astragalus cicer</i>	H	0,5
ENV19_1	<i>Avena fatua</i>	H	0,05
ENV19_1	<i>Brachypodium pinnatum</i>	H	37,5
ENV19_1	<i>Calamagrostis epigejos</i>	H	0,5
ENV19_1	<i>Cornus sanguinea</i>	juv.	0,5
ENV19_1	<i>Crataegus</i> sp.	juv.	0,5
ENV19_1	<i>Dactylis glomerata</i>	H	0,5
ENV19_1	<i>Eryngium campestre</i>	H	10
ENV19_1	<i>Falcaria vulgaris</i>	H	0,5
ENV19_1	<i>Fragaria vesca</i>	H	10
ENV19_1	<i>Galium verum</i>	H	3
ENV19_1	<i>Hypericum perforatum</i>	H	0,5
ENV19_1	<i>Knautia arvensis</i> agg.	H	0,5
ENV19_1	<i>Lathyrus tuberosus</i>	H	0,5
ENV19_1	<i>Lotus corniculatus</i>	H	3
ENV19_1	<i>Melampyrum arvense</i>	H	0,5
ENV19_1	<i>Melica transsilvanica</i>	H	0,5
ENV19_1	<i>Origanum vulgare</i>	H	0,5
ENV19_1	<i>Peucedanum alsaticum</i>	H	0,5
ENV19_1	<i>Poa pratensis</i> agg.	H	3

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV19_1	<i>Potentilla recta</i>	H	0,05
ENV19_1	<i>Prunus spinosa</i>	juv.	0,5
ENV19_1	<i>Rosa</i> sp.	juv.	0,5
ENV19_1	<i>Salvia pratensis</i>	H	10
ENV19_1	<i>Securigera varia</i>	H	3
ENV19_1	<i>Tragopogon dubius</i>	H	0,05
ENV19_1	<i>Verbascum</i> sp.	H	0,5
ENV19_1	<i>Vicia tenuifolia</i>	H	0,5
ENV19_2	<i>Agrimonia eupatoria</i>	H	10
ENV19_2	<i>Achillea millefolium</i> agg.	H	0,5
ENV19_2	<i>Aster amellus</i>	H	0,5
ENV19_2	<i>Astragalus cicer</i>	H	0,5
ENV19_2	<i>Brachypodium pinnatum</i>	H	20
ENV19_2	<i>Bupleurum falcatum</i>	H	0,5
ENV19_2	<i>Calamagrostis epigejos</i>	H	0,5
ENV19_2	<i>Centaurea jacea</i> agg.	H	0,5
ENV19_2	<i>Centaurea scabiosa</i>	H	3
ENV19_2	<i>Cornus sanguinea</i>	juv.	0,5
ENV19_2	<i>Crataegus</i> sp.	juv.	0,5
ENV19_2	<i>Dactylis glomerata</i>	H	0,5
ENV19_2	<i>Echium vulgare</i>	H	0,5
ENV19_2	<i>Eryngium campestre</i>	H	0,05
ENV19_2	<i>Falcaria vulgaris</i>	H	0,5
ENV19_2	<i>Fragaria vesca</i>	H	10
ENV19_2	<i>Hypericum perforatum</i>	H	0,5
ENV19_2	<i>Chamaecytisus austriacus</i>	H	0,5
ENV19_2	<i>Knautia arvensis</i> agg.	H	0,5
ENV19_2	<i>Lathyrus tuberosus</i>	H	0,5
ENV19_2	<i>Lotus corniculatus</i>	H	3
ENV19_2	<i>Melampyrum arvense</i>	H	10
ENV19_2	<i>Origanum vulgare</i>	H	3
ENV19_2	<i>Peucedanum alsaticum</i>	H	0,5
ENV19_2	<i>Plantago lanceolata</i>	H	0,5
ENV19_2	<i>Poa pratensis</i> agg.	H	3
ENV19_2	<i>Potentilla recta</i>	H	0,05
ENV19_2	<i>Rosa</i> sp.	juv.	0,5
ENV19_2	<i>Salvia pratensis</i>	H	0,5
ENV19_2	<i>Salvia verticillata</i>	H	0,5
ENV19_2	<i>Sanguisorba minor</i>	H	0,5
ENV19_2	<i>Securigera varia</i>	H	3
ENV19_2	<i>Silene vulgaris</i>	H	0,5
ENV19_2	<i>Tragopogon orientalis</i>	H	0,05
ENV19_2	<i>Verbascum</i> sp.	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV19_2	<i>Vicia tenuifolia</i>	H	0,5
ENV20_1	<i>Acinos arvensis</i>	H	0,01
ENV20_1	<i>Achillea millefolium</i> agg.	H	0,1
ENV20_1	<i>Alyssum alyssoides</i>	H	0,01
ENV20_1	<i>Anthericum ramosum</i>	H	0,1
ENV20_1	<i>Arenaria serpyllifolia</i>	H	0,1
ENV20_1	<i>Arrhenatherum elatius</i>	H	7
ENV20_1	<i>Artemisia campestris</i>	H	0,1
ENV20_1	<i>Asperula cynanchica</i>	H	0,01
ENV20_1	<i>Astragalus</i> sp.	H	0,5
ENV20_1	<i>Bothriochloa ischaemum</i>	H	2
ENV20_1	<i>Bromus hordeaceus</i>	H	0,1
ENV20_1	<i>Carex humilis</i>	H	0,1
ENV20_1	<i>Centaurea scabiosa</i>	H	0,5
ENV20_1	<i>Cerastium glutinosum</i>	H	0,5
ENV20_1	<i>Crataegus monogyna</i> agg.	S	0,5
ENV20_1	<i>Dorycnium germanicum</i>	H	4
ENV20_1	<i>Echium vulgare</i>	H	1
ENV20_1	<i>Elymus hispidus</i>	H	0,5
ENV20_1	<i>Eryngium campestre</i>	H	0,5
ENV20_1	<i>Falcaria vulgaris</i>	H	0,1
ENV20_1	<i>Festuca rupicola</i>	H	10
ENV20_1	<i>Festuca valesiaca</i>	H	2
ENV20_1	<i>Filipendula vulgaris</i>	H	5
ENV20_1	<i>Galium verum</i>	H	0,5
ENV20_1	<i>Globularia bisnagarica</i>	H	0,5
ENV20_1	<i>Helictotrichon pratense</i>	H	3
ENV20_1	<i>Hypericum perforatum</i>	H	0,1
ENV20_1	<i>Hypochaeris radicata</i>	H	0,01
ENV20_1	<i>Koeleria macrantha</i>	H	1
ENV20_1	<i>Lepidium campestre</i>	H	0,01
ENV20_1	<i>Medicago falcata</i>	H	0,1
ENV20_1	<i>Onobrychis arenaria</i>	H	0,5
ENV20_1	<i>Poa angustifolia</i>	H	0,5
ENV20_1	<i>Potentilla incana</i>	H	4
ENV20_1	<i>Pyrus communis</i> agg.	S	20
ENV20_1	<i>Rosa canina</i> agg.	H	3
ENV20_1	<i>Salvia pratensis</i>	H	0,1
ENV20_1	<i>Scabiosa ochroleuca</i>	H	0,5
ENV20_1	<i>Stipa capillata</i>	H	10
ENV20_1	<i>Stipa pennata</i>	H	20
ENV20_1	<i>Thlaspi perfoliatum</i>	H	0,01
ENV20_1	<i>Thymus</i> cf. <i>praecox</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV20_1	<i>Verbascum lychnitis</i>	H	0,1
ENV20_1	<i>Viola arvensis</i>	H	0,01
ENV20_1	<i>Viola hirta</i>	H	1
ENV20_2	<i>Achillea</i> cf. <i>setacea</i>	H	0,1
ENV20_2	<i>Allium</i> cf. <i>sphaerocephalon</i>	H	0,5
ENV20_2	<i>Allium senescens</i> subsp. <i>montanum</i>	H	0,1
ENV20_2	<i>Alyssum alyssoides</i>	H	2
ENV20_2	<i>Arabidopsis thaliana</i>	H	0,01
ENV20_2	<i>Arenaria serpyllifolia</i>	H	0,5
ENV20_2	<i>Arrhenatherum elatius</i>	H	1
ENV20_2	<i>Asperula cynanchica</i>	H	0,1
ENV20_2	<i>Berteroa incana</i>	H	0,5
ENV20_2	<i>Bothriochloa ischaemum</i>	H	1
ENV20_2	<i>Bromus erectus</i>	H	7
ENV20_2	<i>Bromus hordeaceus</i>	H	0,1
ENV20_2	<i>Centaurea stoebe</i>	H	0,1
ENV20_2	<i>Cerastium glutinosum</i>	H	1
ENV20_2	<i>Convolvulus arvensis</i>	H	0,01
ENV20_2	<i>Echium vulgare</i>	H	3
ENV20_2	<i>Erodium cicutarium</i>	H	0,1
ENV20_2	<i>Eryngium campestre</i>	H	7
ENV20_2	<i>Euphorbia esula</i>	H	0,5
ENV20_2	<i>Falcaria vulgaris</i>	H	0,5
ENV20_2	<i>Festuca valesiaca</i>	H	33
ENV20_2	<i>Galium verum</i>	H	5
ENV20_2	<i>Holosteum umbellatum</i>	H	0,01
ENV20_2	<i>Hypericum perforatum</i>	H	0,1
ENV20_2	<i>Koeleria macrantha</i>	H	3
ENV20_2	<i>Kohlrusia prolifera</i>	H	1
ENV20_2	<i>Medicago falcata</i>	H	1
ENV20_2	<i>Medicago minima</i>	H	0,1
ENV20_2	<i>Melica transsilvanica</i>	H	1
ENV20_2	<i>Potentilla argentea</i>	H	1
ENV20_2	<i>Potentilla incana</i>	H	17
ENV20_2	<i>Reseda lutea</i>	H	0,1
ENV20_2	<i>Rosa canina</i> agg.	S	17
ENV20_2	<i>Stipa capillata</i>	H	5
ENV20_2	<i>Thlaspi perfoliatum</i>	H	0,5
ENV20_2	<i>Trifolium arvense</i>	H	0,5
ENV20_2	<i>Veronica arvensis</i>	H	0,01
ENV20_2	<i>Veronica verna</i>	H	0,01
ENV21_1	<i>Achillea millefolium</i> agg.	H	10

id	Taxon	Vegetační patro	Pokryvnost, %
	Taxon	Vegetation layer	Cover, %
ENV21_1	<i>Allium flavum</i>	H	0,5
ENV21_1	<i>Alyssum alyssoides</i>	H	0,01
ENV21_1	<i>Arenaria serpyllifolia</i>	H	0,01
ENV21_1	<i>Armeria elongata</i>	H	0,1
ENV21_1	<i>Artemisia campestris</i>	H	1
ENV21_1	<i>Asperula cynanchica</i>	H	0,1
ENV21_1	<i>Carex humilis</i>	H	0,1
ENV21_1	<i>Carex supina</i>	H	2
ENV21_1	<i>Centaurea stoebe</i>	H	0,1
ENV21_1	<i>Cerastium semidecandrum</i>	H	0,01
ENV21_1	<i>Dianthus pontederæ</i>	H	0,5
ENV21_1	<i>Dorycnium germanicum</i>	H	0,5
ENV21_1	<i>Echium vulgare</i>	H	0,1
ENV21_1	<i>Erodium cicutarium</i>	H	0,01
ENV21_1	<i>Eryngium campestre</i>	H	5
ENV21_1	<i>Festuca cf. valesiaca</i>	H	32
ENV21_1	<i>Festuca pallens s. l.</i>	H	3
ENV21_1	<i>Galium verum</i>	H	3
ENV21_1	<i>Helictotrichon pratense</i>	H	1
ENV21_1	<i>Koeleria macrantha</i>	H	3
ENV21_1	<i>Odontites</i> sp.	H	0,5
ENV21_1	<i>Phleum phleoides</i>	H	2
ENV21_1	<i>Pilosella</i> sp.	H	0,5
ENV21_1	<i>Pimpinella saxifraga</i>	H	0,1
ENV21_1	<i>Plantago lanceolata</i>	H	0,5
ENV21_1	<i>Poa bulbosa</i>	H	0,1
ENV21_1	<i>Potentilla incana</i>	H	4
ENV21_1	<i>Prunus</i> sp.	seedl	0,01
ENV21_1	<i>Senecio jacobaea</i>	H	0,5
ENV21_1	<i>Seseli hippomarathrum</i>	H	0,5
ENV21_1	<i>Seseli osseum</i>	H	0,1
ENV21_1	<i>Silene otites</i>	H	0,1
ENV21_1	<i>Stipa capillata</i>	H	1
ENV21_1	<i>Thlaspi perfoliatum</i>	H	0,1
ENV21_1	<i>Thymus praecox</i>	H	1
ENV21_1	<i>Trifolium arvense</i>	H	2
ENV21_1	<i>Veronica spicata</i>	H	1
ENV21_1	<i>Veronica verna</i> agg.	H	0,01
ENV22_1	<i>Arrhenatherum elatius</i>	H	30
ENV22_1	<i>Asperula cynanchica</i>	H	0,1
ENV22_1	<i>Berberis aquifolium</i>	H	1
ENV22_1	<i>Carex humilis</i>	H	1
ENV22_1	<i>Carex praecox</i>	H	1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV22_1	<i>Carex supina</i>	H	0,5
ENV22_1	<i>Cerastium pumilum</i> agg.	H	0,01
ENV22_1	<i>Crataegus</i> cf. <i>fallacina</i>	S	0,5
ENV22_1	<i>Echium vulgare</i>	H	2
ENV22_1	<i>Elymus hispidus</i>	H	0,5
ENV22_1	<i>Festuca rupicola</i>	H	1
ENV22_1	<i>Festuca valesiaca</i>	H	7
ENV22_1	<i>Galium verum</i>	H	1
ENV22_1	<i>Geranium sanguineum</i>	H	2
ENV22_1	<i>Hylotelephium maximum</i>	H	0,01
ENV22_1	<i>Hypericum perforatum</i>	H	2
ENV22_1	<i>Koeleria macrantha</i>	H	0,5
ENV22_1	<i>Linaria genistifolia</i>	H	0,1
ENV22_1	<i>Melica transsilvanica</i>	H	2
ENV22_1	<i>Peucedanum alsaticum</i>	H	0,5
ENV22_1	<i>Phleum phleoides</i>	H	0,5
ENV22_1	<i>Poa angustifolia</i>	H	5
ENV22_1	<i>Poa compressa</i>	H	0,01
ENV22_1	<i>Prunus fruticosa</i>	H	5
ENV22_1	<i>Rosa canina</i> agg.	H	5
ENV22_1	<i>Rosa canina</i> agg.	H	4
ENV22_1	<i>Stipa dasyphylla</i>	H	0,1
ENV22_1	<i>Verbascum chaixii</i> subsp. <i>austriacum</i>	H	7
ENV22_2	<i>Agrostis capillaris</i>	H	1
ENV22_2	<i>Achillea</i> cf. <i>setacea</i>	H	0,1
ENV22_2	<i>Allium flavum</i>	H	0,1
ENV22_2	<i>Arrhenatherum elatius</i>	H	2
ENV22_2	<i>Asperula cynanchica</i>	H	0,1
ENV22_2	<i>Bromus hordeaceus</i>	H	0,01
ENV22_2	<i>Carex humilis</i>	H	0,5
ENV22_2	<i>Carex supina</i>	H	0,5
ENV22_2	<i>Centaurea stoebe</i>	H	0,1
ENV22_2	<i>Cerastium pumilum</i> agg.	H	0,01
ENV22_2	<i>Dianthus carthusianorum</i> agg.	H	0,1
ENV22_2	<i>Echium vulgare</i>	H	5
ENV22_2	<i>Elymus hispidus</i>	H	17
ENV22_2	<i>Eryngium campestre</i>	H	2
ENV22_2	<i>Festuca valesiaca</i>	H	25
ENV22_2	<i>Galatella linosyris</i>	H	2
ENV22_2	<i>Geranium sanguineum</i>	H	3
ENV22_2	<i>Helictotrichon pratense</i>	H	1
ENV22_2	<i>Hylotelephium maximum</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV22_2	<i>Hypericum perforatum</i>	H	0,1
ENV22_2	<i>Chamaecytisus ratisbonensis</i>	H	0,5
ENV22_2	<i>Koeleria macrantha</i>	H	2
ENV22_2	<i>Lepidium campestris</i>	H	0,5
ENV22_2	<i>Melica transsilvanica</i>	H	4
ENV22_2	<i>Phleum phleoides</i>	H	2
ENV22_2	<i>Plantago lanceolata</i>	H	0,01
ENV22_2	<i>Poa angustifolia</i>	H	2
ENV22_2	<i>Poa compressa</i>	H	0,1
ENV22_2	<i>Prunus fruticosa</i>	H	9
ENV22_2	<i>Rosa canina</i> agg.	H	0,5
ENV22_2	<i>Saxifraga bulbifera</i>	H	0,01
ENV22_2	<i>Stipa capillata</i>	H	3
ENV22_2	<i>Teucrium chamaedrys</i>	H	15
ENV22_2	<i>Thymus pannonicus</i>	H	1
ENV22_2	<i>Trifolium arvense</i>	H	0,1
ENV22_2	<i>Verbascum chaixii</i> subsp. <i>austriacum</i>	H	0,5
ENV22_2	<i>Veronica spicata</i>	H	1
ENV23_1	<i>Achillea millefolium</i> agg.	H	0,1
ENV23_1	<i>Anthoxanthum odoratum</i>	H	0,1
ENV23_1	<i>Arrhenatherum elatius</i>	H	5
ENV23_1	<i>Asperula cynanchica</i>	H	0,1
ENV23_1	<i>Briza media</i>	H	1
ENV23_1	<i>Cerastium arvensis</i>	H	0,1
ENV23_1	<i>Cerastium glutinosum</i>	H	0,01
ENV23_1	<i>Cytisus procumbens</i>	H	0,1
ENV23_1	<i>Daucus carota</i>	H	0,01
ENV23_1	<i>Dianthus carthusianorum</i> agg.	H	0,5
ENV23_1	<i>Eryngium campestre</i>	H	0,1
ENV23_1	<i>Euphrasia</i> cf. <i>stricta</i>	H	0,01
ENV23_1	<i>Festuca</i> cf. <i>ovina</i>	H	20
ENV23_1	<i>Festuca rubra</i>	H	5
ENV23_1	<i>Galium pumilum</i>	H	0,1
ENV23_1	<i>Helictotrichon pratense</i>	H	8
ENV23_1	<i>Hypericum perforatum</i>	H	3
ENV23_1	<i>Hypochaeris radicata</i>	H	0,1
ENV23_1	<i>Luzula campestris</i>	H	1
ENV23_1	<i>Pilosella officinarum</i>	H	10
ENV23_1	<i>Pimpinella saxifraga</i>	H	0,1
ENV23_1	<i>Plantago lanceolata</i>	H	1
ENV23_1	<i>Poa angustifolia</i>	H	0,1
ENV23_1	<i>Populus tremula</i>	juv.	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV23_1	<i>Potentilla heptaphylla</i>	H	0,1
ENV23_1	<i>Potentilla incana</i>	H	0,5
ENV23_1	<i>Potentilla verna</i>	H	5
ENV23_1	<i>Ranunculus bulbosus</i>	H	0,1
ENV23_1	<i>Rumex acetosella</i>	H	0,1
ENV23_1	<i>Thymus pulegioides</i>	H	2
ENV23_1	<i>Trifolium dubium</i>	H	0,01
ENV23_1	<i>Trifolium repens</i>	H	0,1
ENV23_1	<i>Trisetum flavescens</i>	H	0,1
ENV23_1	<i>Veronica arvensis</i>	H	0,01
ENV23_1	<i>Veronica prostrata</i>	H	0,01
ENV23_1	<i>Viscaria vulgaris</i>	H	2
ENV23_2	<i>Achillea millefolium</i> agg.	H	5
ENV23_2	<i>Anacamptis morio</i>	H	0,1
ENV23_2	<i>Anthoxanthum odoratum</i>	H	5
ENV23_2	<i>Arabis glabra</i>	H	0,01
ENV23_2	<i>Arenaria serpyllifolia</i>	H	0,01
ENV23_2	<i>Arrhenatherum elatius</i>	H	5
ENV23_2	<i>Asperula cynanchica</i>	H	0,01
ENV23_2	<i>Bromus hordeaceus</i>	H	0,5
ENV23_2	<i>Cerastium arvensis</i>	H	0,5
ENV23_2	<i>Cerastium glutinosum</i>	H	0,1
ENV23_2	<i>Dianthus carthusianorum</i> agg.	H	1
ENV23_2	<i>Eryngium campestre</i>	H	2
ENV23_2	<i>Euphrasia</i> cf. <i>stricta</i>	H	0,01
ENV23_2	<i>Festuca</i> cf. <i>ovina</i>	H	5
ENV23_2	<i>Festuca</i> cf. <i>rubra</i>	H	5
ENV23_2	<i>Festuca valesiaca</i>	H	15
ENV23_2	<i>Galium</i> cf. <i>pumilum</i>	H	0,5
ENV23_2	<i>Galium verum</i>	H	0,1
ENV23_2	<i>Helictotrichon pratense</i>	H	0,5
ENV23_2	<i>Hypericum perforatum</i>	H	0,5
ENV23_2	<i>Hypochaeris radicata</i>	H	0,1
ENV23_2	<i>Koeleria macrantha</i>	H	0,1
ENV23_2	<i>Kohlrassia prolifera</i>	H	0,1
ENV23_2	<i>Lotus corniculatus</i> var. <i>hirsutus</i>	H	0,1
ENV23_2	<i>Luzula campestris</i>	H	2
ENV23_2	<i>Pilosella officinarum</i>	H	5
ENV23_2	<i>Pimpinella saxifraga</i>	H	0,1
ENV23_2	<i>Plantago lanceolata</i>	H	2
ENV23_2	<i>Poa angustifolia</i>	H	1
ENV23_2	<i>Potentilla argentea</i>	H	1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV23_2	<i>Potentilla verna</i>	H	1
ENV23_2	<i>Ranunculus bulbosus</i>	H	2
ENV23_2	<i>Rosa canina</i> agg.	juv.	0,1
ENV23_2	<i>Rumex acetosella</i>	H	0,1
ENV23_2	<i>Scabiosa ochroleuca</i>	H	0,1
ENV23_2	<i>Thymus pulegioides</i>	H	0,5
ENV23_2	<i>Trifolium arvense</i>	H	5
ENV23_2	<i>Trifolium campestre</i>	H	3
ENV23_2	<i>Trifolium repens</i>	H	5
ENV23_2	<i>Trisetum flavescens</i>	H	3
ENV23_2	<i>Veronica arvensis</i>	H	0,01
ENV23_2	<i>Veronica prostrata</i>	H	0,1
ENV23_2	<i>Vicia tetrasperma</i>	H	0,1
ENV25_1	<i>Achillea millefolium</i> agg.	H	0,5
ENV25_1	<i>Arabidopsis thaliana</i>	H	0,01
ENV25_1	<i>Arenaria serpyllifolia</i>	H	0,01
ENV25_1	<i>Arrhenatherum elatius</i>	H	15
ENV25_1	<i>Artemisia vulgaris</i>	H	0,01
ENV25_1	<i>Asperula cynanchica</i>	H	0,01
ENV25_1	<i>Campanula</i> cf. <i>bononiensis</i> / <i>rapunculoides</i>	H	0,1
ENV25_1	<i>Cerastium</i> cf. <i>glutinosum</i>	H	0,1
ENV25_1	<i>Dianthus carthusianorum</i> agg.	H	1
ENV25_1	<i>Eryngium campestre</i>	H	1
ENV25_1	<i>Euphorbia cyparissias</i>	H	0,5
ENV25_1	<i>Festuca</i> cf. <i>valesiaca</i>	H	10
ENV25_1	<i>Festuca ovina</i> agg.	H	5
ENV25_1	<i>Fragaria viridis</i>	H	10
ENV25_1	<i>Galium album</i>	H	2
ENV25_1	<i>Helictotrichon pratense</i>	H	0,5
ENV25_1	<i>Hypericum perforatum</i>	H	0,5
ENV25_1	<i>Knautia arvensis</i>	H	0,5
ENV25_1	<i>Koeleria macrantha</i>	H	2
ENV25_1	<i>Koeleria pyramidata</i>	H	5
ENV25_1	<i>Ligustrum vulgare</i>	juv.	0,5
ENV25_1	<i>Myosotis</i> sp.	H	0,01
ENV25_1	<i>Phleum phleoides</i>	H	8
ENV25_1	<i>Pimpinella saxifraga</i>	H	0,1
ENV25_1	<i>Poa angustifolia</i>	H	0,5
ENV25_1	<i>Potentilla argentea</i>	H	0,1
ENV25_1	<i>Rosa canina</i> agg.	S	10
ENV25_1	<i>Rosa canina</i> agg.	juv.	0,5
ENV25_1	<i>Securigera varia</i>	H	1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV25_1	<i>Tragopogon pratensis</i> agg.	H	0,1
ENV25_1	<i>Trifolium arvense</i>	H	1
ENV25_1	<i>Trifolium campestre</i>	H	1
ENV25_1	<i>Valerianella</i> sp.	H	0,01
ENV25_1	<i>Veronica arvensis</i>	H	0,1
ENV25_1	<i>Veronica chamaedrys</i> agg.	H	0,1
ENV25_1	<i>Veronica spicata</i>	H	3
ENV25_1	<i>Vicia hirsuta</i>	H	8
ENV25_1	<i>Vicia tetrasperma</i>	H	2
ENV25_1	<i>Viscaria vulgaris</i>	H	0,1
ENV25_2	<i>Agrostis capillaris</i>	H	5
ENV25_2	<i>Achillea millefolium</i> agg.	H	0,5
ENV25_2	<i>Arrhenatherum elatius</i>	H	1
ENV25_2	<i>Asperula cynanchica</i>	H	0,01
ENV25_2	<i>Campanula rotundifolia</i> agg.	H	0,1
ENV25_2	<i>Centaurea stoebe</i>	H	0,5
ENV25_2	<i>Cerastium glutinosum</i>	H	0,01
ENV25_2	<i>Dianthus ponederae</i>	H	3
ENV25_2	<i>Eryngium campestre</i>	H	2
ENV25_2	<i>Euphorbia cyparissias</i>	H	0,1
ENV25_2	<i>Festuca</i> cf. <i>valesiaca</i>	H	10
ENV25_2	<i>Festuca ovina</i> agg.	H	3
ENV25_2	<i>Fragaria viridis</i>	H	3
ENV25_2	<i>Helictotrichon pratense</i>	H	13
ENV25_2	<i>Chamaecytisus ratisbonensis</i>	H	0,5
ENV25_2	<i>Koeleria macrantha</i>	H	1
ENV25_2	<i>Koeleria pyramidata</i>	H	5
ENV25_2	<i>Linaria vulgaris</i>	H	0,1
ENV25_2	<i>Myosotis arvensis</i>	H	0,01
ENV25_2	<i>Phleum phleoides</i>	H	3
ENV25_2	<i>Pilosella officinarum</i>	H	2
ENV25_2	<i>Pimpinella saxifraga</i>	H	0,1
ENV25_2	<i>Plantago lanceolata</i>	H	0,1
ENV25_2	<i>Poa angustifolia</i>	H	0,5
ENV25_2	<i>Potentilla incana</i>	H	4
ENV25_2	<i>Prunus spinosa</i>	juv.	0,01
ENV25_2	<i>Rosa canina</i> agg.	juv.	0,5
ENV25_2	<i>Rumex acetosella</i>	H	2
ENV25_2	<i>Securigera varia</i>	H	1
ENV25_2	<i>Sedum acre</i>	H	0,1
ENV25_2	<i>Thymus praecox</i>	H	0,5
ENV25_2	<i>Trifolium alpestre</i>	H	3
ENV25_2	<i>Trifolium arvense</i>	H	10

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV25_2	<i>Trifolium campestre</i>	H	5
ENV25_2	<i>Veronica arvensis</i>	H	0,01
ENV25_2	<i>Veronica chamaedrys</i> agg.	H	0,1
ENV25_2	<i>Veronica spicata</i>	H	2
ENV25_2	<i>Vicia hirsuta</i>	H	2
ENV25_2	<i>Vicia tetrasperma</i>	H	1
ENV25_2	<i>Viola</i> cf. <i>arvensis</i>	H	0,01
ENV25_2	<i>Viscaria vulgaris</i>	H	5
ENV26_1	<i>Achillea</i> cf. <i>collina</i>	H	1
ENV26_1	<i>Arrhenatherum elatius</i>	H	7
ENV26_1	<i>Artemisia campestris</i>	H	1
ENV26_1	<i>Centaurea stoebe</i>	H	0,1
ENV26_1	<i>Dactylis glomerata</i>	H	0,1
ENV26_1	<i>Dianthus carthusianorum</i> agg.	H	0,1
ENV26_1	<i>Eryngium campestre</i>	H	0,1
ENV26_1	<i>Festuca</i> sp.	H	15
ENV26_1	<i>Fragaria viridis</i>	H	0,1
ENV26_1	<i>Helictotrichon pratense</i>	H	0,5
ENV26_1	<i>Chondrilla juncea</i>	H	0,1
ENV26_1	<i>Koeleria macrantha</i>	H	10
ENV26_1	<i>Linaria genistifolia</i>	H	0,1
ENV26_1	<i>Phleum phleoides</i>	H	2
ENV26_1	<i>Pilosella officinarum</i>	H	1
ENV26_1	<i>Pimpinella saxifraga</i>	H	0,5
ENV26_1	<i>Plantago lanceolata</i>	H	0,1
ENV26_1	<i>Poa angustifolia</i>	H	0,1
ENV26_1	<i>Potentilla argentea</i>	H	0,5
ENV26_1	<i>Quercus</i> sp.	juv.	0,01
ENV26_1	<i>Rumex acetosella</i>	H	0,5
ENV26_1	<i>Sanguisorba minor</i>	H	0,1
ENV26_1	<i>Securigera varia</i>	H	0,5
ENV26_1	<i>Seseli osseum</i>	H	0,1
ENV26_1	<i>Taraxacum</i> sp.	H	0,01
ENV26_1	<i>Trifolium arvense</i>	H	3
ENV26_1	<i>Trifolium campestre</i>	H	10
ENV26_1	<i>Verbascum</i> cf. <i>lychnitis</i>	H	0,1
ENV26_1	<i>Veronica arvensis</i>	H	0,01
ENV26_1	<i>Vicia hirsuta</i>	H	0,1
ENV26_1	<i>Vicia lathyroides</i>	H	0,1
ENV26_1	<i>Viscaria vulgaris</i>	H	2
ENV27_1	<i>Achillea</i> cf. <i>setacea</i>	H	1
ENV27_1	<i>Allium flavum</i>	H	0,1
ENV27_1	<i>Alyssum alyssoides</i>	H	0,01

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV27_1	<i>Arenaria serpyllifolia</i>	H	0,01
ENV27_1	<i>Arrhenatherum elatius</i>	H	13
ENV27_1	<i>Carex supina</i>	H	0,5
ENV27_1	<i>Centaurea stoebe</i>	H	0,5
ENV27_1	<i>Cerastium pumilum</i>	H	0,1
ENV27_1	<i>Dianthus carthusianorum</i> agg.	H	3
ENV27_1	<i>Echium vulgare</i>	H	0,5
ENV27_1	<i>Elymus hispidus</i>	H	0,5
ENV27_1	<i>Erodium cicutarium</i>	H	0,01
ENV27_1	<i>Eryngium campestre</i>	H	1
ENV27_1	<i>Festuca</i> cf. <i>valesiaca</i>	H	10
ENV27_1	<i>Galium glaucum</i>	H	2
ENV27_1	<i>Helictotrichon pratense</i>	H	0,5
ENV27_1	<i>Hypericum perforatum</i>	H	0,01
ENV27_1	<i>Inula oculus-christi</i>	H	10
ENV27_1	<i>Koeleria macrantha</i>	H	5
ENV27_1	<i>Kohlrausia prolifera</i>	H	0,1
ENV27_1	<i>Phleum phleoides</i>	H	1
ENV27_1	<i>Potentilla incana</i>	H	5
ENV27_1	<i>Rumex acetosella</i>	H	0,1
ENV27_1	<i>Senecio jacobaea</i>	H	0,5
ENV27_1	<i>Stipa capillata</i>	H	0,1
ENV27_1	<i>Trifolium alpestre</i>	H	0,1
ENV27_1	<i>Trifolium arvense</i>	H	15
ENV27_1	<i>Trifolium campestre</i>	H	5
ENV27_1	<i>Trifolium repens</i>	H	0,01
ENV27_1	<i>Verbascum phoeniceum</i>	H	0,5
ENV27_1	<i>Veronica arvensis</i>	H	0,01
ENV27_1	<i>Veronica prostrata</i>	H	0,1
ENV27_2	<i>Arrhenatherum elatius</i>	H	40
ENV27_2	<i>Cerastium pumilum</i> agg.	H	0,01
ENV27_2	<i>Crataegus monogyna</i> agg.	juv.	0,5
ENV27_2	<i>Echium vulgare</i>	H	0,5
ENV27_2	<i>Elymus hispidus</i>	H	7
ENV27_2	<i>Eryngium campestre</i>	H	2
ENV27_2	<i>Festuca</i> sp.	H	10
ENV27_2	<i>Galium aparine</i>	H	0,5
ENV27_2	<i>Chondrilla juncea</i>	H	0,01
ENV27_2	<i>Inula oculus-christi</i>	H	0,1
ENV27_2	<i>Koeleria macrantha</i>	H	0,5
ENV27_2	<i>Kohlrausia prolifera</i>	H	0,1
ENV27_2	<i>Muscari comosum</i>	H	0,1
ENV27_2	<i>Myosotis sparsiflora</i>	H	0,01

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV27_2	<i>Ornithogalum kochii</i>	H	0,01
ENV27_2	<i>Poa angustifolia</i>	H	6
ENV27_2	<i>Prunus cerasifera</i>	juv.	0,1
ENV27_2	<i>Stellaria media</i> agg.	H	0,1
ENV27_2	<i>Trifolium arvense</i>	H	3
ENV27_2	<i>Trifolium campestre</i>	H	1
ENV27_2	<i>Valerianella</i> sp.	H	0,01
ENV27_2	<i>Verbascum phoeniceum</i>	H	0,5
ENV27_2	<i>Veronica arvensis</i>	H	0,01
ENV27_2	<i>Veronica prostrata</i>	H	0,01
ENV27_2	<i>Vicia hirsuta</i>	H	0,5
ENV28_1	<i>Achillea</i> cf. <i>setacea</i>	H	1
ENV28_1	<i>Anthoxanthum odoratum</i>	H	1
ENV28_1	<i>Arrhenatherum elatius</i>	H	2
ENV28_1	<i>Asperula cynanchica</i>	H	0,1
ENV28_1	<i>Carex caryophylla</i>	H	0,1
ENV28_1	<i>Centaurea stoebe</i>	H	0,1
ENV28_1	<i>Cerastium arvensis</i>	H	0,5
ENV28_1	<i>Cerastium</i> cf. <i>brachypetalum</i>	H	0,01
ENV28_1	<i>Danthonia decumbens</i>	H	5
ENV28_1	<i>Dianthus pontederiae</i>	H	0,1
ENV28_1	<i>Eryngium campestre</i>	H	1
ENV28_1	<i>Festuca</i> cf. <i>ovina</i>	H	15
ENV28_1	<i>Galium verum</i>	H	0,5
ENV28_1	<i>Genista tinctoria</i>	H	0,1
ENV28_1	<i>Helictotrichon pratense</i>	H	7
ENV28_1	<i>Hypericum perforatum</i>	H	2
ENV28_1	<i>Chamaecytisus ratisbonensis</i>	H	2
ENV28_1	<i>Koeleria macrantha</i>	H	1
ENV28_1	<i>Koeleria pyramidata</i>	H	2
ENV28_1	<i>Lepidium campestre</i>	H	0,1
ENV28_1	<i>Lotus corniculatus</i>	H	0,5
ENV28_1	<i>Odontites</i> sp.	H	0,1
ENV28_1	<i>Phleum phleoides</i>	H	10
ENV28_1	<i>Pilosella officinarum</i>	H	0,1
ENV28_1	<i>Pimpinella saxifraga</i>	H	0,1
ENV28_1	<i>Plantago lanceolata</i>	H	1
ENV28_1	<i>Poa angustifolia</i>	H	0,1
ENV28_1	<i>Potentilla incana</i>	H	1
ENV28_1	<i>Potentilla verna</i>	H	1
ENV28_1	<i>Prunella grandiflora</i>	H	2
ENV28_1	<i>Prunella laciniata</i>	H	0,01
ENV28_1	<i>Pulsatilla grandis</i>	H	5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV28_1	<i>Quercus</i> sp.	juv.	0,01
ENV28_1	<i>Rosa canina</i> agg.	juv.	0,5
ENV28_1	<i>Rumex acetosella</i>	H	1
ENV28_1	<i>Sanguisorba minor</i>	H	0,5
ENV28_1	<i>Scabiosa ochroleuca</i>	H	0,1
ENV28_1	<i>Sedum sexangulare</i>	H	0,5
ENV28_1	<i>Seseli annuum</i>	H	0,1
ENV28_1	<i>Silene otites</i>	H	0,5
ENV28_1	<i>Teucrium chamaedrys</i>	H	3
ENV28_1	<i>Thymus praecox</i>	H	2
ENV28_1	<i>Trifolium arvense</i>	H	5
ENV28_1	<i>Trifolium campestre</i>	H	2
ENV28_1	<i>Trifolium montanum</i>	H	1
ENV28_1	<i>Veronica arvensis</i>	H	0,01
ENV28_1	<i>Veronica prostrata</i>	H	0,5
ENV28_1	<i>Veronica spicata</i>	H	3
ENV28_2	<i>Agrimonia eupatoria</i>	H	0,5
ENV28_2	<i>Agrostis capillaris</i>	H	0,5
ENV28_2	<i>Achillea</i> cf. <i>setacea</i>	H	5
ENV28_2	<i>Anthoxanthum odoratum</i>	H	5
ENV28_2	<i>Arrhenatherum elatius</i>	H	17
ENV28_2	<i>Berteroa incana</i>	H	0,01
ENV28_2	<i>Bromus hordeaceus</i>	H	0,1
ENV28_2	<i>Calamagrostis epigejos</i>	H	0,5
ENV28_2	<i>Centaurea stoebe</i>	H	0,1
ENV28_2	<i>Cerastium arvensis</i>	H	0,1
ENV28_2	<i>Dactylis glomerata</i>	H	0,5
ENV28_2	<i>Danthonia decumbens</i>	H	0,1
ENV28_2	<i>Dianthus pontederiae</i>	H	0,1
ENV28_2	<i>Elymus hispidus</i>	H	0,5
ENV28_2	<i>Eryngium campestre</i>	H	1
ENV28_2	<i>Festuca rupicola</i>	H	2
ENV28_2	<i>Festuca</i> sp.	H	10
ENV28_2	<i>Fragaria viridis</i>	H	7
ENV28_2	<i>Galium verum</i>	H	1
ENV28_2	<i>Genista tinctoria</i>	H	0,1
ENV28_2	<i>Helictotrichon pratense</i>	H	1
ENV28_2	<i>Hieracium</i> sp.	H	0,1
ENV28_2	<i>Hypericum perforatum</i>	H	5
ENV28_2	<i>Chamaecytisus ratisbonensis</i>	H	0,1
ENV28_2	<i>Koeleria macrantha</i>	H	1
ENV28_2	<i>Koeleria pyramidata</i>	H	2
ENV28_2	<i>Lotus corniculatus</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV28_2	<i>Luzula campestris</i>	H	0,1
ENV28_2	<i>Phleum phleoides</i>	H	5
ENV28_2	<i>Pilosella officinarum</i>	H	0,1
ENV28_2	<i>Pimpinella saxifraga</i>	H	0,5
ENV28_2	<i>Plantago media</i>	H	0,5
ENV28_2	<i>Poa angustifolia</i>	H	3
ENV28_2	<i>Potentilla argentea</i>	H	3
ENV28_2	<i>Prunella laciniata</i>	H	0,1
ENV28_2	<i>Quercus</i> sp.	juv.	0,5
ENV28_2	<i>Rosa canina</i> agg.	S	5
ENV28_2	<i>Rosa canina</i> agg.	juv.	0,5
ENV28_2	<i>Rubus caesius</i> agg.	H	0,5
ENV28_2	<i>Rumex acetosella</i>	H	5
ENV28_2	<i>Sanguisorba minor</i>	H	0,5
ENV28_2	<i>Scabiosa ochroleuca</i>	H	1
ENV28_2	<i>Seseli annuum</i>	H	0,1
ENV28_2	<i>Thymus praecox</i>	H	0,1
ENV28_2	<i>Trifolium arvense</i>	H	0,5
ENV28_2	<i>Trifolium arvense</i>	H	1
ENV28_2	<i>Trifolium campestre</i>	H	0,01
ENV28_2	<i>Trifolium montanum</i>	H	0,5
ENV28_2	<i>Verbascum chaixii</i> subsp. <i>austriacum</i>	H	0,1
ENV28_2	<i>Veronica arvensis</i>	H	0,01
ENV28_2	<i>Veronica chamaedrys</i> agg.	H	0,5
ENV28_2	<i>Veronica prostrata</i>	H	0,5
ENV28_2	<i>Veronica spicata</i>	H	1
ENV28_2	<i>Vicia angustifolia</i>	H	0,01
ENV28_2	<i>Viola hirta</i>	H	0,5
ENV29_1	<i>Arrhenatherum elatius</i>	H	20
ENV29_1	<i>Carduus acanthoides</i>	H	0,1
ENV29_1	<i>Centaurea scabiosa</i>	H	0,5
ENV29_1	<i>Convolvulus arvensis</i>	H	0,1
ENV29_1	<i>Dianthus pontederæ</i>	H	0,01
ENV29_1	<i>Echium vulgare</i>	H	0,5
ENV29_1	<i>Elymus hispidus</i>	H	17
ENV29_1	<i>Eryngium campestre</i>	H	0,1
ENV29_1	<i>Festuca rupicola</i>	H	17
ENV29_1	<i>Nonea pulla</i>	H	0,5
ENV29_1	<i>Poa angustifolia</i>	H	3
ENV29_1	<i>Rosa canina</i> agg.	juv.	0,5
ENV29_1	<i>Rosa canina</i> agg.	S	2
ENV29_1	<i>Securigera varia</i>	H	7

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV29_1	<i>Seseli osseum</i>	H	0,1
ENV29_1	<i>Stipa dasyphylla</i>	H	0,1
ENV29_1	<i>Thlaspi perfoliatum</i>	H	0,01
ENV29_1	<i>Tragopogon cf. dubius</i>	H	0,1
ENV29_1	<i>Trifolium campestre</i>	H	0,1
ENV29_1	<i>Vicia cracca</i>	H	0,1
ENV29_1	<i>Vicia hirsuta</i>	H	1
ENV29_2	<i>Achillea cf. collina</i>	H	0,1
ENV29_2	<i>Asperula cynanchica</i>	H	0,1
ENV29_2	<i>Carduus acanthoides</i>	H	0,01
ENV29_2	<i>Carex humilis</i>	H	3
ENV29_2	<i>Centaurea stoebe</i>	H	0,1
ENV29_2	<i>Dianthus pontederiae</i>	H	2
ENV29_2	<i>Elymus hispidus</i>	H	1
ENV29_2	<i>Festuca rupicola</i>	H	20
ENV29_2	<i>Galium verum</i>	H	0,5
ENV29_2	<i>Helictotrichon pratense</i> subsp. <i>hirtifolium</i>	H	15
ENV29_2	<i>Lotus corniculatus</i> var. <i>hirsutus</i>	H	0,5
ENV29_2	<i>Medicago falcata</i>	H	1
ENV29_2	<i>Plantago lanceolata</i>	H	0,1
ENV29_2	<i>Plantago media</i>	H	0,01
ENV29_2	<i>Poa angustifolia</i>	H	1
ENV29_2	<i>Potentilla incana</i>	H	2
ENV29_2	<i>Rumex acetosella</i>	H	0,01
ENV29_2	<i>Seseli hippomarathrum</i>	H	1
ENV29_2	<i>Seseli osseum</i>	H	0,5
ENV29_2	<i>Stipa dasyphylla</i>	H	20
ENV29_2	<i>Trifolium arvense</i>	H	0,5
ENV29_2	<i>Trifolium campestre</i>	H	1
ENV29_2	<i>Veronica spicata</i>	H	0,1
ENV30_1	<i>Achillea pannonica</i>	H	0,1
ENV30_1	<i>Arenaria serpyllifolia</i>	H	0,01
ENV30_1	<i>Arrhenatherum elatius</i>	H	10
ENV30_1	<i>Artemisia absinthium</i>	H	0,1
ENV30_1	<i>Astragalus onobrychis</i>	H	5
ENV30_1	<i>Brachypodium pinnatum</i>	H	10
ENV30_1	<i>Calamagrostis epigejos</i>	H	12
ENV30_1	<i>Centaurea scabiosa</i>	H	1
ENV30_1	<i>Crataegus monogyna</i> agg.	juv.	0,5
ENV30_1	<i>Dactylis glomerata</i>	H	1
ENV30_1	<i>Eryngium campestre</i>	H	0,5
ENV30_1	<i>Falcaria vulgaris</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover, %
ENV30_1	<i>Festuca rupicola</i>	H	8
ENV30_1	<i>Fragaria viridis</i>	H	3
ENV30_1	<i>Galium verum</i>	H	3
ENV30_1	<i>Hieracium</i> sp.	H	0,5
ENV30_1	<i>Hypericum perforatum</i>	H	0,1
ENV30_1	<i>Koeleria macrantha</i>	H	13
ENV30_1	<i>Lathyrus tuberosus</i>	H	0,5
ENV30_1	<i>Linaria genistifolia</i>	H	0,1
ENV30_1	<i>Odontites</i> sp.	H	1
ENV30_1	<i>Origanum vulgare</i>	H	5
ENV30_1	<i>Oxytropis pilosa</i>	H	2
ENV30_1	<i>Peucedanum alsaticum</i>	H	2
ENV30_1	<i>Plantago lanceolata</i>	H	0,1
ENV30_1	<i>Poa angustifolia</i>	H	1
ENV30_1	<i>Rosa canina</i> agg.	juv.	0,1
ENV30_1	<i>Scabiosa ochroleuca</i>	H	1
ENV30_1	<i>Securigera varia</i>	H	5
ENV30_1	<i>Senecio jacobaea</i>	H	0,1
ENV30_1	<i>Silene latifolia</i>	H	0,1
ENV30_1	<i>Stipa</i> cf. <i>pulcherrima</i>	H	0,1
ENV30_1	<i>Thymus pannonicus</i>	H	0,5
ENV30_1	<i>Trifolium campestre</i>	H	0,1
ENV30_1	<i>Verbascum</i> cf. <i>lychnitis</i>	H	5
ENV30_1	<i>Vicia hirsuta</i>	H	0,1
ENV30_2	<i>Achillea pannonica</i>	H	1
ENV30_2	<i>Alyssum alyssoides</i>	H	0,01
ENV30_2	<i>Arenaria serpyllifolia</i>	H	0,01
ENV30_2	<i>Artemisia campestris</i>	H	1
ENV30_2	<i>Asparagus officinalis</i>	H	0,1
ENV30_2	<i>Astragalus exscapus</i>	H	3
ENV30_2	<i>Bromus inermis</i>	H	0,5
ENV30_2	<i>Carex supina</i>	H	2
ENV30_2	<i>Dianthus pontederæ</i>	H	1
ENV30_2	<i>Elymus hispidus</i>	H	2
ENV30_2	<i>Eryngium campestre</i>	H	4
ENV30_2	<i>Falcaria vulgaris</i>	H	0,5
ENV30_2	<i>Festuca valesiaca</i>	H	18
ENV30_2	<i>Galatella linosyris</i>	H	2
ENV30_2	<i>Galium glaucum</i>	H	0,5
ENV30_2	<i>Hypericum perforatum</i>	H	0,1
ENV30_2	<i>Iris pumila</i>	H	0,5
ENV30_2	<i>Jurinea mollis</i>	H	1
ENV30_2	<i>Koeleria macrantha</i>	H	12

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV30_2	<i>Linaria genistifolia</i>	H	0,1
ENV30_2	<i>Melampyrum arvense</i>	H	3
ENV30_2	<i>Odontites</i> sp.	H	0,1
ENV30_2	<i>Oxytropis pilosa</i>	H	1
ENV30_2	<i>Phelipanche arenaria</i>	H	0,1
ENV30_2	<i>Phleum phleoides</i>	H	3
ENV30_2	<i>Poa angustifolia</i>	H	0,5
ENV30_2	<i>Scabiosa ochroleuca</i>	H	0,1
ENV30_2	<i>Securigera varia</i>	H	0,5
ENV30_2	<i>Senecio jacobaea</i>	H	0,1
ENV30_2	<i>Seseli pallasii</i>	H	1
ENV30_2	<i>Stachys recta</i>	H	0,1
ENV30_2	<i>Stipa</i> cf. <i>pulcherrima/pennata</i>	H	15
ENV30_2	<i>Thalictrum minus</i>	H	3
ENV30_2	<i>Thymus pannonicus</i>	H	20
ENV30_2	<i>Veronica prostrata</i>	H	0,5
ENV30_2	<i>Veronica spicata</i>	H	0,5
ENV30_2	<i>Vicia cracca</i>	H	0,01
ENV31_1	<i>Agrimonia eupatoria</i>	H	0,5
ENV31_1	<i>Achillea millefolium</i> agg.	H	0,5
ENV31_1	<i>Anemone sylvestris</i>	H	0,5
ENV31_1	<i>Arrhenatherum elatius</i>	H	0,5
ENV31_1	<i>Asperula cynanchica</i>	H	0,1
ENV31_1	<i>Aster amellus</i>	H	0,5
ENV31_1	<i>Brachypodium pinnatum</i>	H	17
ENV31_1	<i>Briza media</i>	H	0,5
ENV31_1	<i>Bupleurum falcatum</i>	H	0,5
ENV31_1	<i>Calamagrostis epigejos</i>	H	0,5
ENV31_1	<i>Campanula</i> cf. <i>glomerata</i>	H	0,1
ENV31_1	<i>Carex humilis</i>	H	0,5
ENV31_1	<i>Carex michelii</i>	H	0,5
ENV31_1	<i>Carex tomentosa</i>	H	1
ENV31_1	<i>Carlina acaulis</i>	H	0,1
ENV31_1	<i>Centaurea scabiosa</i>	H	2
ENV31_1	<i>Cornus sanguinea</i>	juv.	1
ENV31_1	<i>Crataegus monogyna</i> agg.	juv.	1
ENV31_1	<i>Crepis praemorsa</i>	H	1
ENV31_1	<i>Cytisus procumbens</i>	H	0,1
ENV31_1	<i>Dactylis glomerata</i>	H	0,5
ENV31_1	<i>Dorycnium germanicum</i>	H	15
ENV31_1	<i>Euphorbia virgata</i>	H	0,01
ENV31_1	<i>Festuca rupicola</i>	H	10
ENV31_1	<i>Filipendula vulgaris</i>	H	3

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV31_1	<i>Fragaria viridis</i>	H	0,5
ENV31_1	<i>Galatella linosyris</i>	H	0,5
ENV31_1	<i>Galium boreale</i>	H	0,1
ENV31_1	<i>Galium verum</i>	H	2
ENV31_1	<i>Helictotrichon pubescens</i>	H	0,5
ENV31_1	<i>Chamaecytisus ratisbonensis</i>	H	2
ENV31_1	<i>Inula salicina</i>	H	13
ENV31_1	<i>Iris variegata</i>	H	1
ENV31_1	<i>Knautia arvensis</i>	H	0,5
ENV31_1	<i>Koeleria macrantha</i>	H	0,5
ENV31_1	<i>Linum flavum</i>	H	0,1
ENV31_1	<i>Lotus corniculatus</i> var. <i>hirsutus</i>	H	0,1
ENV31_1	<i>Melampyrum arvense</i>	H	0,01
ENV31_1	<i>Ononis spinosa</i>	H	0,1
ENV31_1	<i>Origanum vulgare</i>	H	1
ENV31_1	<i>Orobanche alsatica</i>	H	0,01
ENV31_1	<i>Peucedanum cervaria</i>	H	6
ENV31_1	<i>Poa angustifolia</i>	H	0,5
ENV31_1	<i>Polygala major</i>	H	0,1
ENV31_1	<i>Primula veris</i>	H	0,5
ENV31_1	<i>Prunella grandiflora</i>	H	3
ENV31_1	<i>Prunus spinosa</i>	juv.	0,5
ENV31_1	<i>Rosa canina</i> agg.	juv.	0,5
ENV31_1	<i>Salvia pratensis</i>	H	5
ENV31_1	<i>Sanguisorba minor</i>	H	0,1
ENV31_1	<i>Securigera varia</i>	H	0,5
ENV31_1	<i>Stipa pennata</i>	H	0,5
ENV31_1	<i>Tanacetum corymbosum</i>	H	0,5
ENV31_1	<i>Teucrium chamaedrys</i>	H	2
ENV31_1	<i>Thesium linophyllon</i>	H	0,1
ENV31_1	<i>Tragopogon pratensis</i> agg.	H	0,01
ENV31_1	<i>Viola hirta</i>	H	0,5
ENV31_1	<i>Viola</i> sp.	H	0,1
ENV31_2	<i>Allium scorodoprasum</i>	H	0,5
ENV31_2	<i>Anemone sylvestris</i>	H	0,5
ENV31_2	<i>Anthericum ramosum</i>	H	0,5
ENV31_2	<i>Arrhenatherum elatius</i>	H	0,5
ENV31_2	<i>Aster amellus</i>	H	3
ENV31_2	<i>Brachypodium pinnatum</i>	H	3
ENV31_2	<i>Bupleurum falcatum</i>	H	0,5
ENV31_2	<i>Calamagrostis epigejos</i>	H	0,1
ENV31_2	<i>Carex caryophyllea</i>	H	3

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV31_2	<i>Carex michelii</i>	H	0,5
ENV31_2	<i>Centaurea scabiosa</i>	H	10
ENV31_2	<i>Crataegus monogyna</i> agg.	juv.	0,5
ENV31_2	<i>Dactylis glomerata</i>	H	0,5
ENV31_2	<i>Dorycnium pentaphyllum</i> agg.	H	0,5
ENV31_2	<i>Euphorbia cyparissias</i>	H	0,5
ENV31_2	<i>Euphorbia virgata</i>	H	0,5
ENV31_2	<i>Falcaria vulgaris</i>	H	0,5
ENV31_2	<i>Festuca rupicola</i>	H	3
ENV31_2	<i>Galatella linosyris</i>	H	10
ENV31_2	<i>Helictotrichon pubescens</i>	H	0,5
ENV31_2	<i>Hieracium umbellatum</i>	H	0,5
ENV31_2	<i>Chamaecytisus ratisbonensis</i>	H	0,5
ENV31_2	<i>Inula salicina</i>	H	20
ENV31_2	<i>Iris variegata</i>	H	0,5
ENV31_2	<i>Koeleria macrantha</i>	H	0,5
ENV31_2	<i>Origanum vulgare</i>	H	0,5
ENV31_2	<i>Peucedanum cervaria</i>	H	20
ENV31_2	<i>Plantago media</i>	H	0,5
ENV31_2	<i>Poa pratensis</i> agg.	H	0,5
ENV31_2	<i>Rhamnus cathartica</i>	H	0,5
ENV31_2	<i>Rosa</i> sp.	juv.	0,5
ENV31_2	<i>Salvia pratensis</i>	H	0,5
ENV31_2	<i>Stipa pennata</i>	H	0,5
ENV31_2	<i>Tanacetum corymbosum</i>	H	3
ENV31_2	<i>Teucrium chamaedrys</i>	H	0,5
ENV31_2	<i>Thesium linophyllon</i>	H	0,5
ENV31_2	<i>Thymus pannonicus</i> agg.	H	0,5
ENV31_2	<i>Viola hirta</i>	H	0,5
ENV32_1	<i>Adonis vernalis</i>	H	1
ENV32_1	<i>Anthericum ramosum</i>	H	12
ENV32_1	<i>Anthyllis vulneraria</i>	H	0,1
ENV32_1	<i>Arenaria serpyllifolia</i>	H	0,01
ENV32_1	<i>Asperula cynanchica</i>	H	0,1
ENV32_1	<i>Brachypodium pinnatum</i>	H	10
ENV32_1	<i>Briza media</i>	H	4
ENV32_1	<i>Bupleurum falcatum</i>	H	0,1
ENV32_1	<i>Campanula glomerata</i>	H	0,1
ENV32_1	<i>Carex humilis</i>	H	15
ENV32_1	<i>Carex michelii</i>	H	0,1
ENV32_1	<i>Carlina acaulis</i>	H	0,01
ENV32_1	<i>Centaurea scabiosa</i>	H	1
ENV32_1	<i>Cirsium pannonicum</i>	H	1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV32_1	<i>Crataegus monogyna</i> agg.	juv.	0,01
ENV32_1	<i>Crepis praemorsa</i>	H	0,5
ENV32_1	<i>Cuscuta</i> sp.	H	0,01
ENV32_1	<i>Cytisus procumbens</i>	H	3
ENV32_1	<i>Dactylis glomerata</i>	H	0,1
ENV32_1	<i>Dorycnium germanicum</i>	H	5
ENV32_1	<i>Echium maculatum</i>	H	0,01
ENV32_1	<i>Euphorbia</i> cf. <i>virgata</i>	H	0,01
ENV32_1	<i>Euphorbia cyparissias</i>	H	0,1
ENV32_1	<i>Festuca rupicola</i>	H	3
ENV32_1	<i>Filipendula vulgaris</i>	H	2
ENV32_1	<i>Galatella linosyris</i>	H	2
ENV32_1	<i>Galium glaucum</i>	H	0,1
ENV32_1	<i>Geranium sanguineum</i>	H	7
ENV32_1	<i>Globularia bisnagarica</i>	H	3
ENV32_1	<i>Helianthemum grandiflorum</i>	H	2
ENV32_1	<i>Helictotrichon pratense</i> subsp. <i>hirtifolium</i>	H	2
ENV32_1	<i>Hypochaeris maculata</i>	H	0,5
ENV32_1	<i>Chamaecytisus ratisbonensis</i>	H	1
ENV32_1	<i>Inula hirta</i>	H	5
ENV32_1	<i>Inula salicina</i>	H	12
ENV32_1	<i>Jurinea mollis</i>	H	0,1
ENV32_1	<i>Knautia arvensis</i>	H	0,1
ENV32_1	<i>Koeleria pyramidata</i>	H	1
ENV32_1	<i>Linum tenuifolium</i>	H	0,1
ENV32_1	<i>Odontites</i> sp.	H	0,1
ENV32_1	<i>Onobrychis viciifolia</i>	H	0,1
ENV32_1	<i>Ononis spinosa</i>	H	0,1
ENV32_1	<i>Ophrys apifera</i>	H	0,1
ENV32_1	<i>Peucedanum cervaria</i>	H	5
ENV32_1	<i>Pimpinella saxifraga</i>	H	0,1
ENV32_1	<i>Plantago media</i>	H	1
ENV32_1	<i>Poa angustifolia</i>	H	0,1
ENV32_1	<i>Polygala major</i>	H	0,5
ENV32_1	<i>Potentilla heptaphylla</i>	H	0,01
ENV32_1	<i>Prunella grandiflora</i>	H	5
ENV32_1	<i>Pulsatilla grandis</i>	H	0,5
ENV32_1	<i>Quercus</i> sp.	seedl	0,01
ENV32_1	<i>Rosa spinosissima</i>	juv.	0,1
ENV32_1	<i>Salvia pratensis</i>	H	0,5
ENV32_1	<i>Scorzonera hispanica</i>	H	0,5
ENV32_1	<i>Securigera varia</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV32_1	<i>Seseli annuum</i>	H	0,1
ENV32_1	<i>Stachys recta</i>	H	0,01
ENV32_1	<i>Stipa pennata</i>	H	10
ENV32_1	<i>Tanacetum corymbosum</i>	H	0,1
ENV32_1	<i>Teucrium chamaedrys</i>	H	0,5
ENV32_1	<i>Thesium linophyllon</i>	H	2
ENV32_1	<i>Tragopogon pratensis</i> agg.	H	0,1
ENV32_1	<i>Vincetoxicum hirundinaria</i>	H	0,01
ENV32_1	<i>Viola cf. rupestris</i>	H	0,01
ENV32_1	<i>Viola hirta</i>	H	0,5
ENV32_2	<i>Agrimonia eupatoria</i>	H	0,5
ENV32_2	<i>Achillea millefolium</i> agg.	H	0,1
ENV32_2	<i>Anemone sylvestris</i>	H	5
ENV32_2	<i>Anthriscus sylvestris</i>	H	0,5
ENV32_2	<i>Arrhenatherum elatius</i>	H	35
ENV32_2	<i>Astragalus cicer</i>	H	0,5
ENV32_2	<i>Astragalus glycyphyllos</i>	H	1
ENV32_2	<i>Calamagrostis epigejos</i>	H	3
ENV32_2	<i>Cardaria draba</i>	H	1
ENV32_2	<i>Cerastium holosteoides</i>	H	0,01
ENV32_2	<i>Cirsium arvense</i>	H	0,1
ENV32_2	<i>Clematis vitalba</i>	H	5
ENV32_2	<i>Convolvulus arvensis</i>	H	0,1
ENV32_2	<i>Cornus sanguinea</i>	juv.	3
ENV32_2	<i>Crepis</i> sp.	H	0,01
ENV32_2	<i>Dactylis glomerata</i>	H	15
ENV32_2	<i>Elymus repens</i>	H	1
ENV32_2	<i>Falcaria vulgaris</i>	H	0,1
ENV32_2	<i>Fragaria viridis</i>	H	0,1
ENV32_2	<i>Galium album</i>	H	4
ENV32_2	<i>Galium aparine</i>	H	1
ENV32_2	<i>Galium verum</i>	H	1
ENV32_2	<i>Geranium sanguineum</i>	H	0,1
ENV32_2	<i>Hypericum perforatum</i>	H	0,1
ENV32_2	<i>Lathyrus pratensis</i>	H	2
ENV32_2	<i>Ligustrum vulgare</i>	juv.	0,1
ENV32_2	<i>Lithospermum officinale</i>	H	1
ENV32_2	<i>Origanum vulgare</i>	H	5
ENV32_2	<i>Picris hieracioides</i>	H	0,01
ENV32_2	<i>Poa angustifolia</i>	H	5
ENV32_2	<i>Ranunculus polyanthemos</i>	H	0,1
ENV32_2	<i>Rosa canina</i> agg.	juv.	0,1
ENV32_2	<i>Senecio jacobaea</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV32_2	<i>Silene latifolia</i>	H	0,1
ENV32_2	<i>Tanacetum vulgare</i>	H	0,1
ENV32_2	<i>Tragopogon pratensis</i> agg.	H	0,1
ENV32_2	<i>Vicia tetrasperma</i>	H	0,5
ENV34_1	<i>Acer cf. pseudoplatanus</i>	juv.	0,01
ENV34_1	<i>Acinos arvensis</i>	H	0,01
ENV34_1	<i>Adonis vernalis</i>	H	2
ENV34_1	<i>Achillea cf. pannonica</i>	H	0,1
ENV34_1	<i>Anthericum ramosum</i>	H	0,5
ENV34_1	<i>Arenaria serpyllifolia</i>	H	0,01
ENV34_1	<i>Asperula cynanchica</i>	H	0,1
ENV34_1	<i>Aster amellus</i>	H	0,5
ENV34_1	<i>Astragalus cf. onobrychis</i>	H	0,1
ENV34_1	<i>Brachypodium pinnatum</i>	H	30
ENV34_1	<i>Bupleurum falcatum</i>	H	0,1
ENV34_1	<i>Calamagrostis epigejos</i>	H	1
ENV34_1	<i>Campanula persicifolia</i>	H	0,01
ENV34_1	<i>Carex cf. caryophyllea</i>	H	3
ENV34_1	<i>Carex humilis</i>	H	6
ENV34_1	<i>Carex praecox</i>	H	0,1
ENV34_1	<i>Centaurea scabiosa</i>	H	0,5
ENV34_1	<i>Centaurea stoebe</i>	H	0,1
ENV34_1	<i>Cornus sanguinea</i>	juv.	0,1
ENV34_1	<i>Crataegus monogyna</i> agg.	juv.	0,01
ENV34_1	<i>Cuscuta</i> sp.	H	0,1
ENV34_1	<i>Cytisus procumbens</i>	H	2
ENV34_1	<i>Dactylis glomerata</i>	H	2
ENV34_1	<i>Dianthus pottederae</i>	H	0,1
ENV34_1	<i>Dorycnium germanicum</i>	H	2
ENV34_1	<i>Elymus repens</i>	H	0,1
ENV34_1	<i>Euphorbia cyparissias</i>	H	0,5
ENV34_1	<i>Falcaria vulgaris</i>	H	0,1
ENV34_1	<i>Festuca rupicola</i>	H	8
ENV34_1	<i>Fragaria viridis</i>	H	3
ENV34_1	<i>Galium verum</i>	H	0,5
ENV34_1	<i>Geranium sanguineum</i>	H	2
ENV34_1	<i>Helianthemum grandiflorum</i>	H	1
ENV34_1	<i>Helictotrichon pratense</i>	H	0,1
ENV34_1	<i>Hypericum perforatum</i>	H	0,1
ENV34_1	<i>Inula ensifolia</i>	H	5
ENV34_1	<i>Inula salicina</i>	H	1
ENV34_1	<i>Linum tenuifolium</i>	H	0,1
ENV34_1	<i>Medicago lupulina</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV34_1	<i>Onobrychis arenaria</i>	H	0,5
ENV34_1	<i>Origanum vulgare</i>	H	4
ENV34_1	<i>Ornithogalum kochii</i>	H	0,01
ENV34_1	<i>Peucedanum cervaria</i>	H	1
ENV34_1	<i>Pilosella bauhinii</i>	H	0,1
ENV34_1	<i>Pimpinella saxifraga</i>	H	0,5
ENV34_1	<i>Plantago lanceolata</i>	H	0,1
ENV34_1	<i>Plantago media</i>	H	0,5
ENV34_1	<i>Poa angustifolia</i>	H	0,1
ENV34_1	<i>Potentilla incana</i>	H	3
ENV34_1	<i>Quercus</i> sp.	juv.	0,5
ENV34_1	<i>Salvia pratensis</i>	H	0,5
ENV34_1	<i>Scabiosa ochroleuca</i>	H	1
ENV34_1	<i>Securigera varia</i>	H	0,1
ENV34_1	<i>Silene otites</i>	H	0,01
ENV34_1	<i>Teucrium chamaedrys</i>	H	5
ENV34_1	<i>Thesium linophyllum</i>	H	0,5
ENV34_1	<i>Thymus glabrescens</i>	H	0,5
ENV34_1	<i>Trifolium montanum</i>	H	0,01
ENV34_1	<i>Verbascum</i> cf. <i>chaixii</i>	H	1
ENV34_1	<i>Veronica chamaedrys</i> agg.	H	0,1
ENV34_1	<i>Vicia tetrasperma</i>	H	0,01
ENV34_1	<i>Vincetoxicum hirundinaria</i>	H	0,1
ENV34_1	<i>Viola</i> cf. <i>rupestris</i>	H	0,1
ENV34_1	<i>Viola hirta</i>	H	0,1
ENV34_2	<i>Achillea</i> cf. <i>pannonica</i>	H	0,5
ENV34_2	<i>Alyssum alyssoides</i>	H	0,01
ENV34_2	<i>Arabis hirsuta</i>	H	0,01
ENV34_2	<i>Arenaria serpyllifolia</i>	H	0,01
ENV34_2	<i>Arrhenatherum elatius</i>	H	1
ENV34_2	<i>Aster amellus</i>	H	0,1
ENV34_2	<i>Brachypodium pinnatum</i>	H	20
ENV34_2	<i>Calamagrostis epigejos</i>	H	15
ENV34_2	<i>Centaurea scabiosa</i>	H	0,1
ENV34_2	<i>Cornus sanguinea</i>	S	8
ENV34_2	<i>Cornus sanguinea</i>	juv.	3
ENV34_2	<i>Dianthus pottederae</i>	H	0,01
ENV34_2	<i>Dorycnium germanicum</i>	H	5
ENV34_2	<i>Festuca rupicola</i>	H	7
ENV34_2	<i>Galatella linosyris</i>	H	2
ENV34_2	<i>Galium verum</i>	H	0,5
ENV34_2	<i>Geranium sanguineum</i>	H	0,1
ENV34_2	<i>Hieracium umbellatum</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV34_2	<i>Hypericum perforatum</i>	H	0,1
ENV34_2	<i>Chamaecytisus austriacus</i>	H	7
ENV34_2	<i>Chondrilla juncea</i>	H	0,01
ENV34_2	<i>Inula ensifolia</i>	H	0,1
ENV34_2	<i>Juglans regia</i>	juv.	0,01
ENV34_2	<i>Lithospermum officinale</i>	H	0,01
ENV34_2	<i>Lotus borbasii</i>	H	0,01
ENV34_2	<i>Melampyrum cristatum</i>	H	0,01
ENV34_2	<i>Odontites</i> sp.	H	0,1
ENV34_2	<i>Origanum vulgare</i>	H	0,5
ENV34_2	<i>Oxytropis pilosa</i>	H	0,1
ENV34_2	<i>Pilosella bauhini</i>	H	0,1
ENV34_2	<i>Pimpinella saxifraga</i>	H	0,5
ENV34_2	<i>Poa angustifolia</i>	H	2
ENV34_2	<i>Prunus cerasifera</i>	juv.	0,1
ENV34_2	<i>Rosa canina</i> agg.	S	3
ENV34_2	<i>Rosa canina</i> agg.	juv.	0,5
ENV34_2	<i>Rosa rubiginosa</i>	S	4
ENV34_2	<i>Salvia pratensis</i>	H	0,1
ENV34_2	<i>Sanguisorba minor</i>	H	0,1
ENV34_2	<i>Scabiosa ochroleuca</i>	H	0,1
ENV34_2	<i>Securigera varia</i>	H	0,5
ENV34_2	<i>Senecio jacobaea</i>	H	0,01
ENV34_2	<i>Stipa pennata</i>	H	4
ENV34_2	<i>Thesium linophyllum</i>	H	0,1
ENV34_2	<i>Verbascum</i> cf. <i>chaixii</i>	H	3
ENV34_2	<i>Vincetoxicum hirundinaria</i>	H	1
ENV34_3	<i>Adonis vernalis</i>	H	10
ENV34_3	<i>Achillea millefolium</i> agg.	H	3
ENV34_3	<i>Asperula cynanchica</i>	H	0,5
ENV34_3	<i>Aster amellus</i>	H	0,5
ENV34_3	<i>Astragalus onobrychis</i>	H	0,5
ENV34_3	<i>Brachypodium pinnatum</i>	H	20
ENV34_3	<i>Calamagrostis epigejos</i>	H	0,5
ENV34_3	<i>Carex humilis</i>	H	3
ENV34_3	<i>Cytisus procumbens</i>	H	10
ENV34_3	<i>Dictamnus albus</i>	H	0,5
ENV34_3	<i>Elymus hispidus</i>	H	3
ENV34_3	<i>Festuca rupicola</i>	H	3
ENV34_3	<i>Fragaria viridis</i>	H	3
ENV34_3	<i>Genista tinctoria</i>	H	0,5
ENV34_3	<i>Geranium sanguineum</i>	H	10
ENV34_3	<i>Helianthemum grandiflorum</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV34_3	<i>Inula ensifolia</i>	H	0,5
ENV34_3	<i>Melampyrum cristatum</i>	H	0,5
ENV34_3	<i>Origanum vulgare</i>	H	0,5
ENV34_3	<i>Potentilla incana</i>	H	0,5
ENV34_3	<i>Prunus</i> sp.	juv.	0,5
ENV34_3	<i>Quercus pubescens</i>	juv.	0,5
ENV34_3	<i>Salvia pratensis</i>	H	0,5
ENV34_3	<i>Scabiosa ochroleuca</i>	H	0,5
ENV34_3	<i>Stachys recta</i>	H	0,5
ENV34_3	<i>Stipa capillata</i>	H	3
ENV34_3	<i>Stipa pennata</i>	H	3
ENV34_3	<i>Thesium linophyllum</i>	H	0,5
ENV34_3	<i>Vincetoxicum hirsutaria</i>	H	0,5
ENV35_1	<i>Adonis vernalis</i>	H	2
ENV35_1	<i>Achillea</i> cf. <i>collina</i>	H	0,5
ENV35_1	<i>Anthericum ramosum</i>	H	0,1
ENV35_1	<i>Arrhenatherum elatius</i>	H	20
ENV35_1	<i>Betonica officinalis</i>	H	15
ENV35_1	<i>Brachypodium pinnatum</i>	H	20
ENV35_1	<i>Bromus erectus</i>	H	0,1
ENV35_1	<i>Bupleurum falcatum</i>	H	0,1
ENV35_1	<i>Carex</i> cf. <i>michellii</i>	H	0,5
ENV35_1	<i>Centaurea scabiosa</i>	H	2
ENV35_1	<i>Crataegus monogyna</i> agg.	juv.	0,5
ENV35_1	<i>Dactylis glomerata</i>	H	7
ENV35_1	<i>Elymus hispidus</i>	H	2
ENV35_1	<i>Euphorbia cyparissias</i>	H	0,1
ENV35_1	<i>Festuca rupicola</i>	H	0,5
ENV35_1	<i>Filipendula vulgaris</i>	H	10
ENV35_1	<i>Fragaria viridis</i>	H	2
ENV35_1	<i>Galium boreale</i>	H	0,5
ENV35_1	<i>Galium glaucum</i>	H	5
ENV35_1	<i>Galium verum</i>	H	1
ENV35_1	<i>Helictotrichon pubescens</i>	H	0,1
ENV35_1	<i>Hypericum perforatum</i>	H	0,5
ENV35_1	<i>Knautia arvensis</i>	H	2
ENV35_1	<i>Koeleria macrantha</i>	H	0,1
ENV35_1	<i>Medicago falcata</i>	H	3
ENV35_1	<i>Ornithogalum kochii</i>	H	0,01
ENV35_1	<i>Peucedanum cervaria</i>	H	10
ENV35_1	<i>Picris hieracioides</i>	H	0,01
ENV35_1	<i>Poa angustifolia</i>	H	1
ENV35_1	<i>Primula veris</i>	H	1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV35_1	<i>Prunus cerasifera</i>	H	0,01
ENV35_1	<i>Ranunculus polyanthemos</i>	H	0,1
ENV35_1	<i>Rosa canina</i> agg.	juv.	0,5
ENV35_1	<i>Salvia pratensis</i>	H	1
ENV35_1	<i>Tanacetum corymbosum</i>	H	0,1
ENV35_1	<i>Taraxacum</i> sp.	H	0,01
ENV35_1	<i>Teucrium chamaedrys</i>	H	3
ENV35_1	<i>Trifolium alpestre</i>	H	1
ENV35_1	<i>Trifolium medium/pratense</i>	H	0,1
ENV35_1	<i>Viola hirta</i>	H	1
ENV35_2	<i>Adonis vernalis</i>	H	3
ENV35_2	<i>Achillea</i> cf. <i>pannonica</i>	H	0,1
ENV35_2	<i>Anemone sylvestris</i>	H	8
ENV35_2	<i>Anthericum ramosum</i>	H	7
ENV35_2	<i>Anthoxanthum odoratum</i>	H	0,1
ENV35_2	<i>Anthyllis vulneraria</i>	H	0,5
ENV35_2	<i>Arrhenatherum elatius</i>	H	0,5
ENV35_2	<i>Asperula cynanchica</i>	H	1
ENV35_2	<i>Astragalus austriacus</i>	H	0,1
ENV35_2	<i>Astragalus danicus</i>	H	0,5
ENV35_2	<i>Betonica officinalis</i>	H	1
ENV35_2	<i>Brachypodium pinnatum</i>	H	12
ENV35_2	<i>Briza media</i>	H	1
ENV35_2	<i>Bromus erectus</i>	H	0,5
ENV35_2	<i>Bupleurum falcatum</i>	H	0,5
ENV35_2	<i>Campanula</i> cf. <i>bononiensis</i>	H	1
ENV35_2	<i>Campanula moravica</i>	H	0,01
ENV35_2	<i>Carex</i> cf. <i>michellii</i>	H	1
ENV35_2	<i>Carex humilis</i>	H	15
ENV35_2	<i>Centaurea scabiosa</i>	H	1
ENV35_2	<i>Crepis praemorsa</i>	H	0,5
ENV35_2	<i>Dactylis glomerata</i>	H	2
ENV35_2	<i>Dianthus pontederiae</i>	H	0,01
ENV35_2	<i>Euphorbia cyparissias</i>	H	0,1
ENV35_2	<i>Festuca rupicola</i>	H	10
ENV35_2	<i>Filipendula vulgaris</i>	H	5
ENV35_2	<i>Galium boreale</i>	H	0,5
ENV35_2	<i>Galium glaucum</i>	H	3
ENV35_2	<i>Galium verum</i>	H	0,5
ENV35_2	<i>Helictotrichon pubescens</i>	H	0,5
ENV35_2	<i>Chamaecytisus ratisbonensis</i>	H	0,1
ENV35_2	<i>Koeleria macrantha</i>	H	0,5
ENV35_2	<i>Koeleria pyramidata</i>	H	1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV35_2	<i>Medicago falcata</i>	H	2
ENV35_2	<i>Onobrychis arenaria</i>	H	0,5
ENV35_2	<i>Ornithogalum kochii</i>	H	0,01
ENV35_2	<i>Peucedanum cervaria</i>	H	15
ENV35_2	<i>Phleum phleoides</i>	H	0,1
ENV35_2	<i>Picris hieracioides</i>	H	0,1
ENV35_2	<i>Plantago media</i>	H	0,5
ENV35_2	<i>Polygala comosa/vulgaris</i>	H	0,1
ENV35_2	<i>Primula veris</i>	H	0,5
ENV35_2	<i>Prunus spinosa</i>	juv.	0,1
ENV35_2	<i>Ranunculus polyanthemos</i>	H	0,1
ENV35_2	<i>Salvia pratensis</i>	H	1
ENV35_2	<i>Scabiosa canescens</i>	H	0,1
ENV35_2	<i>Serratula tinctoria</i>	H	1
ENV35_2	<i>Tanacetum corymbosum</i>	H	0,1
ENV35_2	<i>Taraxacum</i> sp.	H	0,01
ENV35_2	<i>Teucrium chamaedrys</i>	H	2
ENV35_2	<i>Thesium linophyllum</i>	H	1
ENV35_2	<i>Tragopogon pratensis</i> agg.	H	0,1
ENV35_2	<i>Trifolium alpestre</i>	H	0,5
ENV35_2	<i>Trifolium montanum</i>	H	1
ENV35_2	<i>Veronica austriaca</i>	H	1
ENV35_2	<i>Viola hirta</i>	H	0,5
ENV36_1	<i>Achillea millefolium</i> agg.	H	0,1
ENV36_1	<i>Anemone sylvestris</i>	H	0,1
ENV36_1	<i>Anthericum ramosum</i>	H	1
ENV36_1	<i>Arrhenatherum elatius</i>	H	1
ENV36_1	<i>Astragalus danicus</i>	H	0,1
ENV36_1	<i>Betonica officinalis</i>	H	3
ENV36_1	<i>Brachypodium pinnatum</i>	H	10
ENV36_1	<i>Bromus erectus</i>	H	35
ENV36_1	<i>Carex michelii</i>	H	0,1
ENV36_1	<i>Centaurea scabiosa</i>	H	2
ENV36_1	<i>Dactylis glomerata</i>	H	0,1
ENV36_1	<i>Dictamnus albus</i>	H	2
ENV36_1	<i>Euphorbia cyparissias</i>	H	0,01
ENV36_1	<i>Euphorbia esula</i>	H	0,01
ENV36_1	<i>Festuca rupicola</i>	H	3
ENV36_1	<i>Filipendula vulgaris</i>	H	2
ENV36_1	<i>Fragaria viridis</i>	H	2
ENV36_1	<i>Galium boreale</i>	H	0,5
ENV36_1	<i>Galium glaucum</i>	H	0,5
ENV36_1	<i>Hieracium umbellatum</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV36_1	<i>Chamaecytisus ratisbonensis</i>	H	0,5
ENV36_1	<i>Knautia arvensis</i>	H	0,5
ENV36_1	<i>Lathyrus pannonicus</i>	H	0,1
ENV36_1	<i>Medicago falcata</i>	H	1
ENV36_1	<i>Ornithogalum kochii</i>	H	0,01
ENV36_1	<i>Potentilla alba</i>	H	0,5
ENV36_1	<i>Potentilla incana</i>	H	0,1
ENV36_1	<i>Primula veris</i>	H	1
ENV36_1	<i>Prunus spinosa</i>	S	4
ENV36_1	<i>Ranunculus polyanthemus</i>	H	0,1
ENV36_1	<i>Rosa canina</i> agg.	S	1
ENV36_1	<i>Rosa canina</i> agg.	juv.	0,5
ENV36_1	<i>Salvia pratensis</i>	H	4
ENV36_1	<i>Scorzonera hispanica</i>	H	0,1
ENV36_1	<i>Serratula lycopifolia</i>	H	5
ENV36_1	<i>Tephrosieris integrifolia</i>	H	0,01
ENV36_1	<i>Thalictrum minus</i>	H	0,1
ENV36_1	<i>Thesium linophyllum</i>	H	0,1
ENV36_1	<i>Thlaspi perfoliatum</i>	H	0,01
ENV36_1	<i>Tragopogon pratensis</i> agg.	H	0,01
ENV36_1	<i>Trifolium montanum</i>	H	1
ENV36_1	<i>Viola hirta</i>	H	0,5
ENV36_2	<i>Acer</i> sp.	seedl	0,01
ENV36_2	<i>Achillea millefolium</i> agg.	H	0,1
ENV36_2	<i>Anemone sylvestris</i>	H	0,5
ENV36_2	<i>Anthericum ramosum</i>	H	4
ENV36_2	<i>Arrhenatherum elatius</i>	H	0,1
ENV36_2	<i>Asperula cynanchica</i>	H	0,01
ENV36_2	<i>Aster amellus</i>	H	5
ENV36_2	<i>Brachypodium pinnatum</i>	H	12
ENV36_2	<i>Briza media</i>	H	1
ENV36_2	<i>Bromus erectus</i>	H	15
ENV36_2	<i>Bupleurum falcatum</i>	H	0,1
ENV36_2	<i>Campanula glomerata</i>	H	2
ENV36_2	<i>Campanula moravica</i>	H	0,01
ENV36_2	<i>Carex humilis</i>	H	15
ENV36_2	<i>Centaurea scabiosa</i>	H	1
ENV36_2	<i>Cirsium pannonicum</i>	H	1
ENV36_2	<i>Crepis praemorsa</i>	H	2
ENV36_2	<i>Dactylis glomerata</i>	H	0,5
ENV36_2	<i>Dictamnus albus</i>	H	0,5
ENV36_2	<i>Dorycnium germanicum</i>	H	3
ENV36_2	<i>Euphorbia cyparissias</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV36_2	<i>Euphorbia esula</i>	H	0,1
ENV36_2	<i>Festuca rupicola</i>	H	3
ENV36_2	<i>Filipendula vulgaris</i>	H	2
ENV36_2	<i>Galium glaucum</i>	H	1
ENV36_2	<i>Geranium sanguineum</i>	H	0,1
ENV36_2	<i>Helictotrichon pratense</i>	H	0,5
ENV36_2	<i>Hieracium</i> sp.	H	0,01
ENV36_2	<i>Chamaecytisus</i> sp.	H	2
ENV36_2	<i>Inula ensifolia</i>	H	15
ENV36_2	<i>Inula hirta</i>	H	2
ENV36_2	<i>Knautia arvensis</i>	H	0,5
ENV36_2	<i>Koeleria pyramidata</i>	H	1
ENV36_2	<i>Leontodon hispidus</i>	H	0,1
ENV36_2	<i>Linum catharticum</i>	H	0,1
ENV36_2	<i>Lotus corniculatus</i>	H	0,1
ENV36_2	<i>Onobrychis viciifolia</i>	H	0,1
ENV36_2	<i>Peucedanum cervaria</i>	H	5
ENV36_2	<i>Pimpinella saxifraga</i>	H	0,5
ENV36_2	<i>Plantago media</i>	H	0,5
ENV36_2	<i>Poa angustifolia</i>	H	0,5
ENV36_2	<i>Polygala major</i>	H	0,1
ENV36_2	<i>Primula veris</i>	H	0,5
ENV36_2	<i>Prunella grandiflora</i>	H	0,1
ENV36_2	<i>Pulsatilla grandis</i>	H	0,5
ENV36_2	<i>Pyrus communis</i> agg.	juv.	0,1
ENV36_2	<i>Ranunculus polyanthemos</i>	H	0,1
ENV36_2	<i>Robinia pseudoacacia</i>	juv.	0,01
ENV36_2	<i>Rosa canina</i> agg.	juv.	0,1
ENV36_2	<i>Salvia pratensis</i>	H	5
ENV36_2	<i>Sanguisorba minor</i>	H	0,1
ENV36_2	<i>Scabiosa ochroleuca</i>	H	0,5
ENV36_2	<i>Securigera varia</i>	H	0,1
ENV36_2	<i>Serratula lycopifolia</i>	H	1
ENV36_2	<i>Serratula tinctoria</i>	H	2
ENV36_2	<i>Stipa pennata</i>	H	0,1
ENV36_2	<i>Tanacetum corymbosum</i>	H	0,1
ENV36_2	<i>Tephrosia integrifolia</i>	H	0,1
ENV36_2	<i>Teucrium chamaedrys</i>	H	0,1
ENV36_2	<i>Thalictrum minus</i>	H	0,01
ENV36_2	<i>Thesium linophyllum</i>	H	2
ENV36_2	<i>Thymus glabrescens</i>	H	0,5
ENV36_2	<i>Trifolium montanum</i>	H	4
ENV36_2	<i>Vincetoxicum hirsutinaria</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV36_2	<i>Viola hirta</i>	H	0,1
ENV37_1	<i>Achillea millefolium</i> agg.	H	0,1
ENV37_1	<i>Arrhenatherum elatius</i>	H	7
ENV37_1	<i>Betonica officinalis</i>	H	0,1
ENV37_1	<i>Brachypodium pinnatum</i>	H	20
ENV37_1	<i>Bromus erectus</i>	H	2
ENV37_1	<i>Calamagrostis epigejos</i>	H	0,5
ENV37_1	<i>Carex tomentosa</i>	H	12
ENV37_1	<i>Carlina acaulis</i>	H	0,01
ENV37_1	<i>Centaurea jacea</i>	H	0,5
ENV37_1	<i>Centaurea scabiosa</i>	H	1
ENV37_1	<i>Crataegus monogyna</i> agg.	juv.	0,5
ENV37_1	<i>Dactylis glomerata</i>	H	1
ENV37_1	<i>Elymus hispidus</i>	H	0,5
ENV37_1	<i>Eryngium campestre</i>	H	3
ENV37_1	<i>Euphorbia esula</i>	H	0,01
ENV37_1	<i>Falcaria vulgaris</i>	H	0,1
ENV37_1	<i>Festuca rupicola</i>	H	10
ENV37_1	<i>Filipendula vulgaris</i>	H	10
ENV37_1	<i>Fragaria viridis</i>	H	7
ENV37_1	<i>Galium boreale</i>	H	3
ENV37_1	<i>Galium verum</i>	H	3
ENV37_1	<i>Helictotrichon pubescens</i>	H	1
ENV37_1	<i>Hypericum perforatum</i>	H	0,5
ENV37_1	<i>Chamaecytisus ratisbonensis</i>	H	0,1
ENV37_1	<i>Knautia arvensis</i>	H	2
ENV37_1	<i>Lathyrus latifolius</i>	H	0,5
ENV37_1	<i>Lathyrus pratensis</i>	H	0,01
ENV37_1	<i>Medicago falcata</i>	H	1
ENV37_1	<i>Melica transsilvanica</i>	H	1
ENV37_1	<i>Ononis spinosa</i>	H	0,01
ENV37_1	<i>Origanum vulgare</i>	H	0,5
ENV37_1	<i>Pimpinella saxifraga</i>	H	0,1
ENV37_1	<i>Plantago lanceolata</i>	H	0,1
ENV37_1	<i>Plantago media</i>	H	0,5
ENV37_1	<i>Poa angustifolia</i>	H	3
ENV37_1	<i>Polygala major</i>	H	0,01
ENV37_1	<i>Prunus spinosa</i>	juv.	0,5
ENV37_1	<i>Prunus spinosa</i>	S	0,5
ENV37_1	<i>Ranunculus polyanthemos</i>	H	0,1
ENV37_1	<i>Rosa canina</i> agg.	juv.	0,5
ENV37_1	<i>Rosa canina</i> agg.	S	0,5
ENV37_1	<i>Rumex acetosa</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV37_1	<i>Salvia pratensis</i>	H	0,5
ENV37_1	<i>Securigera varia</i>	H	0,5
ENV37_1	<i>Tanacetum corymbosum</i>	H	0,1
ENV37_1	<i>Teucrium chamaedrys</i>	H	0,1
ENV37_1	<i>Thalictrum minus</i>	H	0,5
ENV37_1	<i>Thesium linophyllum</i>	H	0,1
ENV37_1	<i>Trifolium montanum</i>	H	0,1
ENV37_1	<i>Viola hirta</i>	H	2
ENV37_2	<i>Achillea millefolium</i> agg.	H	0,1
ENV37_2	<i>Anthyllis vulneraria</i>	H	0,5
ENV37_2	<i>Asperula cynanchica</i>	H	0,1
ENV37_2	<i>Astragalus danicus</i>	H	0,5
ENV37_2	<i>Brachypodium pinnatum</i>	H	17
ENV37_2	<i>Briza media</i>	H	0,5
ENV37_2	<i>Bromus erectus</i>	H	0,5
ENV37_2	<i>Bupleurum falcatum</i>	H	0,1
ENV37_2	<i>Campanula glomerata</i>	H	2
ENV37_2	<i>Carex humilis</i>	H	13
ENV37_2	<i>Carex tomentosa</i>	H	4
ENV37_2	<i>Carlina acaulis</i>	H	1
ENV37_2	<i>Centaurea scabiosa</i>	H	2
ENV37_2	<i>Cirsium pannonicum</i>	H	0,5
ENV37_2	<i>Dactylis glomerata</i>	H	0,5
ENV37_2	<i>Euphorbia cyparissias</i>	H	0,1
ENV37_2	<i>Euphorbia esula</i>	H	0,01
ENV37_2	<i>Falcaria vulgaris</i>	H	0,5
ENV37_2	<i>Festuca rupicola</i>	H	2
ENV37_2	<i>Filipendula vulgaris</i>	H	10
ENV37_2	<i>Fragaria viridis</i>	H	0,5
ENV37_2	<i>Galium boreale</i>	H	0,1
ENV37_2	<i>Galium glaucum</i>	H	1
ENV37_2	<i>Galium verum</i>	H	0,1
ENV37_2	<i>Helictotrichon pubescens</i>	H	2
ENV37_2	<i>Hypericum perforatum</i>	H	0,01
ENV37_2	<i>Chamaecytisus</i> sp.	H	2
ENV37_2	<i>Knautia arvensis</i>	H	0,5
ENV37_2	<i>Koeleria pyramidata</i>	H	0,1
ENV37_2	<i>Lathyrus pannonicus</i> subsp. <i>collinus</i>	H	0,1
ENV37_2	<i>Leontodon hispidus</i>	H	10
ENV37_2	<i>Leucanthemum vulgare</i>	H	0,1
ENV37_2	<i>Linum catharticum</i>	H	0,1
ENV37_2	<i>Lotus corniculatus</i> var. <i>hirsutus</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV37_2	<i>Medicago falcata</i>	H	2
ENV37_2	<i>Onobrychis arenaria</i>	H	0,5
ENV37_2	<i>Ononis spinosa</i>	H	0,1
ENV37_2	<i>Pimpinella saxifraga</i>	H	0,5
ENV37_2	<i>Plantago lanceolata</i>	H	0,1
ENV37_2	<i>Plantago media</i>	H	2
ENV37_2	<i>Polygala major</i>	H	0,5
ENV37_2	<i>Potentilla heptaphylla</i>	H	0,1
ENV37_2	<i>Potentilla incana</i>	H	2
ENV37_2	<i>Prunus spinosa</i>	juv.	0,1
ENV37_2	<i>Ranunculus polyanthemos</i>	H	0,1
ENV37_2	<i>Rosa canina</i> agg.	juv.	0,1
ENV37_2	<i>Rosa canina</i> agg.	juv.	0,1
ENV37_2	<i>Salvia pratensis</i>	H	2
ENV37_2	<i>Sanguisorba minor</i>	H	0,1
ENV37_2	<i>Scabiosa canescens</i>	H	0,5
ENV37_2	<i>Tephrosieris integrifolia</i>	H	0,01
ENV37_2	<i>Teucrium chamaedrys</i>	H	0,1
ENV37_2	<i>Thesium linophyllum</i>	H	3
ENV37_2	<i>Tragopogon pratensis</i> agg.	H	0,1
ENV37_2	<i>Trifolium montanum</i>	H	0,5
ENV37_2	<i>Viola</i> cf. <i>rupestris</i>	H	0,01
ENV37_2	<i>Viola hirta</i>	H	0,5
ENV38_1	<i>Arrhenatherum elatius</i>	H	1
ENV38_1	<i>Bromus erectus</i>	H	35
ENV38_1	<i>Carex caryophylla</i>	H	0,1
ENV38_1	<i>Centaurea scabiosa</i>	H	0,5
ENV38_1	<i>Dactylis glomerata</i>	H	0,1
ENV38_1	<i>Euphorbia esula</i>	H	0,01
ENV38_1	<i>Festuca rupicola</i>	H	10
ENV38_1	<i>Galium glaucum</i>	H	0,1
ENV38_1	<i>Hieracium echinoides</i>	H	0,01
ENV38_1	<i>Hieracium umbellatum</i>	H	0,1
ENV38_1	<i>Knautia arvensis</i>	H	0,1
ENV38_1	<i>Koeleria macrantha</i>	H	0,5
ENV38_1	<i>Pimpinella saxifraga</i>	H	0,01
ENV38_1	<i>Plantago lanceolata</i>	H	0,01
ENV38_1	<i>Plantago media</i>	H	0,01
ENV38_1	<i>Poa angustifolia</i>	H	0,1
ENV38_1	<i>Potentilla incana</i>	H	0,01
ENV38_1	<i>Prunus cerasifera</i>	juv.	0,01
ENV38_1	<i>Ranunculus polyanthemos</i>	H	0,01
ENV38_1	<i>Salvia pratensis</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV38_1	<i>Securigera varia</i>	H	0,1
ENV38_1	<i>Seseli pallasii</i>	H	0,5
ENV38_1	<i>Stipa capillata</i>	H	0,5
ENV38_1	<i>Stipa pennata</i>	H	1
ENV38_1	<i>Thymus pannonicus</i>	H	0,1
ENV38_1	<i>Trifolium montanum</i>	H	0,1
ENV38_1	<i>Veronica spicata</i>	H	0,5
ENV38_1	<i>Veronica vindobonensis</i>	H	0,1
ENV38_2	<i>Achillea millefolium</i> agg.	H	0,5
ENV38_2	<i>Alyssum alysoides</i>	H	0,1
ENV38_2	<i>Anthoxanthum odoratum</i>	H	0,1
ENV38_2	<i>Arabis hirsuta</i>	H	0,01
ENV38_2	<i>Arenaria serpyllifolia</i>	H	0,1
ENV38_2	<i>Arrhenatherum elatius</i>	H	0,5
ENV38_2	<i>Astragalus danicus</i>	H	0,1
ENV38_2	<i>Betonica officinalis</i>	H	0,5
ENV38_2	<i>Brachypodium pinnatum</i>	H	10
ENV38_2	<i>Bromus erectus</i>	H	20
ENV38_2	<i>Bromus japonicus</i>	H	0,01
ENV38_2	<i>Campanula moravica</i>	H	0,01
ENV38_2	<i>Carduus nutans</i>	H	0,1
ENV38_2	<i>Carex caryophyllea</i>	H	0,5
ENV38_2	<i>Carex humilis</i>	H	0,5
ENV38_2	<i>Carlina vulgaris</i> agg.	H	0,1
ENV38_2	<i>Centaurea scabiosa</i>	H	0,5
ENV38_2	<i>Cerastium arvensis</i>	H	0,1
ENV38_2	<i>Cerastium cf. glutinosum</i>	H	0,01
ENV38_2	<i>Crambe tataria</i>	H	3
ENV38_2	<i>Cynoglossum officinale</i>	H	0,1
ENV38_2	<i>Dactylis glomerata</i>	H	1
ENV38_2	<i>Dianthus carthusianorum/</i> <i>pontederæ</i>	H	0,01
ENV38_2	<i>Elymus hispidus</i>	H	0,5
ENV38_2	<i>Eryngium campestre</i>	H	0,5
ENV38_2	<i>Euphorbia cyparissias</i>	H	0,1
ENV38_2	<i>Euphorbia esula</i>	H	0,1
ENV38_2	<i>Falcaria vulgaris</i>	H	0,1
ENV38_2	<i>Festuca rupicola</i>	H	15
ENV38_2	<i>Filipendula vulgaris</i>	H	12
ENV38_2	<i>Fragaria viridis</i>	H	6
ENV38_2	<i>Galium boreale</i>	H	0,5
ENV38_2	<i>Galium verum</i>	H	2
ENV38_2	<i>Hypericum elegans</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV38_2	<i>Chamaecytisus ratisbonensis</i>	H	2
ENV38_2	<i>Inula oculus-christi</i>	H	1
ENV38_2	<i>Juglans regia</i>	juv.	0,01
ENV38_2	<i>Knautia arvensis</i>	H	2
ENV38_2	<i>Koeleria cf. pyramidata</i>	H	0,1
ENV38_2	<i>Koeleria macrantha</i>	H	0,5
ENV38_2	<i>Lappula squarrosa</i>	H	0,01
ENV38_2	<i>Luzula campestris</i>	H	0,1
ENV38_2	<i>Medicago falcata</i>	H	1
ENV38_2	<i>Ornithogalum kochii</i>	H	0,01
ENV38_2	<i>Phleum phleoides</i>	H	0,1
ENV38_2	<i>Pimpinella saxifraga</i>	H	0,1
ENV38_2	<i>Plantago lanceolata</i>	H	0,01
ENV38_2	<i>Plantago media</i>	H	0,5
ENV38_2	<i>Poa angustifolia</i>	H	1
ENV38_2	<i>Poa</i> sp.	H	0,01
ENV38_2	<i>Potentilla alba</i>	H	0,1
ENV38_2	<i>Prunus cerasifera</i>	juv.	0,01
ENV38_2	<i>Prunus spinosa</i>	juv.	0,1
ENV38_2	<i>Ranunculus polyanthemus</i>	H	0,5
ENV38_2	<i>Robinia pseudoacacia</i>	seedl	0,01
ENV38_2	<i>Rosa canina</i> agg.	juv.	0,01
ENV38_2	<i>Rumex acetosa</i>	H	0,1
ENV38_2	<i>Salvia nemorosa</i>	H	0,1
ENV38_2	<i>Salvia pratensis</i>	H	5
ENV38_2	<i>Scabiosa ochroleuca</i>	H	0,1
ENV38_2	<i>Securigera varia</i>	H	0,1
ENV38_2	<i>Senecio jacobaea</i>	H	0,1
ENV38_2	<i>Stachys recta</i>	H	0,1
ENV38_2	<i>Stipa pennata</i>	H	3
ENV38_2	<i>Tanacetum corymbosum</i>	H	0,1
ENV38_2	<i>Taraxacum</i> sp.	H	0,01
ENV38_2	<i>Teucrium chamaedrys</i>	H	3
ENV38_2	<i>Thalictrum minus</i>	H	3
ENV38_2	<i>Thesium linophyllon</i>	H	0,1
ENV38_2	<i>Thymus glabrescens</i>	H	2
ENV38_2	<i>Tragopogon pratensis</i> agg.	H	0,1
ENV38_2	<i>Trifolium montanum</i>	H	0,5
ENV38_2	<i>Verbascum phoeniceum</i>	H	0,5
ENV38_2	<i>Veronica arvensis</i>	H	0,01
ENV38_2	<i>Veronica prostrata</i>	H	0,01
ENV38_2	<i>Veronica vindobonensis</i>	H	0,1
ENV38_2	<i>Viola ambigua</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV38_2	<i>Viola hirta</i>	H	1
ENV38_2	<i>Viola rupestris</i>	H	0,01
ENV39_1	<i>Agrimonia eupatoria</i>	H	0,1
ENV39_1	<i>Arenaria serpyllifolia</i>	H	0,01
ENV39_1	<i>Arrhenatherum elatius</i>	H	40
ENV39_1	<i>Astragalus cicer</i>	H	0,1
ENV39_1	<i>Astragalus glycyphyllos</i>	H	0,1
ENV39_1	<i>Brachypodium pinnatum</i>	H	10
ENV39_1	<i>Bromus inermis</i>	H	10
ENV39_1	<i>Bupleurum falcatum</i>	H	0,01
ENV39_1	<i>Calamagrostis epigejos</i>	H	0,1
ENV39_1	<i>Campanula rapunculoides</i>	H	2
ENV39_1	<i>Centaurea scabiosa</i>	H	4
ENV39_1	<i>Cornus sanguinea</i>	juv.	0,5
ENV39_1	<i>Cornus sanguinea</i>	S	2
ENV39_1	<i>Crataegus monogyna</i> agg.	juv.	0,01
ENV39_1	<i>Dactylis glomerata</i>	H	15
ENV39_1	<i>Eryngium campestre</i>	H	0,5
ENV39_1	<i>Falcaria vulgaris</i>	H	0,1
ENV39_1	<i>Festuca rupicola</i>	H	10
ENV39_1	<i>Galium album</i>	H	10
ENV39_1	<i>Hieracium umbellatum</i>	H	0,1
ENV39_1	<i>Inula salicina</i>	H	0,01
ENV39_1	<i>Knautia arvensis</i>	H	0,1
ENV39_1	<i>Lathyrus pratensis</i>	H	0,5
ENV39_1	<i>Ligustrum vulgare</i>	juv.	0,1
ENV39_1	<i>Origanum vulgare</i>	H	3
ENV39_1	<i>Peucedanum alsaticum</i>	H	0,1
ENV39_1	<i>Peucedanum cervaria</i>	H	3
ENV39_1	<i>Pimpinella saxifraga</i>	H	0,01
ENV39_1	<i>Poa angustifolia</i>	H	2
ENV39_1	<i>Prunus spinosa</i>	juv.	0,5
ENV39_1	<i>Ranunculus polyanthemus</i>	H	0,01
ENV39_1	<i>Robinia pseudoacacia</i>	juv.	0,1
ENV39_1	<i>Robinia pseudoacacia</i>	seedl	0,01
ENV39_1	<i>Rosa canina</i> agg.	S	1
ENV39_1	<i>Rosa canina</i> agg.	seedl	0,01
ENV39_1	<i>Securigera varia</i>	H	0,1
ENV39_1	Sp. sp.	H	0,01
ENV39_1	<i>Stachys recta</i>	H	0,1
ENV39_1	<i>Trifolium montanum</i>	H	0,1
ENV39_1	<i>Viola hirta</i>	H	0,5
ENV39_2	<i>Achillea millefolium</i> agg.	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV39_2	<i>Anemone sylvestris</i>	H	2
ENV39_2	<i>Arenaria serpyllifolia</i>	H	0,01
ENV39_2	<i>Asperula cynanchica</i>	H	0,1
ENV39_2	<i>Brachypodium pinnatum</i>	H	25
ENV39_2	<i>Bromus inermis</i>	H	0,5
ENV39_2	<i>Bupleurum falcatum</i>	H	0,1
ENV39_2	<i>Calamagrostis epigejos</i>	H	0,1
ENV39_2	<i>Campanula glomerata</i>	H	0,1
ENV39_2	<i>Carlina vulgaris</i>	H	0,01
ENV39_2	<i>Centaurea scabiosa</i>	H	0,5
ENV39_2	<i>Cornus sanguinea</i>	juv.	0,01
ENV39_2	<i>Crataegus monogyna</i> agg.	juv.	0,1
ENV39_2	<i>Dactylis glomerata</i>	H	1
ENV39_2	<i>Dorycnium germanicum</i>	H	10
ENV39_2	<i>Euphorbia</i> cf. <i>virgata</i>	H	0,01
ENV39_2	<i>Euphorbia cyparissias</i>	H	0,1
ENV39_2	<i>Festuca rupicola</i>	H	10
ENV39_2	<i>Fraxinus</i> sp.	seedl	0,01
ENV39_2	<i>Galium verum</i>	H	0,1
ENV39_2	<i>Geranium sanguineum</i>	H	1
ENV39_2	<i>Helictotrichon pratense</i> subsp. <i>hirtifolium</i>	H	3
ENV39_2	<i>Hieracium umbellatum</i>	H	0,5
ENV39_2	<i>Chamaecytisus</i> cf. <i>albus</i>	H	0,5
ENV39_2	<i>Inula ensifolia</i>	H	5
ENV39_2	<i>Inula salicina</i>	H	0,1
ENV39_2	<i>Knautia arvensis</i>	H	0,5
ENV39_2	<i>Koeleria macrantha</i>	H	2
ENV39_2	<i>Koeleria pyramidata</i>	H	0,5
ENV39_2	<i>Lathyrus pratensis</i>	H	0,1
ENV39_2	<i>Linum tenuifolium</i>	H	0,01
ENV39_2	<i>Lotus corniculatus</i> var. <i>hirsutus</i>	H	0,1
ENV39_2	<i>Medicago falcata</i>	H	0,1
ENV39_2	<i>Odontites</i> sp.	H	0,5
ENV39_2	<i>Onobrychis</i> cf. <i>arenaria</i> / <i>viciifolia</i>	H	1
ENV39_2	<i>Ononis spinosa</i>	H	0,01
ENV39_2	<i>Ophrys apifera</i>	H	0,01
ENV39_2	<i>Orchis militaris</i>	H	0,1
ENV39_2	<i>Origanum vulgare</i>	H	1
ENV39_2	<i>Peucedanum alsaticum</i>	H	0,1
ENV39_2	<i>Peucedanum cervaria</i>	H	17
ENV39_2	<i>Pilosella</i> cf. <i>cymosa</i>	H	0,01

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV39_2	<i>Plantago media</i>	H	0,01
ENV39_2	<i>Poa compressa</i>	H	0,1
ENV39_2	<i>Poaceae</i> sp.	H	0,1
ENV39_2	<i>Polygala major</i>	H	1
ENV39_2	<i>Prunella grandiflora</i>	H	0,1
ENV39_2	<i>Prunus spinosa</i>	juv.	0,1
ENV39_2	<i>Robinia pseudoacacia</i>	juv.	0,01
ENV39_2	<i>Rosa canina</i> agg.	seedl	0,01
ENV39_2	<i>Rosa canina</i> agg.	juv.	0,01
ENV39_2	<i>Scabiosa ochroleuca</i>	H	0,1
ENV39_2	<i>Scabiosa</i> sp.	H	0,01
ENV39_2	<i>Securigera varia</i>	H	0,5
ENV39_2	<i>Senecio jacobaea</i>	H	0,1
ENV39_2	<i>Stipa pennata</i>	H	2
ENV39_2	<i>Tanacetum corymbosum</i>	H	0,5
ENV39_2	<i>Thesium linophyllum</i>	H	8
ENV39_3	<i>Acinos arvensis</i>	H	0,5
ENV39_3	<i>Agrimonia eupatoria</i>	H	0,1
ENV39_3	<i>Achillea millefolium</i> agg.	H	0,5
ENV39_3	<i>Anemone sylvestris</i>	H	20
ENV39_3	<i>Arrhenatherum elatius</i>	H	10
ENV39_3	<i>Asparagus officinalis</i>	H	0,5
ENV39_3	<i>Astragalus cicer</i>	H	0,5
ENV39_3	<i>Astragalus glycyphyllos</i>	H	0,5
ENV39_3	<i>Brachypodium pinnatum</i>	H	10
ENV39_3	<i>Calamagrostis epigejos</i>	H	3
ENV39_3	<i>Carlina vulgaris</i>	H	0,5
ENV39_3	<i>Centaurea scabiosa</i>	H	0,5
ENV39_3	<i>Cornus sanguinea</i>	juv.	3
ENV39_3	<i>Crataegus monogyna</i> agg.	juv.	0,5
ENV39_3	<i>Dactylis glomerata</i>	H	3
ENV39_3	<i>Dorycnium pentaphyllum</i> agg.	H	20
ENV39_3	<i>Eryngium campestre</i>	H	0,1
ENV39_3	<i>Euonymus europaeus</i>	juv.	0,5
ENV39_3	<i>Euphorbia virgata</i>	H	0,5
ENV39_3	<i>Falcaria vulgaris</i>	H	0,1
ENV39_3	<i>Festuca rupicola</i>	H	3
ENV39_3	<i>Galium verum</i>	H	0,5
ENV39_3	<i>Hieracium</i> sp.	H	0,5
ENV39_3	<i>Hieracium umbellatum</i>	H	3
ENV39_3	<i>Chamaecytisus albus</i>	H	0,5
ENV39_3	<i>Inula ensifolia</i>	H	20
ENV39_3	<i>Lotus corniculatus</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV39_3	<i>Medicago minima</i>	H	0,5
ENV39_3	<i>Nonea pulla</i>	H	0,5
ENV39_3	<i>Orchis militaris</i>	H	0,5
ENV39_3	<i>Origanum vulgare</i>	H	0,5
ENV39_3	<i>Peucedanum alsaticum</i>	H	0,5
ENV39_3	<i>Plantago lanceolata</i>	H	0,5
ENV39_3	<i>Poa pratensis</i> agg.	H	0,5
ENV39_3	<i>Prunus</i> sp.	juv.	0,5
ENV39_3	<i>Rosa canina</i> agg.	juv.	0,5
ENV39_3	<i>Rosa spinosissima</i>	juv.	0,1
ENV39_3	<i>Sanguisorba minor</i>	H	0,5
ENV39_3	<i>Securigera varia</i>	H	0,5
ENV39_3	<i>Senecio jacobaea</i>	H	0,5
ENV39_3	<i>Trifolium campestre</i>	H	0,5
ENV39_3	<i>Viola hirta</i>	H	0,5
ENV40_1	<i>Adonis vernalis</i>	H	0,5
ENV40_1	<i>Achillea</i> cf. <i>pannonica</i>	H	0,5
ENV40_1	<i>Arenaria serpyllifolia</i>	H	0,1
ENV40_1	<i>Arrhenatherum elatius</i>	H	0,5
ENV40_1	<i>Asperula cynanchica</i>	H	0,1
ENV40_1	<i>Aster amellus</i>	H	0,5
ENV40_1	<i>Astragalus glycyphyllos</i>	H	0,1
ENV40_1	<i>Bothriochloa ischaemum</i>	H	0,5
ENV40_1	<i>Brachypodium pinnatum</i>	H	35
ENV40_1	<i>Bromus japonicus</i>	H	0,1
ENV40_1	<i>Buglossoides purpureo- erulea</i>	H	0,01
ENV40_1	<i>Carex michelii</i>	H	0,1
ENV40_1	<i>Centaurea scabiosa</i>	H	2
ENV40_1	<i>Cerintho minor</i>	H	0,01
ENV40_1	<i>Cornus sanguinea</i>	juv.	0,1
ENV40_1	<i>Crataegus monogyna</i> agg.	juv.	0,1
ENV40_1	<i>Cytisus procumbens</i>	H	0,5
ENV40_1	<i>Dactylis glomerata</i>	H	0,1
ENV40_1	<i>Dorycnium germanicum</i>	H	3
ENV40_1	<i>Festuca rupicola</i>	H	15
ENV40_1	<i>Fragaria viridis</i>	H	5
ENV40_1	<i>Galium glaucum</i>	H	0,1
ENV40_1	<i>Galium verum</i>	H	2
ENV40_1	<i>Geranium sanguineum</i>	H	0,5
ENV40_1	<i>Hieracium umbellatum</i>	H	0,1
ENV40_1	<i>Hypericum perforatum</i>	H	0,1
ENV40_1	<i>Inula ensifolia</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost, %
	Taxon	Vegetation layer	Cover, %
ENV40_1	<i>Iris variegata</i>	H	2
ENV40_1	<i>Knautia arvensis</i>	H	0,5
ENV40_1	<i>Lathyrus</i> sp.	H	0,1
ENV40_1	<i>Lotus</i> cf. <i>borbasii</i>	H	0,5
ENV40_1	<i>Ononis spinosa</i>	H	0,1
ENV40_1	<i>Origanum vulgare</i>	H	2
ENV40_1	<i>Peucedanum alsaticum</i>	H	1
ENV40_1	<i>Peucedanum cervaria</i>	H	15
ENV40_1	<i>Pimpinella saxifraga</i>	H	0,5
ENV40_1	<i>Plantago lanceolata</i>	H	0,1
ENV40_1	<i>Plantago media</i>	H	1
ENV40_1	<i>Poa angustifolia</i>	H	0,5
ENV40_1	<i>Prunus cerasifera</i>	juv.	0,1
ENV40_1	<i>Ranunculus polyanthemus</i>	H	0,5
ENV40_1	<i>Rosa canina</i> agg.	juv.	0,1
ENV40_1	<i>Salvia pratensis</i>	H	3
ENV40_1	<i>Sanguisorba minor</i>	H	0,1
ENV40_1	<i>Scabiosa ochroleuca</i>	H	0,1
ENV40_1	<i>Securigera varia</i>	H	1
ENV40_1	<i>Senecio jacobaea</i>	H	0,1
ENV40_1	<i>Serratula tinctoria</i>	H	2
ENV40_1	Sp. sp. (teeth leaves)	H	0,01
ENV40_1	<i>Stipa pulcherrima</i>	H	0,1
ENV40_1	<i>Tanacetum corymbosum</i>	H	0,1
ENV40_1	<i>Teucrium chamaedrys</i>	H	0,5
ENV40_1	<i>Thesium linophyllum</i>	H	1
ENV40_1	<i>Thymus</i> cf. <i>pannonicus</i>	H	0,1
ENV40_1	<i>Veronica vindobonensis</i>	H	0,5
ENV40_1	<i>Vicia</i> cf. <i>angustifolia</i>	H	0,01
ENV40_1	<i>Vincetoxicum hirundinaria</i>	H	0,01
ENV40_1	<i>Viola</i> cf. <i>ambigua</i>	H	0,1
ENV40_1	<i>Viola hirta</i>	H	0,5
ENV40_2	<i>Acinos arvensis</i>	H	10
ENV40_2	<i>Achillea millefolium</i> agg.	H	3
ENV40_2	<i>Anthericum ramosum</i>	H	0,5
ENV40_2	<i>Anthyllis vulneraria</i>	H	0,5
ENV40_2	<i>Astragalus cicer</i>	H	0,5
ENV40_2	<i>Brachypodium pinnatum</i>	H	10
ENV40_2	<i>Briza media</i>	H	3
ENV40_2	<i>Bromus inermis</i>	H	0,5
ENV40_2	<i>Carex caryophylla</i>	H	0,5
ENV40_2	<i>Carex humilis</i>	H	10
ENV40_2	<i>Carex michelii</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV40_2	<i>Cirsium pannonicum</i>	H	3
ENV40_2	<i>Dictamnus albus</i>	H	10
ENV40_2	<i>Elymus hispidus</i>	H	3
ENV40_2	<i>Euphorbia cyparissias</i>	H	0,5
ENV40_2	<i>Festuca rupicola</i>	H	0,5
ENV40_2	<i>Festuca valesiaca</i>	H	0,5
ENV40_2	<i>Genista tinctoria</i>	H	0,5
ENV40_2	<i>Geranium sanguineum</i>	H	3
ENV40_2	<i>Helictotrichon pubescens</i>	H	0,5
ENV40_2	<i>Chamaecytisus ratisbonensis</i>	H	3
ENV40_2	<i>Inula ensifolia</i>	H	3
ENV40_2	<i>Lotus borbasii</i>	H	0,5
ENV40_2	<i>Neotinea ustulata</i>	H	0,1
ENV40_2	<i>Orobanche teucrii</i>	H	0,5
ENV40_2	<i>Peucedanum cervaria</i>	H	10
ENV40_2	<i>Plantago media</i>	H	3
ENV40_2	<i>Poa pratensis</i> agg.	H	0,5
ENV40_2	<i>Polygala major</i>	H	0,5
ENV40_2	<i>Potentilla incana</i>	H	0,5
ENV40_2	<i>Salvia pratensis</i>	H	3
ENV40_2	<i>Stipa pulcherrima</i>	H	3
ENV40_2	<i>Tanacetum corymbosum</i>	H	0,5
ENV40_2	<i>Teucrium chamaedrys</i>	H	3
ENV40_2	<i>Thesium linophyllon</i>	H	3
ENV40_2	<i>Thymus pannonicus</i> agg.	H	0,5
ENV40_3	<i>Adonis vernalis</i>	H	3
ENV40_3	<i>Anthericum ramosum</i>	H	0,5
ENV40_3	<i>Artemisia campestris</i>	H	10
ENV40_3	<i>Bothriochloa ischaemum</i>	H	3
ENV40_3	<i>Carex humilis</i>	H	3
ENV40_3	<i>Cytisus procumbens</i>	H	0,5
ENV40_3	<i>Euphorbia cyparissias</i>	H	0,1
ENV40_3	<i>Festuca valesiaca</i>	H	3
ENV40_3	<i>Galatella linosyris</i>	H	0,5
ENV40_3	<i>Galium glaucum</i>	H	3
ENV40_3	<i>Koeleria macrantha</i>	H	0,5
ENV40_3	<i>Medicago falcata</i>	H	0,5
ENV40_3	<i>Muscari</i> sp.	H	0,5
ENV40_3	<i>Orobanche alba</i>	H	0,1
ENV40_3	<i>Peucedanum cervaria</i>	H	0,5
ENV40_3	<i>Potentilla incana</i>	H	0,5
ENV40_3	<i>Pyrus communis</i> agg.	juv.	0,5
ENV40_3	<i>Salvia pratensis</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV40_3	<i>Scorzonera hispanica</i>	H	0,5
ENV40_3	<i>Stipa capillata</i>	H	10
ENV40_3	<i>Stipa pulcherrima</i>	H	37,5
ENV40_3	<i>Teucrium chamaedrys</i>	H	10
ENV40_3	<i>Thymus pannonicus</i> agg.	H	0,5
ENV41_1	<i>Arrhenatherum elatius</i>	H	7
ENV41_1	<i>Asperula cynanchica</i>	H	0,01
ENV41_1	<i>Brachypodium pinnatum</i>	H	20
ENV41_1	<i>Calamagrostis epigejos</i>	H	18
ENV41_1	<i>Convolvulus arvensis</i>	H	0,01
ENV41_1	<i>Cornus sanguinea</i>	S	5
ENV41_1	<i>Cornus sanguinea</i>	juv.	3
ENV41_1	<i>Crataegus monogyna</i> agg.	juv.	0,5
ENV41_1	<i>Dactylis glomerata</i>	H	2
ENV41_1	<i>Festuca rupicola</i>	H	3
ENV41_1	<i>Fragaria viridis</i>	H	0,5
ENV41_1	<i>Galium</i> cf. <i>glaucum/verum</i>	H	0,5
ENV41_1	<i>Hypericum perforatum</i>	H	0,1
ENV41_1	<i>Chamaecytisus austriacus</i>	H	2
ENV41_1	<i>Knautia arvensis</i>	H	0,01
ENV41_1	<i>Ligustrum vulgare</i>	juv.	0,5
ENV41_1	<i>Medicago falcata</i>	H	0,1
ENV41_1	<i>Origanum vulgare</i>	H	3
ENV41_1	<i>Pimpinella saxifraga</i>	H	0,01
ENV41_1	<i>Poa angustifolia</i>	H	3
ENV41_1	<i>Prunus spinosa</i>	juv.	0,5
ENV41_1	<i>Rosa canina</i> agg.	juv.	0,1
ENV41_1	<i>Salvia pratensis</i>	H	0,5
ENV41_1	<i>Securigera varia</i>	H	0,01
ENV41_1	<i>Veronica vindobonensis</i>	H	0,01
ENV41_1	<i>Vincetoxicum hirundinaria</i>	H	0,01
ENV41_1	<i>Viola hirta</i>	H	0,1
ENV42_1	<i>Adonis vernalis</i>	H	0,1
ENV42_1	<i>Achillea millefolium</i> agg.	H	2
ENV42_1	<i>Arrhenatherum elatius</i>	H	40
ENV42_1	<i>Betonica officinalis</i>	H	3
ENV42_1	<i>Brachypodium pinnatum</i>	H	7
ENV42_1	<i>Carex caryophylla</i>	H	0,1
ENV42_1	<i>Centaurea scabiosa</i>	H	0,5
ENV42_1	<i>Convolvulus arvensis</i>	H	0,1
ENV42_1	<i>Crataegus monogyna</i> agg.	S	1
ENV42_1	<i>Crataegus monogyna</i> agg.	juv.	1
ENV42_1	<i>Dactylis glomerata</i>	H	3

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV42_1	<i>Echinops sphaerocephalus</i>	H	1
ENV42_1	<i>Euonymus europaeus</i>	juv.	0,5
ENV42_1	<i>Euphorbia cyparissias</i>	H	0,5
ENV42_1	<i>Falcaria vulgaris</i>	H	0,01
ENV42_1	<i>Festuca rupicola</i>	H	1
ENV42_1	<i>Filipendula vulgaris</i>	H	15
ENV42_1	<i>Fragaria viridis</i>	H	15
ENV42_1	<i>Galium aparine</i>	H	0,5
ENV42_1	<i>Galium glaucum</i>	H	0,5
ENV42_1	<i>Heracleum sphondylium</i>	H	0,5
ENV42_1	<i>Hypericum perforatum</i>	H	0,1
ENV42_1	<i>Ligustrum vulgare</i>	juv.	1
ENV42_1	<i>Muscari comosum</i>	H	0,1
ENV42_1	<i>Myosotis arvensis</i>	H	0,01
ENV42_1	<i>Poa angustifolia</i>	H	10
ENV42_1	<i>Prunus spinosa</i>	juv.	0,5
ENV42_1	<i>Rosa</i> sp.	juv.	2
ENV42_1	<i>Rubus caesius</i> agg.	H	2
ENV42_1	<i>Stachys recta</i>	H	0,1
ENV42_1	<i>Stellaria media</i> agg.	H	0,1
ENV42_1	<i>Tanacetum corymbosum</i>	H	0,1
ENV42_1	<i>Thalictrum minus</i>	H	0,1
ENV42_1	<i>Thlaspi perfoliatum</i>	H	0,01
ENV42_1	<i>Tragopogon pratensis</i> agg.	H	0,01
ENV42_1	<i>Veronica arvensis</i>	H	0,01
ENV42_1	<i>Viola hirta</i>	H	1
ENV42_2	<i>Adonis vernalis</i>	H	5
ENV42_2	<i>Achillea pannonica</i>	H	0,5
ENV42_2	<i>Arrhenatherum elatius</i>	H	2
ENV42_2	<i>Aster amellus</i>	H	5
ENV42_2	<i>Betonica officinalis</i>	H	5
ENV42_2	<i>Bothriochloa ischaemum</i>	H	1
ENV42_2	<i>Brachypodium pinnatum</i>	H	15
ENV42_2	<i>Bromus erectus</i>	H	0,1
ENV42_2	<i>Bupleurum falcatum</i>	H	0,1
ENV42_2	<i>Campanula moravica</i>	H	0,01
ENV42_2	<i>Carex caryophyllea</i>	H	0,5
ENV42_2	<i>Carex humilis</i>	H	15
ENV42_2	<i>Carex praecox</i>	H	0,01
ENV42_2	<i>Centaurea scabiosa</i>	H	0,5
ENV42_2	<i>Centaurea stoebe</i>	H	0,1
ENV42_2	<i>Crataegus monogyna</i> agg.	juv.	0,1
ENV42_2	<i>Cytisus procumbens</i>	H	3

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV42_2	<i>Dorycnium germanicum</i>	H	0,5
ENV42_2	<i>Echinops sphaerocephalus</i>	H	0,1
ENV42_2	<i>Elymus hispidus</i>	H	3
ENV42_2	<i>Eryngium campestre</i>	H	0,1
ENV42_2	<i>Euphorbia cyparissias</i>	H	0,1
ENV42_2	<i>Falcaria vulgaris</i>	H	0,5
ENV42_2	<i>Festuca rupicola</i>	H	10
ENV42_2	<i>Filipendula vulgaris</i>	H	5
ENV42_2	<i>Gagea</i> sp.	H	0,01
ENV42_2	<i>Galatella linosyris</i>	H	0,1
ENV42_2	<i>Galium glaucum</i>	H	0,5
ENV42_2	<i>Helictotrichon pratense</i>	H	0,1
ENV42_2	<i>Hypericum perforatum</i>	H	0,1
ENV42_2	<i>Hypochaeris maculata</i>	H	0,5
ENV42_2	<i>Inula ensifolia</i>	H	6
ENV42_2	<i>Inula hirta</i>	H	7
ENV42_2	<i>Koeleria macrantha</i>	H	0,5
ENV42_2	<i>Ligustrum vulgare</i>	juv.	0,01
ENV42_2	<i>Lotus corniculatus</i> var. <i>hirsutus</i>	H	0,01
ENV42_2	<i>Medicago falcata</i>	H	0,1
ENV42_2	<i>Muscari comosum</i>	H	0,5
ENV42_2	<i>Orchis militaris</i>	H	0,01
ENV42_2	<i>Orobanche alba</i>	H	0,01
ENV42_2	<i>Peucedanum cervaria</i>	H	0,01
ENV42_2	<i>Pimpinella saxifraga</i>	H	0,1
ENV42_2	<i>Plantago media</i>	H	0,1
ENV42_2	<i>Poa angustifolia</i>	H	0,1
ENV42_2	<i>Polygala major</i>	H	1
ENV42_2	<i>Potentilla incana</i>	H	0,1
ENV42_2	<i>Primula veris</i>	H	0,01
ENV42_2	<i>Prunus fruticosa</i>	H	4
ENV42_2	<i>Prunus spinosa</i>	juv.	0,5
ENV42_2	<i>Pulsatilla grandis</i>	H	0,5
ENV42_2	<i>Salvia pratensis</i>	H	2
ENV42_2	<i>Senecio jacobaea</i>	H	0,1
ENV42_2	<i>Seseli annuum</i>	H	0,1
ENV42_2	<i>Seseli hippomarathrum</i>	H	0,5
ENV42_2	<i>Stipa pennata</i>	H	0,1
ENV42_2	<i>Tanacetum corymbosum</i>	H	1
ENV42_2	<i>Teucrium chamaedrys</i>	H	5
ENV42_2	<i>Thalictrum minus</i>	H	0,01
ENV42_2	<i>Thlaspi perfoliatum</i>	H	0,01

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover, %
ENV42_2	<i>Thymus glabrescens</i>	H	1
ENV42_2	<i>Trifolium montanum</i>	H	0,1
ENV42_2	<i>Veronica spicata</i>	H	2
ENV42_2	<i>Viola ambigua</i>	H	1
ENV43_1	<i>Achillea cf. pannonica</i>	H	0,1
ENV43_1	<i>Arrhenatherum elatius</i>	H	25
ENV43_1	<i>Betonica officinalis</i>	H	0,5
ENV43_1	<i>Brachypodium pinnatum</i>	H	20
ENV43_1	<i>Campanula glomerata</i>	H	0,1
ENV43_1	<i>Carlina acaulis</i>	H	0,01
ENV43_1	<i>Centaurea scabiosa</i>	H	1
ENV43_1	<i>Cerastium glutinosum</i>	H	0,01
ENV43_1	<i>Cirsium arvense</i>	H	1
ENV43_1	<i>Cirsium vulgare</i>	H	0,5
ENV43_1	<i>Crataegus monogyna</i> agg.	S	2
ENV43_1	<i>Crataegus monogyna</i> agg.	juv.	0,5
ENV43_1	<i>Dactylis glomerata</i>	H	10
ENV43_1	<i>Elymus hispidus</i>	H	0,5
ENV43_1	<i>Euphorbia cyparissias</i>	H	0,1
ENV43_1	<i>Falcaria vulgaris</i>	H	0,1
ENV43_1	<i>Festuca rupicola</i>	H	10
ENV43_1	<i>Filipendula vulgaris</i>	H	0,5
ENV43_1	<i>Fragaria viridis</i>	H	1
ENV43_1	<i>Galium verum</i>	H	1
ENV43_1	<i>Gentiana cruciata</i>	H	0,01
ENV43_1	<i>Geum urbanum</i>	H	0,5
ENV43_1	<i>Helictotrichon pubescens</i>	H	1
ENV43_1	<i>Inula oculus-christi</i>	H	2
ENV43_1	<i>Knautia arvensis</i>	H	0,5
ENV43_1	<i>Lathyrus pratensis</i>	H	1
ENV43_1	<i>Leontodon hispidus</i>	H	0,01
ENV43_1	<i>Ligustrum vulgare</i>	juv.	0,5
ENV43_1	<i>Ligustrum vulgare</i>	S	7
ENV43_1	<i>Linum catharticum</i>	H	0,01
ENV43_1	<i>Medicago falcata</i>	H	0,1
ENV43_1	<i>Ornithogalum kochii</i>	H	0,01
ENV43_1	<i>Phlomis tuberosa</i>	H	3
ENV43_1	<i>Pilosella</i> sp.	H	0,1
ENV43_1	<i>Pimpinella saxifraga</i>	H	0,1
ENV43_1	<i>Poa angustifolia</i>	H	5
ENV43_1	<i>Ranunculus polyanthemus</i>	H	0,1
ENV43_1	<i>Rhamnus cathartica</i>	S	1
ENV43_1	<i>Rosa canina</i> agg.	S	5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV43_1	<i>Rosa</i> sp.	juv.	2
ENV43_1	<i>Salvia nemorosa</i>	H	0,1
ENV43_1	<i>Salvia pratensis</i>	H	0,5
ENV43_1	<i>Salvia verticillata</i>	H	2
ENV43_1	<i>Sanguisorba minor</i>	H	0,1
ENV43_1	<i>Stellaria media</i> agg.	H	0,1
ENV43_1	<i>Tanacetum corymbosum</i>	H	0,01
ENV43_1	<i>Taraxacum</i> sp.	H	0,01
ENV43_1	<i>Trifolium montanum</i>	H	0,5
ENV43_1	<i>Viola hirta</i>	H	0,1
ENV44_1	<i>Acer pseudoplatanus</i>	juv.	0,01
ENV44_1	<i>Agrimonia eupatoria</i>	H	0,1
ENV44_1	<i>Achillea pannonica</i>	H	0,5
ENV44_1	<i>Arrhenatherum elatius</i>	H	15
ENV44_1	<i>Aster amellus</i>	H	10
ENV44_1	<i>Brachypodium pinnatum</i>	H	10
ENV44_1	<i>Bupleurum falcatum</i>	H	0,5
ENV44_1	<i>Campanula glomerata</i> subsp. <i>farinosa</i>	H	5
ENV44_1	<i>Carlina acaulis</i>	H	0,1
ENV44_1	<i>Centaurea scabiosa</i>	H	2
ENV44_1	<i>Cirsium</i> sp.	H	0,01
ENV44_1	<i>Crataegus monogyna</i> agg.	juv.	0,5
ENV44_1	<i>Dactylis glomerata</i>	H	5
ENV44_1	<i>Daucus carota</i>	H	0,1
ENV44_1	<i>Euphorbia virgata</i>	H	0,1
ENV44_1	<i>Festuca</i> cf. <i>ovina</i>	H	5
ENV44_1	<i>Festuca rupicola</i>	H	5
ENV44_1	<i>Galium album</i>	H	0,01
ENV44_1	<i>Galium verum</i>	H	1
ENV44_1	<i>Helictotrichon pratense</i>	H	5
ENV44_1	<i>Helictotrichon pubescens</i>	H	1
ENV44_1	<i>Hypericum perforatum</i>	H	0,1
ENV44_1	<i>Knautia arvensis</i>	H	3
ENV44_1	<i>Koeleria pyramidata</i>	H	20
ENV44_1	<i>Lathyrus pratensis</i>	H	1
ENV44_1	<i>Leucanthemum vulgare</i>	H	0,01
ENV44_1	<i>Ligustrum vulgare</i>	juv.	0,1
ENV44_1	<i>Linaria vulgaris</i>	H	0,01
ENV44_1	<i>Linum catharticum</i>	H	0,1
ENV44_1	<i>Medicago lupulina</i>	H	0,1
ENV44_1	<i>Melilotus</i> sp.	H	0,1
ENV44_1	<i>Pimpinella saxifraga</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV44_1	<i>Plantago media</i>	H	0,5
ENV44_1	<i>Poa angustifolia</i>	H	2
ENV44_1	<i>Prunella vulgaris</i>	H	0,5
ENV44_1	<i>Prunus spinosa</i>	juv.	0,1
ENV44_1	<i>Quercus</i> sp.	juv.	0,01
ENV44_1	<i>Ranunculus polyanthemos</i>	H	0,1
ENV44_1	<i>Rhinanthus major</i>	H	2
ENV44_1	<i>Rosa canina</i> agg.	juv.	0,1
ENV44_1	<i>Salvia pratensis</i>	H	5
ENV44_1	<i>Sanguisorba minor</i>	H	0,5
ENV44_1	<i>Scabiosa ochroleuca</i>	H	2
ENV44_1	<i>Tanacetum corymbosum</i>	H	0,1
ENV44_1	<i>Taraxacum</i> sp.	H	0,01
ENV44_1	<i>Thesium linophyllum</i>	H	0,01
ENV44_1	<i>Tragopogon pratensis</i> agg.	H	0,1
ENV44_1	<i>Viola rupestris</i>	H	0,5
ENV44_2	<i>Acer campestre</i>	juv.	0,1
ENV44_2	<i>Achillea millefolium</i> agg.	H	0,5
ENV44_2	<i>Anthriscus sylvestris</i>	H	0,1
ENV44_2	<i>Arrhenatherum elatius</i>	H	30
ENV44_2	<i>Artemisia vulgaris</i>	H	0,01
ENV44_2	<i>Aster amellus</i>	H	0,1
ENV44_2	<i>Ballota nigra</i>	H	0,01
ENV44_2	<i>Brachypodium pinnatum</i>	H	15
ENV44_2	<i>Bupleurum falcatum</i>	H	0,01
ENV44_2	<i>Campanula</i> sp.	H	0,1
ENV44_2	<i>Carduus</i> cf. <i>acanthoides</i>	H	0,5
ENV44_2	<i>Centaurea scabiosa</i>	H	0,1
ENV44_2	<i>Cerastium holosteoides</i>	H	0,01
ENV44_2	<i>Cirsium arvense</i>	H	0,5
ENV44_2	<i>Crataegus fallacina</i>	juv.	0,1
ENV44_2	<i>Dactylis glomerata</i>	H	1
ENV44_2	<i>Eryngium campestre</i>	H	0,1
ENV44_2	<i>Euphorbia virgata</i>	H	0,01
ENV44_2	<i>Falcaria vulgaris</i>	H	0,01
ENV44_2	<i>Festuca rupicola</i>	H	5
ENV44_2	<i>Galium glaucum</i>	H	0,5
ENV44_2	<i>Galium verum</i>	H	2
ENV44_2	<i>Geum urbanum</i>	H	0,1
ENV44_2	<i>Hieracium</i> cf. <i>sabaudum</i>	H	0,1
ENV44_2	<i>Hypericum perforatum</i>	H	0,1
ENV44_2	<i>Knautia arvensis</i>	H	0,1
ENV44_2	<i>Lamium album</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV44_2	<i>Lathyrus pratensis</i>	H	0,1
ENV44_2	<i>Linaria vulgaris</i>	H	0,1
ENV44_2	<i>Picris hieracioides</i>	H	0,01
ENV44_2	<i>Poa angustifolia</i>	H	1
ENV44_2	<i>Ranunculus polyanthemos</i>	H	0,1
ENV44_2	<i>Rhinanthus major</i>	H	0,1
ENV44_2	<i>Rosa canina</i> agg.	S	15
ENV44_2	<i>Rosa canina</i> agg.	juv.	1
ENV44_2	<i>Rumex crispus</i>	H	0,1
ENV44_2	<i>Salvia nemorosa</i>	H	0,1
ENV44_2	<i>Urtica dioica</i>	H	0,1
ENV44_2	<i>Veronica arvensis</i>	H	0,01
ENV44_2	<i>Vicia tetrasperma</i>	H	0,01
ENV45_1	<i>Achillea millefolium</i> agg.	H	0,5
ENV45_1	<i>Anthemis</i> sp.	H	0,1
ENV45_1	<i>Anthericum ramosum</i>	H	5
ENV45_1	<i>Arrhenatherum elatius</i>	H	3
ENV45_1	<i>Aster amellus</i>	H	0,5
ENV45_1	<i>Betonica officinalis</i>	H	15
ENV45_1	<i>Brachypodium pinnatum</i>	H	35
ENV45_1	<i>Bupleurum falcatum</i>	H	0,1
ENV45_1	<i>Calamagrostis</i> sp.	H	1
ENV45_1	<i>Campanula</i> cf. <i>glomerata</i>	H	0,1
ENV45_1	<i>Carex humilis</i>	H	1
ENV45_1	<i>Carex michelii</i>	H	1
ENV45_1	<i>Carlina</i> cf. <i>vulgaris</i>	H	0,01
ENV45_1	<i>Centaurea scabiosa</i>	H	2
ENV45_1	<i>Cytisus procumbens</i>	H	5
ENV45_1	<i>Dactylis glomerata</i>	H	3
ENV45_1	<i>Daucus carota</i>	H	0,1
ENV45_1	<i>Dictamnus albus</i>	H	0,1
ENV45_1	<i>Elymus hispidus</i>	H	5
ENV45_1	<i>Equisetum arvense</i>	H	0,01
ENV45_1	<i>Falcaria vulgaris</i>	H	0,5
ENV45_1	<i>Festuca rupicola</i>	H	10
ENV45_1	<i>Filipendula vulgaris</i>	H	15
ENV45_1	<i>Fragaria vesca</i>	H	3
ENV45_1	<i>Fragaria viridis</i>	H	10
ENV45_1	<i>Galium glaucum</i>	H	0,1
ENV45_1	<i>Galium verum</i>	H	0,5
ENV45_1	<i>Helictotrichon pratense</i>	H	2
ENV45_1	<i>Hypericum perforatum</i>	H	0,1
ENV45_1	<i>Hypochaeris maculata</i>	H	0,01

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV45_1	<i>Inula hirta</i>	H	0,5
ENV45_1	<i>Knautia arvensis</i>	H	1
ENV45_1	<i>Koeleria pyramidata</i>	H	5
ENV45_1	<i>Lotus borbasii</i>	H	0,1
ENV45_1	<i>Medicago lupulina</i>	H	0,1
ENV45_1	<i>Nonea pulla</i>	H	0,01
ENV45_1	<i>Onobrychis viciifolia</i>	H	0,1
ENV45_1	<i>Ornithogalum kochii</i>	H	0,1
ENV45_1	<i>Orobanche cf. caryophyllacea</i>	H	0,01
ENV45_1	<i>Peucedanum alsaticum</i>	H	0,1
ENV45_1	<i>Peucedanum cervaria</i>	H	0,1
ENV45_1	<i>Pimpinella saxifraga</i>	H	0,1
ENV45_1	<i>Poa angustifolia</i>	H	2
ENV45_1	<i>Polygala comosa</i>	H	0,01
ENV45_1	<i>Primula veris</i>	H	10
ENV45_1	<i>Prunus spinosa</i>	juv.	0,1
ENV45_1	<i>Ranunculus polyanthemos</i>	H	0,1
ENV45_1	<i>Rosa canina</i> agg.	juv.	0,5
ENV45_1	<i>Salvia pratensis</i>	H	1
ENV45_1	<i>Scabiosa ochroleuca</i>	H	0,1
ENV45_1	<i>Viola hirta</i>	H	6
ENV45_2	<i>Arrhenatherum elatius</i>	H	15
ENV45_2	<i>Betonica officinalis</i>	H	5
ENV45_2	<i>Brachypodium pinnatum</i>	H	20
ENV45_2	<i>Briza media</i>	H	1
ENV45_2	<i>Campanula cf. glomerata</i>	H	0,01
ENV45_2	<i>Carex praecox</i>	H	0,5
ENV45_2	<i>Carex tomentosa</i>	H	3
ENV45_2	<i>Centaurea scabiosa</i>	H	2
ENV45_2	<i>Cirsium arvense</i>	H	0,1
ENV45_2	<i>Colchicum autumnale</i>	H	0,01
ENV45_2	<i>Convolvulus arvensis</i>	H	0,01
ENV45_2	<i>Crataegus monogyna</i> agg.	S	1
ENV45_2	<i>Cytisus procumbens</i>	H	0,01
ENV45_2	<i>Dactylis glomerata</i>	H	2
ENV45_2	<i>Elymus hispidus</i>	H	3
ENV45_2	<i>Euphorbia esula</i>	H	0,1
ENV45_2	<i>Festuca rupicola</i>	H	17
ENV45_2	<i>Filipendula vulgaris</i>	H	10
ENV45_2	<i>Fragaria viridis</i>	H	1
ENV45_2	<i>Galium glaucum</i>	H	1
ENV45_2	<i>Geranium pratense</i>	H	0,01
ENV45_2	<i>Geum urbanum</i>	H	0,01

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV45_2	<i>Helictotrichon pubescens</i>	H	1,5
ENV45_2	<i>Hypericum perforatum</i>	H	0,1
ENV45_2	<i>Knautia arvensis</i>	H	2
ENV45_2	<i>Lathyrus pratensis</i>	H	0,1
ENV45_2	<i>Linaria vulgaris</i>	H	0,01
ENV45_2	<i>Melampyrum pratense</i>	H	0,01
ENV45_2	<i>Ononis spinosa</i>	H	0,01
ENV45_2	<i>Poa angustifolia</i>	H	3
ENV45_2	<i>Primula veris</i>	H	0,1
ENV45_2	<i>Prunus spinosa</i>	juv.	1
ENV45_2	<i>Quercus</i> sp.	juv.	0,01
ENV45_2	<i>Ranunculus polyanthemos</i>	H	0,1
ENV45_2	<i>Salvia pratensis</i>	H	0,1
ENV45_2	<i>Tanacetum corymbosum</i>	H	0,01
ENV45_2	<i>Thalictrum minus</i>	H	0,1
ENV45_2	<i>Trifolium montanum</i>	H	0,5
ENV45_2	<i>Veronica chamaedrys</i> agg.	H	2
ENV45_2	<i>Vicia cracca</i>	H	0,5
ENV45_2	<i>Viola hirta</i>	H	1
ENV46_1	<i>Adonis vernalis</i>	H	0,1
ENV46_1	<i>Agrimonia eupatoria</i>	H	0,1
ENV46_1	<i>Achillea</i> cf. <i>pannonica</i>	H	0,1
ENV46_1	<i>Anthericum ramosum</i>	H	1
ENV46_1	<i>Arabis hirsuta</i>	H	0,01
ENV46_1	<i>Arenaria serpyllifolia</i>	H	0,1
ENV46_1	<i>Arrhenatherum elatius</i>	H	2
ENV46_1	<i>Asparagus officinalis</i>	H	0,1
ENV46_1	<i>Aster amellus</i>	H	0,1
ENV46_1	<i>Brachypodium pinnatum</i>	H	8
ENV46_1	<i>Bryonia alba</i>	H	0,01
ENV46_1	<i>Carex caryophyllea</i>	H	0,01
ENV46_1	<i>Carex humilis</i>	H	0,1
ENV46_1	<i>Centaurea scabiosa</i>	H	0,1
ENV46_1	<i>Crataegus laevigata</i>	S	0,5
ENV46_1	<i>Crataegus monogyna</i> agg.	juv.	1
ENV46_1	<i>Crataegus monogyna</i> agg.	S	2
ENV46_1	<i>Cytisus procumbens</i>	H	5
ENV46_1	<i>Dorycnium germanicum</i>	H	0,1
ENV46_1	<i>Elymus hispidus</i>	H	3
ENV46_1	<i>Euphorbia esula</i>	H	0,1
ENV46_1	<i>Falcaria vulgaris</i>	H	0,1
ENV46_1	<i>Festuca rupicola</i>	H	5
ENV46_1	<i>Filipendula vulgaris</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV46_1	<i>Fragaria vesca</i>	H	1
ENV46_1	<i>Fragaria viridis</i>	H	2
ENV46_1	<i>Galatella linosyris</i>	H	0,5
ENV46_1	<i>Galium glaucum</i>	H	1
ENV46_1	<i>Geranium sanguineum</i>	H	0,5
ENV46_1	<i>Geum urbanum</i>	H	0,01
ENV46_1	<i>Hypericum perforatum/ elegans</i>	H	0,01
ENV46_1	<i>Inula ensifolia</i>	H	0,1
ENV46_1	<i>Iris pumila</i>	H	0,1
ENV46_1	<i>Koeleria pyramidata</i>	H	1
ENV46_1	<i>Ornithogalum kochii</i>	H	0,01
ENV46_1	<i>Oxytropis pilosa</i>	H	0,01
ENV46_1	<i>Peucedanum cervaria</i>	H	2
ENV46_1	<i>Poa angustifolia</i>	H	0,5
ENV46_1	<i>Potentilla incana</i>	H	0,1
ENV46_1	<i>Prunus fruticosa</i>	H	0,5
ENV46_1	<i>Prunus spinosa</i>	S	20
ENV46_1	<i>Prunus spinosa</i>	juv.	3
ENV46_1	<i>Pyrus communis</i> agg.	S	1
ENV46_1	<i>Rhamnus cathartica</i>	S	1
ENV46_1	<i>Rosa canina</i> agg.	juv.	0,5
ENV46_1	<i>Rosa canina</i> agg.	S	0,5
ENV46_1	<i>Salvia pratensis</i>	H	2
ENV46_1	<i>Salvia verticillata</i>	H	1
ENV46_1	<i>Stachys recta</i>	H	0,1
ENV46_1	<i>Stipa pennata</i>	H	0,1
ENV46_1	<i>Stipa tirsia</i>	H	15
ENV46_1	<i>Tanacetum corymbosum</i>	H	0,1
ENV46_1	<i>Teucrium chamaedrys</i>	H	3
ENV46_1	<i>Thalictrum minus</i>	H	1
ENV46_1	<i>Thymus pannonicus</i>	H	0,1
ENV46_1	<i>Verbascum lychnitis</i>	H	1
ENV46_1	<i>Vincetoxicum hirundinaria</i>	H	0,01
ENV46_1	<i>Viola hirta</i>	H	0,1
ENV46_2	<i>Adonis vernalis</i>	H	5
ENV46_2	<i>Achillea</i> cf. <i>pannonica</i>	H	0,1
ENV46_2	<i>Anthericum ramosum</i>	H	0,5
ENV46_2	<i>Arenaria serpyllifolia</i>	H	0,01
ENV46_2	<i>Aster amellus</i>	H	2
ENV46_2	<i>Brachypodium pinnatum</i>	H	1
ENV46_2	<i>Bupleurum falcatum</i>	H	0,1
ENV46_2	<i>Carex caryophyllea</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV46_2	<i>Carex humilis</i>	H	10
ENV46_2	<i>Centaurea scabiosa</i>	H	0,1
ENV46_2	<i>Centaurea triumfetti</i>	H	0,01
ENV46_2	<i>Cornus sanguinea</i>	juv.	0,01
ENV46_2	<i>Crataegus monogyna</i> agg.	juv.	0,5
ENV46_2	<i>Cytisus procumbens</i>	H	7
ENV46_2	<i>Dianthus pontederæ</i>	H	0,1
ENV46_2	<i>Dorycnium germanicum</i>	H	0,5
ENV46_2	<i>Elymus hispidus</i>	H	3
ENV46_2	<i>Euphorbia esula</i>	H	0,01
ENV46_2	<i>Falcaria vulgaris</i>	H	0,1
ENV46_2	<i>Festuca rupicola</i>	H	10
ENV46_2	<i>Fragaria viridis</i>	H	0,5
ENV46_2	<i>Galatella linosyris</i>	H	5
ENV46_2	<i>Galium glaucum</i>	H	0,1
ENV46_2	<i>Helictotrichon pubescens</i>	H	0,1
ENV46_2	<i>Hypericum perforatum</i>	H	0,1
ENV46_2	<i>Inula ensifolia</i>	H	5
ENV46_2	<i>Iris pumila</i>	H	0,1
ENV46_2	<i>Knautia arvensis</i>	H	0,1
ENV46_2	<i>Koeleria macrantha</i>	H	0,1
ENV46_2	<i>Melampyrum arvense</i>	H	0,1
ENV46_2	<i>Onobrychis arenaria</i>	H	0,1
ENV46_2	<i>Oxytropis pilosa</i>	H	0,1
ENV46_2	<i>Peucedanum cervaria</i>	H	5
ENV46_2	<i>Plantago media</i>	H	0,1
ENV46_2	<i>Poa angustifolia</i>	H	0,01
ENV46_2	<i>Potentilla incana</i>	H	0,5
ENV46_2	<i>Prunus fruticosa</i>	H	1
ENV46_2	<i>Prunus spinosa</i>	juv.	0,5
ENV46_2	<i>Salvia pratensis</i>	H	3
ENV46_2	<i>Salvia verticillata</i>	H	0,5
ENV46_2	<i>Scabiosa ochroleuca</i>	H	0,1
ENV46_2	<i>Silene otites</i>	H	0,01
ENV46_2	<i>Stachys recta</i>	H	0,1
ENV46_2	<i>Stipa pennata</i>	H	1
ENV46_2	<i>Stipa pulcherrima</i>	H	5
ENV46_2	<i>Stipa tirsia</i>	H	20
ENV46_2	<i>Teucrium chamaedrys</i>	H	2
ENV46_2	<i>Thalictrum minus</i>	H	0,1
ENV46_2	<i>Thesium linophyllum</i>	H	0,1
ENV46_2	<i>Thymus pannonicus</i>	H	0,5
ENV46_2	<i>Trifolium montanum</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV46_2	<i>Vincetoxicum hirundinaria</i>	H	0,1
ENV46_2	<i>Viola ambigua</i>	H	0,1
ENV46_2	<i>Viola hirta</i>	H	0,1
ENV47_1	<i>Agrimonia eupatoria</i>	H	1
ENV47_1	<i>Achillea</i> cf. <i>annonica</i>	H	0,1
ENV47_1	<i>Arrhenatherum elatius</i>	H	2
ENV47_1	<i>Brachypodium pinnatum</i>	H	13
ENV47_1	<i>Bupleurum falcatum</i>	H	0,1
ENV47_1	<i>Calamagrostis epigejos</i>	H	5
ENV47_1	<i>Campanula</i> sp.	H	0,1
ENV47_1	<i>Carex flacca</i>	H	15
ENV47_1	<i>Carex</i> sp.	H	0,1
ENV47_1	<i>Carex tomentosa</i>	H	2
ENV47_1	<i>Centaurea scabiosa</i>	H	1
ENV47_1	<i>Crataegus monogyna</i> agg.	S	1
ENV47_1	<i>Crataegus monogyna</i> agg.	juv.	3
ENV47_1	<i>Dorycnium germanicum</i>	H	5
ENV47_1	<i>Euphorbia cyparissias</i>	H	0,01
ENV47_1	<i>Festuca rupicola</i>	H	0,5
ENV47_1	<i>Fragaria viridis</i>	H	5
ENV47_1	<i>Galium verum</i>	H	2
ENV47_1	<i>Hieracium maculatum</i>	H	0,01
ENV47_1	<i>Hypericum perforatum</i>	H	0,1
ENV47_1	<i>Inula ensifolia</i>	H	1
ENV47_1	<i>Knautia arvensis</i>	H	0,5
ENV47_1	<i>Lathyrus pratensis</i>	H	0,1
ENV47_1	<i>Lotus maritimus</i>	H	0,1
ENV47_1	<i>Plantago media</i>	H	0,1
ENV47_1	<i>Poa angustifolia</i>	H	0,1
ENV47_1	<i>Polygala vulgaris</i>	H	0,01
ENV47_1	<i>Potentilla heptaphylla</i>	H	0,1
ENV47_1	<i>Prunus spinosa</i>	S	0,5
ENV47_1	<i>Pyrus communis</i> agg.	S	0,1
ENV47_1	<i>Quercus</i> sp.	seedl	0,01
ENV47_1	<i>Rosa canina</i> agg.	S	0,5
ENV47_1	<i>Rosa canina</i> agg.	juv.	1
ENV47_1	<i>Sanguisorba minor</i>	H	0,1
ENV47_1	<i>Scabiosa ochroleuca</i>	H	0,1
ENV47_1	<i>Securigera varia</i>	H	0,01
ENV47_1	<i>Teucrium chamaedrys</i>	H	0,1
ENV47_1	<i>Thymus glabrescens</i>	H	0,1
ENV47_1	<i>Veronica chamaedrys</i> agg.	H	0,1
ENV47_1	<i>Viola hirta</i>	H	2

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV47_2	<i>Agrimonia eupatoria</i>	H	1
ENV47_2	<i>Achillea</i> cf. <i>pannonica</i>	H	0,1
ENV47_2	<i>Allium</i> cf. <i>rotundum</i>	H	0,01
ENV47_2	<i>Asperula cynanchica</i>	H	0,1
ENV47_2	<i>Aster amellus</i>	H	0,1
ENV47_2	<i>Brachypodium pinnatum</i>	H	17
ENV47_2	<i>Briza media</i>	H	0,1
ENV47_2	<i>Bromus erectus</i>	H	0,5
ENV47_2	<i>Bupleurum falcatum</i>	H	0,1
ENV47_2	<i>Campanula</i> sp.	H	0,1
ENV47_2	<i>Carex flacca</i>	H	5
ENV47_2	<i>Carex</i> sp.	H	1
ENV47_2	<i>Carex tomentosa</i>	H	2
ENV47_2	<i>Centaurea scabiosa</i>	H	1
ENV47_2	<i>Cornus sanguinea</i>	juv.	0,1
ENV47_2	<i>Crataegus monogyna</i> agg.	juv.	0,1
ENV47_2	<i>Dorycnium germanicum</i>	H	12
ENV47_2	<i>Elymus hispidus</i>	H	0,5
ENV47_2	<i>Eryngium campestre</i>	H	2
ENV47_2	<i>Euphorbia cyparissias</i>	H	0,1
ENV47_2	<i>Filipendula vulgaris</i>	H	5
ENV47_2	<i>Fragaria viridis</i>	H	1
ENV47_2	<i>Fraxinus</i> sp.	seedl	0,01
ENV47_2	<i>Galium album</i>	H	0,01
ENV47_2	<i>Galium verum</i>	H	0,1
ENV47_2	<i>Hypericum</i> cf. <i>perforatum</i>	H	0,01
ENV47_2	<i>Chamaecytisus</i> sp.	H	0,5
ENV47_2	<i>Inula ensifolia</i>	H	17
ENV47_2	<i>Knautia arvensis</i>	H	0,5
ENV47_2	<i>Leontodon hispidus</i>	H	0,1
ENV47_2	<i>Leucanthemum vulgare</i>	H	0,1
ENV47_2	<i>Lotus corniculatus</i> var. <i>hirsutus</i>	H	0,1
ENV47_2	<i>Lotus maritimus</i>	H	0,1
ENV47_2	<i>Medicago falcata</i>	H	0,5
ENV47_2	<i>Ononis spinosa</i>	H	0,1
ENV47_2	<i>Orchis militaris</i>	H	0,1
ENV47_2	<i>Pilosella bauhinii</i>	H	0,1
ENV47_2	<i>Pimpinella saxifraga</i>	H	0,1
ENV47_2	<i>Plantago lanceolata</i>	H	0,1
ENV47_2	<i>Plantago media</i>	H	0,5
ENV47_2	<i>Poa angustifolia</i>	H	0,1
ENV47_2	<i>Potentilla heptaphylla</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV47_2	<i>Prunus spinosa</i>	juv.	1
ENV47_2	<i>Ranunculus polyanthemos</i>	H	0,1
ENV47_2	<i>Rosa canina</i> agg.	juv.	0,5
ENV47_2	<i>Salvia pratensis</i>	H	0,1
ENV47_2	<i>Scabiosa ochroleuca</i>	H	0,1
ENV47_2	<i>Teucrium chamaedrys</i>	H	0,5
ENV47_2	<i>Tragopogon pratensis</i> agg.	H	0,01
ENV47_2	<i>Viola hirta</i>	H	0,1
ENV48_1	<i>Acer campestre</i>	juv.	1
ENV48_1	<i>Agrimonia eupatoria</i>	H	0,5
ENV48_1	<i>Achillea</i> cf. <i>pannonica</i>	H	0,1
ENV48_1	<i>Ajuga genevensis</i>	H	0,1
ENV48_1	<i>Arrhenatherum elatius</i>	H	10
ENV48_1	<i>Astragalus glycyphyllos</i>	H	0,01
ENV48_1	<i>Brachypodium pinnatum</i>	H	7
ENV48_1	<i>Bromus erectus</i>	H	0,5
ENV48_1	<i>Bupleurum falcatum</i>	H	0,1
ENV48_1	<i>Calamagrostis epigejos</i>	H	3
ENV48_1	<i>Campanula</i> cf. <i>rapunculoides</i>	H	0,1
ENV48_1	<i>Carex flacca</i>	H	5
ENV48_1	<i>Carex humilis</i>	H	0,1
ENV48_1	<i>Carex michelii</i>	H	1
ENV48_1	<i>Carex</i> sp.	H	0,5
ENV48_1	<i>Carex tomentosa</i>	H	1
ENV48_1	<i>Centaurea scabiosa</i>	H	0,1
ENV48_1	<i>Cornus sanguinea</i>	juv.	1
ENV48_1	<i>Crataegus monogyna</i> agg.	S	5
ENV48_1	<i>Crataegus monogyna</i> agg.	juv.	0,5
ENV48_1	<i>Dorycnium germanicum</i>	H	1
ENV48_1	<i>Euphorbia cyparissias</i>	H	0,1
ENV48_1	<i>Falcaria vulgaris</i>	H	0,1
ENV48_1	<i>Festuca rupicola</i>	H	2
ENV48_1	<i>Fragaria vesca</i>	H	3
ENV48_1	<i>Galium verum</i>	H	1
ENV48_1	<i>Chamaecytisus ratisbonensis</i>	H	1
ENV48_1	<i>Inula salicina</i>	H	0,1
ENV48_1	<i>Knautia arvensis</i>	H	0,1
ENV48_1	<i>Koeleria pyramidata</i>	H	0,1
ENV48_1	<i>Ligustrum vulgare</i>	juv.	0,5
ENV48_1	<i>Ligustrum vulgare</i>	S	3
ENV48_1	<i>Lithospermum officinale</i>	H	0,1
ENV48_1	<i>Lotus corniculatus</i>	H	0,1
ENV48_1	<i>Plantago media</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV48_1	<i>Poa angustifolia</i>	H	1
ENV48_1	<i>Polygala major</i>	H	0,01
ENV48_1	<i>Potentilla heptaphylla</i>	H	0,01
ENV48_1	<i>Primula veris</i>	H	5
ENV48_1	<i>Prunus spinosa</i>	S	20
ENV48_1	<i>Prunus spinosa</i>	juv.	3
ENV48_1	<i>Pyrus communis</i> agg.	S	0,5
ENV48_1	<i>Ranunculus polyanthemos</i>	H	0,01
ENV48_1	<i>Rhamnus cathartica</i>	S	2
ENV48_1	<i>Rhamnus cathartica</i>	juv.	0,5
ENV48_1	<i>Rosa</i> sp. (hairy)	S	0,1
ENV48_1	<i>Rosa</i> sp. (hairy)	juv.	0,5
ENV48_1	<i>Salvia verticillata</i>	H	0,5
ENV48_1	<i>Sanguisorba minor</i>	H	0,1
ENV48_1	<i>Teucrium chamaedrys</i>	H	5
ENV48_1	<i>Trifolium montanum</i>	H	0,1
ENV48_1	<i>Vincetoxicum hirundinaria</i>	H	0,01
ENV48_1	<i>Viola hirta</i>	H	1
ENV48_1	<i>Viola riviniana</i> agg.	H	0,01
ENV48_2	<i>Acer campestre</i>	seedl	0,01
ENV48_2	<i>Acer</i> sp.	seedl	0,01
ENV48_2	<i>Achillea pannonica</i>	H	0,1
ENV48_2	<i>Anthericum ramosum</i>	H	0,5
ENV48_2	<i>Astragalus</i> sp.	H	1
ENV48_2	<i>Brachypodium pinnatum</i>	H	10
ENV48_2	<i>Briza media</i>	H	3
ENV48_2	<i>Bromus erectus</i>	H	3
ENV48_2	<i>Bupleurum falcatum</i>	H	0,1
ENV48_2	<i>Calamagrostis epigejos</i>	H	0,1
ENV48_2	<i>Campanula</i> cf. <i>glomerata</i>	H	0,1
ENV48_2	<i>Carex caryophyllea</i>	H	2
ENV48_2	<i>Carex flacca</i>	H	17
ENV48_2	<i>Carex tomentosa</i>	H	10
ENV48_2	<i>Carlina acaulis</i>	H	0,1
ENV48_2	<i>Carlina vulgaris</i>	H	0,1
ENV48_2	<i>Centaurea scabiosa</i>	H	3
ENV48_2	<i>Cirsium pannonicum</i>	H	0,5
ENV48_2	<i>Convallaria majalis</i>	H	0,1
ENV48_2	<i>Cornus sanguinea</i>	juv.	0,5
ENV48_2	<i>Crepis praemorsa</i>	H	2
ENV48_2	<i>Dactylis glomerata</i>	H	0,1
ENV48_2	<i>Dorycnium germanicum</i>	H	3
ENV48_2	<i>Euphorbia cyparissias</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV48_2	<i>Falcaria vulgaris</i>	H	0,01
ENV48_2	<i>Festuca rupicola</i>	H	3
ENV48_2	<i>Hieracium maculatum</i>	H	0,1
ENV48_2	<i>Chamaecytisus ratisbonensis</i>	H	1
ENV48_2	<i>Inula ensifolia</i>	H	3
ENV48_2	<i>Inula salicina</i>	H	1
ENV48_2	<i>Knautia arvensis</i>	H	2
ENV48_2	<i>Koeleria pyramidata</i>	H	7
ENV48_2	<i>Leontodon hispidus</i>	H	0,1
ENV48_2	<i>Leucanthemum vulgare</i>	H	0,1
ENV48_2	<i>Linum catharticum</i>	H	0,01
ENV48_2	<i>Lotus corniculatus</i> var. <i>hirsutus</i>	H	0,1
ENV48_2	<i>Melampyrum arvense</i>	H	0,1
ENV48_2	<i>Orchis militaris</i>	H	0,1
ENV48_2	<i>Peucedanum cervaria</i>	H	0,1
ENV48_2	<i>Pimpinella saxifraga</i>	H	0,1
ENV48_2	<i>Plantago media</i>	H	0,5
ENV48_2	<i>Poa angustifolia</i>	H	0,1
ENV48_2	<i>Poa angustifolia</i>	H	0,1
ENV48_2	<i>Polygala major</i>	H	0,1
ENV48_2	<i>Potentilla heptaphylla</i>	H	0,1
ENV48_2	<i>Primula veris</i>	H	5
ENV48_2	<i>Prunella</i> cf. <i>grandiflora</i> / <i>vulgaris</i>	H	0,01
ENV48_2	<i>Ranunculus polyanthemos</i>	H	0,1
ENV48_2	<i>Rhamnus cathartica</i>	juv.	0,1
ENV48_2	<i>Salvia pratensis</i>	H	0,5
ENV48_2	<i>Salvia verticillata</i>	H	0,1
ENV48_2	<i>Sanguisorba minor</i>	H	0,1
ENV48_2	<i>Thesium linophyllon</i>	H	5
ENV48_2	<i>Trifolium montanum</i>	H	0,5
ENV48_2	<i>Viburnum opulus</i>	seedl	0,01
ENV48_2	<i>Viola hirta</i>	H	0,5
ENV48_2	<i>Viola rupestris</i>	H	0,01
ENV49_1	<i>Anthericum ramosum</i>	H	0,1
ENV49_1	<i>Asperula cynanchica</i>	H	0,01
ENV49_1	<i>Aster amellus</i>	H	10
ENV49_1	<i>Astragalus</i> cf. <i>onobrychis</i>	H	0,1
ENV49_1	<i>Astragalus glycyphyllos</i>	H	0,01
ENV49_1	<i>Brachypodium pinnatum</i>	H	20
ENV49_1	<i>Bupleurum falcatum</i>	H	0,5
ENV49_1	<i>Campanula</i> cf. <i>rapunculoides</i>	H	0,1
ENV49_1	<i>Carex caryophylla</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV49_1	<i>Carex flacca</i>	H	0,5
ENV49_1	<i>Carex humilis</i>	H	15
ENV49_1	<i>Carex tomentosa</i>	H	0,5
ENV49_1	<i>Carlina vulgaris</i> agg.	H	0,01
ENV49_1	<i>Centaurea scabiosa</i>	H	2
ENV49_1	<i>Crataegus monogyna</i> agg.	juv.	0,1
ENV49_1	<i>Dorycnium germanicum</i>	H	2
ENV49_1	<i>Eryngium campestre</i>	H	4
ENV49_1	<i>Euphorbia cyparissias</i>	H	0,1
ENV49_1	<i>Festuca rupicola</i>	H	15
ENV49_1	<i>Fragaria viridis</i>	H	3
ENV49_1	<i>Galium verum</i>	H	0,1
ENV49_1	<i>Hieracium</i> sp.	H	0,1
ENV49_1	<i>Chamaecytisus ratisbonensis</i>	H	3
ENV49_1	<i>Inula ensifolia</i>	H	15
ENV49_1	<i>Jurinea mollis</i>	H	0,5
ENV49_1	<i>Koeleria macrantha</i>	H	1
ENV49_1	<i>Koeleria pyramidata</i>	H	0,5
ENV49_1	<i>Leontodon hispidus</i>	H	0,1
ENV49_1	<i>Ligustrum vulgare</i>	juv.	0,1
ENV49_1	<i>Linum</i> sp.	H	0,01
ENV49_1	<i>Lotus corniculatus</i>	H	0,1
ENV49_1	<i>Lotus corniculatus</i> var. <i>hirsutus</i>	H	0,5
ENV49_1	<i>Medicago falcata</i>	H	0,5
ENV49_1	<i>Medicago lupulina</i>	H	0,5
ENV49_1	<i>Ononis spinosa</i>	H	0,01
ENV49_1	<i>Orchis hybrida</i>	H	0,5
ENV49_1	<i>Orchis purpurea</i>	H	0,01
ENV49_1	<i>Pimpinella saxifraga</i>	H	0,1
ENV49_1	<i>Plantago media</i>	H	0,5
ENV49_1	<i>Poa angustifolia</i>	H	0,1
ENV49_1	<i>Polygala major</i>	H	2
ENV49_1	<i>Potentilla incana</i>	H	0,1
ENV49_1	<i>Prunus cerasifera</i>	juv.	0,1
ENV49_1	<i>Pyrus communis</i> agg.	juv.	0,1
ENV49_1	<i>Rosa canina</i> agg.	juv.	0,1
ENV49_1	<i>Salvia pratensis</i>	H	2
ENV49_1	<i>Sanguisorba minor</i>	H	0,1
ENV49_1	<i>Scabiosa ochroleuca</i>	H	0,1
ENV49_1	<i>Tanacetum corymbosum</i>	H	5
ENV49_1	<i>Taraxacum</i> sp.	H	0,01
ENV49_1	<i>Teucrium chamaedrys</i>	H	5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV49_1	<i>Thesium</i> sp.	H	0,1
ENV49_1	<i>Thymus glabrescens</i>	H	0,5
ENV49_1	<i>Tragopogon pratensis</i> agg.	H	0,1
ENV49_1	<i>Trifolium montanum</i>	H	0,5
ENV49_1	<i>Veronica spicata</i>	H	0,1
ENV49_1	<i>Viola hirta</i>	H	1
ENV49_1	<i>Viola rupestris</i>	H	0,1
ENV49_2	<i>Achillea millefolium</i> agg.	H	0,1
ENV49_2	<i>Arrhenatherum elatius</i>	H	1
ENV49_2	<i>Asperula cynanchica</i>	H	0,01
ENV49_2	<i>Aster amellus</i>	H	15
ENV49_2	<i>Brachypodium pinnatum</i>	H	17
ENV49_2	<i>Buglossoides purpureo- erulea</i>	H	0,5
ENV49_2	<i>Bupleurum falcatum</i>	H	0,1
ENV49_2	<i>Calamagrostis epigejos</i>	H	5
ENV49_2	<i>Carex flacca</i>	H	15
ENV49_2	<i>Carex tomentosa</i>	H	0,1
ENV49_2	<i>Centaurea scabiosa</i>	H	1
ENV49_2	<i>Cornus sanguinea</i>	S	1,5
ENV49_2	<i>Crataegus monogyna</i> agg.	juv.	0,1
ENV49_2	<i>Cytisus procumbens</i>	H	0,5
ENV49_2	<i>Dorycnium germanicum</i>	H	5
ENV49_2	<i>Eryngium campestre</i>	H	2
ENV49_2	<i>Festuca rupicola</i>	H	1
ENV49_2	<i>Fragaria</i> cf. <i>vesca</i> /moschata	H	2
ENV49_2	<i>Fragaria viridis</i>	H	0,5
ENV49_2	<i>Galium verum</i>	H	0,1
ENV49_2	<i>Inula ensifolia</i>	H	7
ENV49_2	<i>Leontodon hispidus</i>	H	0,01
ENV49_2	<i>Ligustrum vulgare</i>	juv.	0,1
ENV49_2	<i>Linum catharticum</i>	H	0,01
ENV49_2	<i>Lotus corniculatus</i> var. <i>hirsutus</i>	H	0,1
ENV49_2	<i>Orchis militaris</i>	H	0,01
ENV49_2	<i>Origanum vulgare</i>	H	0,1
ENV49_2	<i>Pilosella officinarum</i>	H	0,1
ENV49_2	<i>Pimpinella saxifraga</i>	H	0,1
ENV49_2	<i>Plantago media</i>	H	0,1
ENV49_2	<i>Poa angustifolia</i>	H	1
ENV49_2	<i>Polygala major</i>	H	0,1
ENV49_2	<i>Prunus spinosa</i>	juv.	0,5
ENV49_2	<i>Ranunculus polyanthemus</i>	H	0,1
ENV49_2	<i>Rosa canina</i> agg.	S	1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV49_2	<i>Sanguisorba minor</i>	H	0,1
ENV49_2	<i>Scabiosa ochroleuca</i>	H	0,01
ENV49_2	<i>Securigera varia</i>	H	0,1
ENV49_2	<i>Teucrium chamaedrys</i>	H	0,1
ENV49_2	<i>Viola hirta</i>	H	0,5
ENV50_1	<i>Agrimonia eupatoria</i>	H	0,5
ENV50_1	<i>Achillea millefolium</i> agg.	H	0,1
ENV50_1	<i>Ajuga genevensis</i>	H	0,1
ENV50_1	<i>Betonica officinalis</i>	H	0,01
ENV50_1	<i>Brachypodium pinnatum</i>	H	15
ENV50_1	<i>Bromus erectus</i>	H	30
ENV50_1	<i>Bupleurum falcatum</i>	H	0,1
ENV50_1	<i>Carex caryophylla</i>	H	0,5
ENV50_1	<i>Carex flacca</i>	H	1
ENV50_1	<i>Carex humilis</i>	H	5
ENV50_1	<i>Carex michelii</i>	H	0,1
ENV50_1	<i>Centaurea scabiosa</i>	H	3
ENV50_1	<i>Cirsium arvense</i>	H	0,01
ENV50_1	<i>Colchicum autumnale</i>	H	0,1
ENV50_1	<i>Crataegus monogyna</i> agg.	juv.	1
ENV50_1	<i>Dactylis glomerata</i>	H	1
ENV50_1	<i>Dorycnium germanicum</i>	H	0,1
ENV50_1	<i>Eryngium campestre</i>	H	0,5
ENV50_1	<i>Festuca rupicola</i>	H	2
ENV50_1	<i>Fragaria</i> cf. <i>vesca</i> / <i>moschata</i>	H	0,5
ENV50_1	<i>Fragaria viridis</i>	H	1
ENV50_1	<i>Galium verum</i>	H	1
ENV50_1	<i>Helictotrichon pubescens</i>	H	2
ENV50_1	<i>Hypericum perforatum</i>	H	0,1
ENV50_1	<i>Chamaecytisus ratisbonensis</i>	H	2
ENV50_1	<i>Inula salicina</i>	H	10
ENV50_1	<i>Knautia arvensis</i>	H	10
ENV50_1	<i>Leucanthemum vulgare</i>	H	0,01
ENV50_1	<i>Ligustrum vulgare</i>	juv.	1
ENV50_1	<i>Lotus corniculatus</i> var. <i>hirsutus</i>	H	1
ENV50_1	<i>Medicago falcata</i>	H	7
ENV50_1	<i>Orchis militaris</i>	H	0,01
ENV50_1	<i>Pimpinella saxifraga</i>	H	0,1
ENV50_1	<i>Plantago lanceolata</i>	H	0,1
ENV50_1	<i>Plantago media</i>	H	0,1
ENV50_1	<i>Primula veris</i>	H	5
ENV50_1	<i>Prunus spinosa</i>	juv.	1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV50_1	<i>Pulsatilla grandis</i>	H	0,1
ENV50_1	<i>Ranunculus polyanthemos</i>	H	0,1
ENV50_1	<i>Rosa</i> sp.	juv.	0,1
ENV50_1	<i>Salvia pratensis</i>	H	2
ENV50_1	<i>Sanguisorba minor</i>	H	0,1
ENV50_1	<i>Teucrium chamaedrys</i>	H	3
ENV50_1	<i>Thymus glabrescens</i>	H	0,01
ENV50_1	<i>Tragopogon pratensis</i> agg.	H	0,01
ENV50_1	<i>Trifolium montanum</i>	H	2
ENV50_1	<i>Veronica chamaedrys</i> agg.	H	0,1
ENV50_1	<i>Veronica spicata</i>	H	0,1
ENV50_1	<i>Viola hirta</i>	H	0,5
ENV50_2	<i>Agrimonia eupatoria</i>	H	0,1
ENV50_2	<i>Achillea millefolium</i> agg.	H	0,01
ENV50_2	<i>Arrhenatherum elatius</i>	H	20
ENV50_2	<i>Astragalus glycyphyllos</i>	H	0,5
ENV50_2	<i>Brachypodium pinnatum</i>	H	10
ENV50_2	<i>Bromus erectus</i>	H	15
ENV50_2	<i>Cirsium arvense</i>	H	0,1
ENV50_2	<i>Colchicum autumnale</i>	H	0,01
ENV50_2	<i>Cornus sanguinea</i>	juv.	1
ENV50_2	<i>Crataegus monogyna</i> agg.	S	10
ENV50_2	<i>Crataegus monogyna</i> agg.	juv.	3
ENV50_2	<i>Dactylis glomerata</i>	H	3
ENV50_2	<i>Euonymus europaeus</i>	juv.	1
ENV50_2	<i>Euphorbia cyparissias</i>	H	0,01
ENV50_2	<i>Festuca rupicola</i>	H	1
ENV50_2	<i>Fragaria vesca</i>	H	0,5
ENV50_2	<i>Fraxinus excelsior</i>	juv.	0,5
ENV50_2	<i>Galium album</i>	H	0,5
ENV50_2	<i>Galium verum</i>	H	1
ENV50_2	<i>Helictotrichon pubescens</i>	H	1
ENV50_2	<i>Hypericum perforatum</i>	H	0,01
ENV50_2	<i>Inula salicina</i>	H	10
ENV50_2	<i>Knautia arvensis</i>	H	0,1
ENV50_2	<i>Ligustrum vulgare</i>	S	3
ENV50_2	<i>Ligustrum vulgare</i>	juv.	0,5
ENV50_2	<i>Lotus corniculatus</i> var. <i>hirsutus</i>	H	0,1
ENV50_2	<i>Medicago falcata</i>	H	2
ENV50_2	<i>Pimpinella saxifraga</i>	H	0,1
ENV50_2	<i>Poa angustifolia</i>	H	0,5
ENV50_2	<i>Potentilla reptans</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV50_2	<i>Prunus spinosa</i>	S	15
ENV50_2	<i>Prunus spinosa</i>	juv.	5
ENV50_2	<i>Ranunculus polyanthemos</i>	H	0,1
ENV50_2	<i>Rosa canina</i> agg.	juv.	0,5
ENV50_2	<i>Rosa</i> sp. (hairy)	S	0,5
ENV50_2	<i>Rosa</i> sp. (hairy)	juv.	0,1
ENV50_2	<i>Salvia pratensis</i>	H	0,1
ENV50_2	<i>Sanguisorba minor</i>	H	0,1
ENV50_2	<i>Silene vulgaris</i>	H	0,01
ENV50_2	<i>Veronica chamaedrys</i> agg.	H	0,1
ENV50_2	<i>Vicia cracca</i>	H	0,1
ENV50_2	<i>Viola hirta</i>	H	0,1
ENV50_2	<i>Viola rupestris</i>	H	0,01
ENV51_1	<i>Agrimonia eupatoria</i>	H	0,1
ENV51_1	<i>Achillea millefolium</i> agg.	H	0,1
ENV51_1	<i>Arrhenatherum elatius</i>	H	15
ENV51_1	<i>Artemisia vulgaris</i>	H	0,1
ENV51_1	<i>Astragalus</i> cf. <i>cicer</i>	H	2
ENV51_1	<i>Brachypodium pinnatum</i>	H	15
ENV51_1	<i>Bupleurum falcatum</i>	H	0,1
ENV51_1	<i>Calamagrostis epigejos</i>	H	1
ENV51_1	<i>Campanula</i> cf. <i>rapunculoides</i>	H	0,01
ENV51_1	<i>Centaurea scabiosa</i>	H	0,1
ENV51_1	<i>Cirsium arvense</i>	H	0,5
ENV51_1	<i>Convolvulus arvensis</i>	H	0,01
ENV51_1	<i>Cornus sanguinea</i>	S	13
ENV51_1	<i>Cornus sanguinea</i>	juv.	0,5
ENV51_1	<i>Daucus carota</i>	H	0,1
ENV51_1	<i>Festuca rupicola</i>	H	10
ENV51_1	<i>Fragaria viridis</i>	H	7
ENV51_1	<i>Galium verum</i>	H	0,1
ENV51_1	<i>Geranium pratense</i>	H	0,1
ENV51_1	<i>Helictotrichon pubescens</i>	H	1
ENV51_1	<i>Hypericum perforatum</i>	H	0,1
ENV51_1	<i>Knautia arvensis</i>	H	5
ENV51_1	<i>Lathyrus pratensis</i>	H	5
ENV51_1	<i>Medicago lupulina</i>	H	0,1
ENV51_1	<i>Melampyrum arvense</i>	H	0,01
ENV51_1	<i>Ononis spinosa</i>	H	0,01
ENV51_1	<i>Origanum vulgare</i>	H	0,5
ENV51_1	<i>Pimpinella saxifraga</i>	H	0,5
ENV51_1	<i>Plantago media</i>	H	0,1
ENV51_1	<i>Poa angustifolia</i>	H	2

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV51_1	<i>Polygala major</i>	H	0,1
ENV51_1	<i>Potentilla heptaphylla</i>	H	0,01
ENV51_1	<i>Prunus spinosa</i>	S	5
ENV51_1	<i>Prunus spinosa</i>	juv.	0,5
ENV51_1	<i>Rosa canina</i> agg.	S	3
ENV51_1	<i>Rosa canina</i> agg.	juv.	0,1
ENV51_1	<i>Salvia pratensis</i>	H	0,5
ENV51_1	<i>Sanguisorba minor</i>	H	0,1
ENV51_1	<i>Securigera varia</i>	H	0,1
ENV51_1	<i>Veronica chamaedrys</i> agg.	H	0,5
ENV51_1	<i>Vicia cracca</i>	H	0,1
ENV51_1	<i>Viola hirta</i>	H	0,5
ENV51_2	<i>Achillea millefolium</i> agg.	H	0,1
ENV51_2	<i>Allium</i> cf. <i>oleraceum</i>	H	0,1
ENV51_2	<i>Anthyllis vulneraria</i>	H	2
ENV51_2	<i>Arrhenatherum elatius</i>	H	0,1
ENV51_2	<i>Asperula cynanchica</i>	H	0,1
ENV51_2	<i>Aster amellus</i>	H	5
ENV51_2	<i>Brachypodium pinnatum</i>	H	20
ENV51_2	<i>Briza media</i>	H	8
ENV51_2	<i>Bupleurum falcatum</i>	H	0,1
ENV51_2	<i>Campanula</i> cf. <i>rapunculoides</i>	H	0,01
ENV51_2	<i>Carex caryophyllea</i>	H	5
ENV51_2	<i>Carex michelii</i>	H	1
ENV51_2	<i>Centaurea scabiosa</i>	H	1
ENV51_2	<i>Centaurea scabiosa</i>	H	1
ENV51_2	<i>Dactylis glomerata</i>	H	2
ENV51_2	<i>Daucus carota</i>	H	0,1
ENV51_2	<i>Dorycnium germanicum</i>	H	15
ENV51_2	<i>Euphorbia cyparissias</i>	H	0,1
ENV51_2	<i>Festuca rupicola</i>	H	5
ENV51_2	<i>Galium verum</i>	H	0,5
ENV51_2	<i>Helianthemum grandiflorum</i>	H	3
ENV51_2	<i>Helictotrichon pubescens</i>	H	1
ENV51_2	<i>Hypericum perforatum</i>	H	0,01
ENV51_2	<i>Chamaecytisus supinus</i>	H	1
ENV51_2	<i>Knautia arvensis</i>	H	1
ENV51_2	<i>Koeleria macrantha</i>	H	0,5
ENV51_2	<i>Koeleria pyramidata</i>	H	3
ENV51_2	<i>Leontodon hispidus</i>	H	0,01
ENV51_2	<i>Leucanthemum vulgare</i>	H	0,5
ENV51_2	<i>Ligustrum vulgare</i>	juv.	0,01
ENV51_2	<i>Lotus corniculatus</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV51_2	<i>Medicago lupulina</i>	H	0,1
ENV51_2	<i>Melampyrum arvense</i>	H	0,1
ENV51_2	<i>Onobrychis arenaria</i>	H	8
ENV51_2	<i>Orchis militaris</i>	H	0,5
ENV51_2	<i>Pilosella officinarum</i>	H	0,1
ENV51_2	<i>Pimpinella saxifraga</i>	H	1
ENV51_2	<i>Plantago lanceolata</i>	H	0,5
ENV51_2	<i>Plantago media</i>	H	1
ENV51_2	<i>Poa angustifolia</i>	H	0,5
ENV51_2	<i>Polygala major</i>	H	2
ENV51_2	<i>Potentilla heptaphylla</i>	H	0,1
ENV51_2	<i>Prunella grandiflora</i>	H	2
ENV51_2	<i>Pulsatilla grandis</i>	H	1
ENV51_2	<i>Quercus</i> sp.	juv.	0,1
ENV51_2	<i>Ranunculus polyanthemos</i>	H	0,1
ENV51_2	<i>Rosa</i> sp.	juv.	0,01
ENV51_2	<i>Salvia pratensis</i>	H	0,1
ENV51_2	<i>Sanguisorba minor</i>	H	2
ENV51_2	<i>Scabiosa ochroleuca</i>	H	1
ENV51_2	<i>Scabiosa</i> sp.	H	0,1
ENV51_2	<i>Seseli annuum</i>	H	0,1
ENV51_2	<i>Teucrium chamaedrys</i>	H	15
ENV51_2	<i>Thymus glabrescens</i>	H	4
ENV51_2	<i>Trifolium montanum</i>	H	5
ENV51_2	<i>Viola hirta</i>	H	0,5
ENV52_1	<i>Acer</i> sp.	seedl	0,01
ENV52_1	<i>Agrimonia eupatoria</i>	H	0,1
ENV52_1	<i>Achillea millefolium</i> agg.	H	0,1
ENV52_1	<i>Arrhenatherum elatius</i>	H	5
ENV52_1	<i>Aster amellus</i>	H	0,1
ENV52_1	<i>Astragalus glycyphyllos</i>	H	0,1
ENV52_1	<i>Brachypodium pinnatum</i>	H	15
ENV52_1	<i>Briza media</i>	H	0,1
ENV52_1	<i>Calamagrostis epigejos</i>	H	6
ENV52_1	<i>Carex flacca</i>	H	2
ENV52_1	<i>Carex tomentosa</i>	H	6
ENV52_1	<i>Cirsium pannonicum</i>	H	7
ENV52_1	<i>Cornus sanguinea</i>	S	20
ENV52_1	<i>Cornus sanguinea</i>	juv.	10
ENV52_1	<i>Crataegus</i> sp.	juv.	0,1
ENV52_1	<i>Dactylis glomerata</i>	H	0,1
ENV52_1	<i>Eryngium campestre</i>	H	0,5
ENV52_1	<i>Euphorbia cyparissias</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV52_1	<i>Festuca rupicola</i>	H	1
ENV52_1	<i>Fragaria vesca</i>	H	2
ENV52_1	<i>Frangula alnus</i>	S	0,5
ENV52_1	<i>Galium verum</i>	H	0,1
ENV52_1	<i>Gentiana cruciata</i>	H	0,01
ENV52_1	<i>Helictotrichon pubescens</i>	H	0,5
ENV52_1	<i>Hieracium umbellatum</i>	H	1
ENV52_1	<i>Chamaecytisus ratisbonensis</i>	H	15
ENV52_1	<i>Knautia arvensis</i>	H	2
ENV52_1	<i>Koeleria pyramidata</i>	H	0,01
ENV52_1	<i>Ligustrum vulgare</i>	S	5
ENV52_1	<i>Lotus corniculatus</i>	H	0,1
ENV52_1	<i>Medicago falcata</i>	H	0,1
ENV52_1	<i>Medicago lupulina</i>	H	0,1
ENV52_1	<i>Neotinea tridentata</i>	H	0,1
ENV52_1	<i>Pimpinella saxifraga</i>	H	0,1
ENV52_1	<i>Plantago media</i>	H	0,1
ENV52_1	<i>Poa angustifolia</i>	H	1
ENV52_1	<i>Polygala major</i>	H	0,01
ENV52_1	<i>Potentilla heptaphylla</i>	H	0,1
ENV52_1	<i>Prunella grandiflora</i>	H	0,5
ENV52_1	<i>Prunus spinosa</i>	juv.	0,5
ENV52_1	<i>Quercus</i> sp.	juv.	0,01
ENV52_1	<i>Ranunculus polyanthemus</i>	H	0,1
ENV52_1	<i>Rosa canina</i> agg.	juv.	1
ENV52_1	<i>Salvia pratensis</i>	H	3
ENV52_1	<i>Sanguisorba minor</i>	H	0,1
ENV52_1	<i>Seseli annuum</i>	H	0,1
ENV52_1	<i>Silene nutans</i>	H	0,01
ENV52_1	<i>Solidago virgaurea</i>	H	1
ENV52_1	<i>Teucrium chamaedrys</i>	H	0,1
ENV52_1	<i>Trifolium montanum</i>	H	0,1
ENV52_1	<i>Viola hirta</i>	H	0,5
ENV52_2	<i>Agrimonia eupatoria</i>	H	4
ENV52_2	<i>Achillea millefolium</i> agg.	H	0,5
ENV52_2	<i>Anthyllis vulneraria</i>	H	1
ENV52_2	<i>Arrhenatherum elatius</i>	H	0,5
ENV52_2	<i>Asperula cynanchica</i>	H	0,1
ENV52_2	<i>Aster amellus</i>	H	7
ENV52_2	<i>Brachypodium pinnatum</i>	H	20
ENV52_2	<i>Briza media</i>	H	3
ENV52_2	<i>Bromus erectus</i>	H	20
ENV52_2	<i>Campanula rapunculoides</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV52_2	<i>Carex caryophyllea</i>	H	1
ENV52_2	<i>Carex michelii</i>	H	0,5
ENV52_2	<i>Carex tomentosa</i>	H	0,1
ENV52_2	<i>Carlina vulgaris</i>	H	0,01
ENV52_2	<i>Centaurea scabiosa</i>	H	2
ENV52_2	<i>Centaurea stoebe</i>	H	0,01
ENV52_2	<i>Cornus sanguinea</i>	juv.	5
ENV52_2	<i>Euphorbia cyparissias</i>	H	0,5
ENV52_2	<i>Festuca rupicola</i>	H	5
ENV52_2	<i>Fragaria viridis</i>	H	10
ENV52_2	<i>Galium verum</i>	H	2
ENV52_2	<i>Helictotrichon pubescens</i>	H	0,5
ENV52_2	<i>Hieracium umbellatum</i>	H	2
ENV52_2	<i>Hypericum perforatum</i>	H	0,1
ENV52_2	<i>Knautia arvensis</i>	H	5
ENV52_2	<i>Koeleria pyramidata</i>	H	2
ENV52_2	<i>Leontodon hispidus</i>	H	0,1
ENV52_2	<i>Leucanthemum vulgare</i>	H	0,1
ENV52_2	<i>Ligustrum vulgare</i>	juv.	1
ENV52_2	<i>Linum tenuifolium</i>	H	0,1
ENV52_2	<i>Lotus corniculatus</i> var. <i>hirsutus</i>	H	3
ENV52_2	<i>Lotus corniculatus</i> var. <i>hirsutus</i>	H	0,1
ENV52_2	<i>Medicago lupulina</i>	H	1
ENV52_2	<i>Neotinea tridentata</i>	H	0,1
ENV52_2	<i>Ononis spinosa</i>	H	2
ENV52_2	<i>Orchis militaris</i>	H	0,1
ENV52_2	<i>Pilosella</i> cf. <i>cymosa</i>	H	0,5
ENV52_2	<i>Pilosella officinarum</i>	H	0,5
ENV52_2	<i>Pimpinella saxifraga</i>	H	0,5
ENV52_2	<i>Pinus sylvestris</i>	juv.	0,01
ENV52_2	<i>Plantago media</i>	H	0,5
ENV52_2	<i>Polygala major</i>	H	5
ENV52_2	<i>Potentilla heptaphylla</i>	H	0,1
ENV52_2	<i>Prunella grandiflora</i>	H	2
ENV52_2	<i>Prunella laciniata</i>	H	0,5
ENV52_2	<i>Ranunculus polyanthemos</i>	H	0,5
ENV52_2	<i>Rosa canina</i> agg.	juv.	0,1
ENV52_2	<i>Salvia pratensis</i>	H	0,1
ENV52_2	<i>Sanguisorba minor</i>	H	0,5
ENV52_2	<i>Scabiosa ochroleuca</i>	H	0,5
ENV52_2	<i>Securigera varia</i>	H	0,5
ENV52_2	<i>Senecio jacobaea</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV52_2	<i>Seseli annuum</i>	H	0,5
ENV52_2	<i>Solidago virgaurea</i>	H	0,5
ENV52_2	<i>Teucrium chamaedrys</i>	H	10
ENV52_2	<i>Thesium dollineri</i>	H	0,1
ENV52_2	<i>Thymus glabrescens</i>	H	15
ENV52_2	<i>Tragopogon pratensis</i> agg.	H	0,1
ENV52_2	<i>Trifolium montanum</i>	H	1
ENV52_2	<i>Viburnum opulus</i>	juv.	0,1
ENV52_2	<i>Vicia cracca</i>	H	0,01
ENV52_2	<i>Viola rupestris</i>	H	0,5
ENV53_1	<i>Agrimonia eupatoria</i>	H	0,1
ENV53_1	<i>Achillea millefolium</i> agg.	H	0,1
ENV53_1	<i>Allium oleraceum</i>	H	0,01
ENV53_1	<i>Angelica sylvestris</i>	H	0,1
ENV53_1	<i>Anthriscus sylvestris</i>	H	0,1
ENV53_1	<i>Arrhenatherum elatius</i>	H	10
ENV53_1	<i>Asteraceae</i>	H	0,1
ENV53_1	<i>Astragalus glycyphyllos</i>	H	0,1
ENV53_1	<i>Brachypodium pinnatum</i>	H	35
ENV53_1	<i>Briza media</i>	H	1
ENV53_1	<i>Carex flacca</i>	H	0,1
ENV53_1	<i>Carex tomentosa</i>	H	0,5
ENV53_1	<i>Carlina acaulis</i>	H	0,1
ENV53_1	<i>Centaurea jacea</i>	H	0,5
ENV53_1	<i>Centaurea scabiosa</i>	H	2
ENV53_1	<i>Cirsium arvense</i>	H	2
ENV53_1	<i>Colchicum autumnale</i>	H	0,1
ENV53_1	<i>Cornus sanguinea</i>	juv.	0,1
ENV53_1	<i>Crataegus monogyna</i> agg.	juv.	0,1
ENV53_1	<i>Dactylis glomerata</i>	H	3
ENV53_1	<i>Daucus carota</i>	H	0,1
ENV53_1	<i>Euphorbia cyparissias</i>	H	0,1
ENV53_1	<i>Festuca rubra</i>	H	7
ENV53_1	<i>Festuca rupicola</i>	H	1
ENV53_1	<i>Fragaria viridis</i>	H	15
ENV53_1	<i>Galium album</i>	H	5
ENV53_1	<i>Helictotrichon pubescens</i>	H	5
ENV53_1	<i>Heracleum sphondylium</i>	H	0,1
ENV53_1	<i>Hypericum perforatum</i>	H	0,1
ENV53_1	<i>Chaerophyllum aromaticum</i>	H	2
ENV53_1	<i>Knautia arvensis</i>	H	2
ENV53_1	<i>Koeleria pyramidata</i>	H	3
ENV53_1	<i>Lotus corniculatus</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV53_1	<i>Medicago lupulina</i>	H	0,1
ENV53_1	<i>Pimpinella saxifraga</i>	H	0,5
ENV53_1	<i>Poa angustifolia</i>	H	2
ENV53_1	<i>Poa compressa</i>	H	0,1
ENV53_1	<i>Polygala comosa</i>	H	0,1
ENV53_1	<i>Primula veris</i>	H	2
ENV53_1	<i>Prunella grandiflora</i>	H	0,5
ENV53_1	<i>Pyrus communis</i> agg.	juv.	0,1
ENV53_1	<i>Ranunculus polyanthemos</i>	H	0,1
ENV53_1	<i>Robinia pseudoacacia</i>	seedl	0,01
ENV53_1	<i>Rosa</i> sp.	juv.	0,1
ENV53_1	<i>Sanguisorba minor</i>	H	0,1
ENV53_1	<i>Valeriana officinalis</i> agg.	H	0,1
ENV53_1	<i>Veronica chamaedrys</i> agg.	H	0,5
ENV53_1	<i>Viola</i> cf. <i>riviniana</i>	H	0,1
ENV53_1	<i>Viola hirta</i>	H	0,5
ENV53_1	<i>Viola odorata</i>	H	0,1
ENV54_1	<i>Achillea millefolium</i> agg.	H	0,1
ENV54_1	<i>Astragalus onobrychis</i>	H	0,1
ENV54_1	<i>Bothriochloa ischaemum</i>	H	0,1
ENV54_1	<i>Echium vulgare</i>	H	0,1
ENV54_1	<i>Elymus hispidus</i>	H	15
ENV54_1	<i>Erodium cicutarium</i>	H	0,01
ENV54_1	<i>Eryngium campestre</i>	H	2
ENV54_1	<i>Euphorbia esula</i>	H	0,1
ENV54_1	<i>Festuca rupicola</i>	H	15
ENV54_1	<i>Festuca valesiaca</i>	H	0,1
ENV54_1	<i>Koeleria</i> sp.	H	0,1
ENV54_1	<i>Medicago falcata</i>	H	0,1
ENV54_1	<i>Nonea pulla</i>	H	0,1
ENV54_1	<i>Pimpinella saxifraga</i>	H	0,1
ENV54_1	<i>Poa pratensis</i> agg.	H	5
ENV54_1	<i>Securigera varia</i>	H	0,1
ENV54_1	<i>Stipa capillata</i>	H	15
ENV54_1	<i>Thesium dollineri</i>	H	0,01
ENV55_1	<i>Eryngium campestre</i>	H	1
ENV55_1	<i>Euphorbia cyparissias</i>	H	1
ENV55_1	<i>Falcaria vulgaris</i>	H	7
ENV55_1	<i>Festuca valesiaca</i>	H	35
ENV55_1	<i>Medicago minima</i>	H	0,1
ENV55_1	<i>Poa pratensis</i> agg.	H	0,01
ENV55_1	<i>Salvia nemorosa</i>	H	0,1
ENV55_1	<i>Securigera varia</i>	H	5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV55_1	<i>Sedum acre</i>	H	0,1
ENV55_1	<i>Thymus pannonicus</i>	H	25
ENV55_1	<i>Veronica prostrata</i>	H	0,1
ENV56_1	<i>Achillea millefolium</i> agg.	H	0,1
ENV56_1	<i>Allium oleraceum</i>	H	0,1
ENV56_1	<i>Arrhenatherum elatius</i>	H	5
ENV56_1	<i>Artemisia campestris</i>	H	0,1
ENV56_1	<i>Carex praecox</i>	H	0,1
ENV56_1	<i>Convolvulus arvensis</i>	H	0,1
ENV56_1	<i>Echium vulgare</i>	H	0,1
ENV56_1	<i>Elymus hispidus</i>	H	3
ENV56_1	<i>Eryngium campestre</i>	H	0,1
ENV56_1	<i>Erysimum virgatum</i> agg.	H	0,01
ENV56_1	<i>Euphorbia cyparissias</i>	H	1
ENV56_1	<i>Falcaria vulgaris</i>	H	1
ENV56_1	<i>Festuca valesiaca</i>	H	25
ENV56_1	<i>Medicago falcata</i>	H	0,1
ENV56_1	<i>Pimpinella saxifraga</i>	H	0,1
ENV56_1	<i>Poa pratensis</i> agg.	H	1
ENV56_1	<i>Potentilla argentea</i>	H	1
ENV56_1	<i>Salvia pratensis</i>	H	0,01
ENV56_1	<i>Securigera varia</i>	H	0,1
ENV56_1	<i>Silene latifolia</i>	H	0,1
ENV56_1	<i>Stipa capillata</i>	H	0,1
ENV56_1	<i>Veronica hederifolia</i> agg.	H	0,01
ENV56_1	<i>Vicia villosa</i> subsp. <i>villosa</i>	H	0,1
ENV57_1	<i>Achillea millefolium</i> agg.	H	0,1
ENV57_1	<i>Alyssum alyssoides</i>	H	0,1
ENV57_1	<i>Bromus inermis</i>	H	0,1
ENV57_1	<i>Bromus tectorum</i>	H	0,01
ENV57_1	<i>Centaurea stoebe</i>	H	0,01
ENV57_1	<i>Echium vulgare</i>	H	0,1
ENV57_1	<i>Elymus hispidus</i>	H	4
ENV57_1	<i>Erodium cicutarium</i>	H	0,1
ENV57_1	<i>Eryngium campestre</i>	H	2
ENV57_1	<i>Euphorbia cyparissias</i>	H	0,1
ENV57_1	<i>Euphorbia helioscopia</i>	H	0,01
ENV57_1	<i>Falcaria vulgaris</i>	H	3
ENV57_1	<i>Festuca valesiaca</i>	H	30
ENV57_1	<i>Microthlaspi perfoliatum</i>	H	0,01
ENV57_1	<i>Muscari comosum</i>	H	4
ENV57_1	<i>Nonea pulla</i>	H	0,01
ENV57_1	<i>Poa pratensis</i> agg.	H	4

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV57_1	<i>Reseda lutea</i>	H	0,01
ENV57_1	<i>Robinia pseudoacacia</i>	juv.	0,1
ENV57_1	<i>Salvia nemorosa</i>	H	1
ENV57_1	<i>Securigera varia</i>	H	1
ENV57_1	<i>Sedum acre</i>	H	0,1
ENV58_1	<i>Agrimonia eupatoria</i>	H	0,5
ENV58_1	<i>Achillea millefolium</i> agg.	H	0,5
ENV58_1	<i>Anemone sylvestris</i>	H	3
ENV58_1	<i>Brachypodium pinnatum</i>	H	10
ENV58_1	<i>Bromus inermis</i>	H	10
ENV58_1	<i>Carex caryophyllea</i>	H	3
ENV58_1	<i>Carex michelii</i>	H	3
ENV58_1	<i>Carex tomentosa</i>	H	3
ENV58_1	<i>Centaurea scabiosa</i>	H	3
ENV58_1	<i>Cornus sanguinea</i>	juv.	3
ENV58_1	<i>Crataegus</i> sp.	juv.	0,5
ENV58_1	<i>Dactylis glomerata</i>	H	3
ENV58_1	<i>Dorycnium pentaphyllum</i> agg.	H	3
ENV58_1	<i>Eryngium campestre</i>	H	0,5
ENV58_1	<i>Festuca rupicola</i>	H	10
ENV58_1	<i>Fragaria viridis</i>	H	0,5
ENV58_1	<i>Galatella linosyris</i>	H	0,5
ENV58_1	<i>Galium verum</i>	H	0,5
ENV58_1	<i>Hypericum perforatum</i>	H	0,1
ENV58_1	<i>Chamaecytisus austriacus</i>	H	10
ENV58_1	<i>Lathyrus latifolius</i>	H	3
ENV58_1	<i>Ligustrum vulgare</i>	juv.	3
ENV58_1	<i>Melampyrum arvense</i>	H	3
ENV58_1	<i>Muscari comosum</i>	H	0,5
ENV58_1	<i>Origanum vulgare</i>	H	0,5
ENV58_1	<i>Peucedanum cervaria</i>	H	0,5
ENV58_1	<i>Plantago media</i>	H	3
ENV58_1	<i>Poa pratensis</i> agg.	H	0,5
ENV58_1	<i>Prunus</i> sp.	juv.	0,5
ENV58_1	<i>Ranunculus polyanthemus</i>	H	0,5
ENV58_1	<i>Rosa canina</i> agg.	juv.	0,5
ENV58_1	<i>Sanguisorba minor</i>	H	0,5
ENV58_1	<i>Scabiosa ochroleuca</i>	H	0,5
ENV58_1	<i>Securigera varia</i>	H	0,1
ENV58_1	<i>Syringa vulgaris</i>	juv.	0,5
ENV58_1	<i>Teucrium chamaedrys</i>	H	10
ENV58_1	<i>Thesium linophyllum</i>	H	0,5
ENV58_1	<i>Thymus praecox</i>	H	0,5

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV58_1	<i>Viola hirta</i>	H	3
ENV58_2	<i>Acinos arvensis</i>	H	0,1
ENV58_2	<i>Agrimonia eupatoria</i>	H	0,5
ENV58_2	<i>Achillea millefolium</i> agg.	H	0,5
ENV58_2	<i>Arenaria serpyllifolia</i>	H	0,1
ENV58_2	<i>Arrhenatherum elatius</i>	H	3
ENV58_2	<i>Astragalus glycyphyllos</i>	H	0,5
ENV58_2	<i>Brachypodium pinnatum</i>	H	10
ENV58_2	<i>Carlina vulgaris</i>	H	0,5
ENV58_2	<i>Centaurea scabiosa</i>	H	3
ENV58_2	<i>Cornus sanguinea</i>	juv.	3
ENV58_2	<i>Crataegus</i> sp.	juv.	10
ENV58_2	<i>Dactylis glomerata</i>	H	0,5
ENV58_2	<i>Daucus carota</i>	H	0,1
ENV58_2	<i>Erigeron annuus</i>	H	0,5
ENV58_2	<i>Falcaria vulgaris</i>	H	3
ENV58_2	<i>Festuca rupicola</i>	H	0,5
ENV58_2	<i>Galium verum</i>	H	10
ENV58_2	<i>Lathyrus tuberosus</i>	H	3
ENV58_2	<i>Lepidium campestre</i>	H	0,5
ENV58_2	<i>Medicago minima</i>	H	0,5
ENV58_2	<i>Nonea pulla</i>	H	0,5
ENV58_2	<i>Picris hieracioides</i>	H	0,5
ENV58_2	<i>Poa pratensis</i> agg.	H	10
ENV58_2	<i>Polygala major</i>	H	3
ENV58_2	<i>Prunus</i> sp.	juv.	3
ENV58_2	<i>Ranunculus polyanthemos</i>	H	0,5
ENV58_2	<i>Rosa canina</i> agg.	juv.	0,5
ENV58_2	<i>Scabiosa ochroleuca</i>	H	0,5
ENV58_2	<i>Securigera varia</i>	H	0,5
ENV58_2	<i>Taraxacum</i> sect. <i>Taraxacum</i>	H	0,1
ENV59_1	<i>Agrimonia eupatoria</i>	H	2
ENV59_1	<i>Achillea millefolium</i> agg.	H	0,1
ENV59_1	<i>Anthriscus sylvestris</i>	H	0,1
ENV59_1	<i>Arrhenatherum elatius</i>	H	2
ENV59_1	<i>Brachypodium pinnatum</i>	H	20
ENV59_1	<i>Bupleurum falcatum</i>	H	0,01
ENV59_1	<i>Carduus acanthoides</i>	H	0,1
ENV59_1	<i>Centaurea scabiosa</i>	H	5
ENV59_1	<i>Dactylis glomerata</i>	H	15
ENV59_1	<i>Elymus hispidus</i>	H	2
ENV59_1	<i>Erigeron annuus</i>	H	0,1
ENV59_1	<i>Euphorbia cyparissias</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV59_1	<i>Falcaria vulgaris</i>	H	1
ENV59_1	<i>Fallopia convolvulus</i>	H	0,1
ENV59_1	<i>Festuca rupicola</i>	H	7
ENV59_1	<i>Chenopodium album</i> agg.	H	0,1
ENV59_1	<i>Lathyrus tuberosus</i>	H	1
ENV59_1	<i>Medicago falcata</i>	H	0,01
ENV59_1	<i>Medicago x varia</i>	H	0,01
ENV59_1	<i>Melilotus officinalis</i>	H	1
ENV59_1	<i>Plantago lanceolata</i>	H	0,1
ENV59_1	<i>Plantago media</i>	H	0,1
ENV59_1	<i>Poa pratensis</i> agg.	H	1
ENV59_1	<i>Potentilla argentea</i>	H	1
ENV59_1	<i>Salvia nemorosa</i>	H	10
ENV59_1	<i>Securigera varia</i>	H	5
ENV59_1	<i>Silene latifolia</i>	H	0,01
ENV59_1	<i>Silene vulgaris</i>	H	2
ENV59_1	<i>Sonchus arvensis</i>	H	0,1
ENV59_1	<i>Tragopogon dubius</i>	H	0,01
ENV59_1	<i>Trifolium arvense</i>	H	0,1
ENV59_1	<i>Trifolium dubium</i>	H	0,01
ENV59_1	<i>Vicia</i> sp.	H	0,01
ENV60_1	<i>Agrostis vinealis</i>	H	0,1
ENV60_1	<i>Achillea millefolium</i> agg.	H	1
ENV60_1	<i>Bothriochloa ischaemum</i>	H	2
ENV60_1	<i>Carex supina</i>	H	0,1
ENV60_1	<i>Dianthus carthusianorum</i> agg.	H	0,1
ENV60_1	<i>Echium vulgare</i>	H	0,1
ENV60_1	<i>Elymus hispidus</i>	H	2
ENV60_1	<i>Eryngium campestre</i>	H	0,1
ENV60_1	<i>Festuca ovina</i>	H	7
ENV60_1	<i>Festuca rupicola</i>	H	8
ENV60_1	<i>Galium verum</i>	H	5
ENV60_1	<i>Helictotrichon pratense</i>	H	2
ENV60_1	<i>Hypericum perforatum</i>	H	0,1
ENV60_1	<i>Chondrilla juncea</i>	H	0,1
ENV60_1	<i>Koeleria macrantha</i>	H	2
ENV60_1	<i>Melica transsilvanica</i>	H	0,1
ENV60_1	<i>Phleum phleoides</i>	H	1
ENV60_1	<i>Plantago lanceolata</i>	H	0,1
ENV60_1	<i>Poa pratensis</i> agg.	H	10
ENV60_1	<i>Potentilla argentea</i>	H	0,1
ENV60_1	<i>Potentilla incana</i>	H	8
ENV60_1	<i>Prunus</i> sp.	juv.	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV60_1	<i>Rosa canina</i> agg.	juv.	0,1
ENV60_1	<i>Rumex acetosa</i>	H	1
ENV60_1	<i>Sedum sexangulare</i>	H	0,01
ENV60_1	<i>Stipa capillata</i>	H	20
ENV60_1	<i>Trifolium alpestre</i>	H	0,1
ENV60_1	<i>Trifolium arvense</i>	H	0,01
ENV60_1	<i>Verbascum phoeniceum</i>	H	0,1
ENV60_1	<i>Veronica prostrata</i>	H	0,1
ENV60_1	<i>Veronica spicata</i>	H	2
ENV60_2	<i>Achillea millefolium</i> agg.	H	3
ENV60_2	<i>Arrhenatherum elatius</i>	H	5
ENV60_2	<i>Artemisia campestris</i>	H	1
ENV60_2	<i>Berteroa incana</i> subsp. <i>incana</i>	H	0,1
ENV60_2	<i>Echium vulgare</i>	H	0,1
ENV60_2	<i>Festuca rupicola</i>	H	40
ENV60_2	<i>Galium verum</i>	H	2
ENV60_2	<i>Chenopodium album</i> agg.	H	0,01
ENV60_2	<i>Koeleria macrantha</i>	H	1
ENV60_2	<i>Melica transsilvanica</i>	H	0,1
ENV60_2	<i>Phleum phleoides</i>	H	2
ENV60_2	<i>Poa pratensis</i> agg.	H	2
ENV60_2	<i>Potentilla argentea</i>	H	20
ENV60_2	<i>Rosa canina</i> agg.	S	1
ENV60_2	<i>Rumex acetosa</i>	H	0,1
ENV60_2	<i>Silene latifolia</i>	H	1
ENV60_2	<i>Trifolium arvense</i>	H	0,1
ENV60_2	<i>Trifolium campestre</i>	H	0,1
ENV60_2	<i>Vicia hirsuta</i>	H	2
ENV61_1	<i>Agrimonia eupatoria</i>	H	0,1
ENV61_1	<i>Achillea millefolium</i> agg.	H	2
ENV61_1	<i>Anthoxanthum odoratum</i>	H	0,1
ENV61_1	<i>Arrhenatherum elatius</i>	H	12
ENV61_1	<i>Bromus erectus</i>	H	1
ENV61_1	<i>Calamagrostis epigejos</i>	H	0,1
ENV61_1	<i>Carex praecox</i>	H	38
ENV61_1	<i>Convolvulus arvensis</i>	H	0,1
ENV61_1	<i>Dactylis glomerata</i>	H	2
ENV61_1	<i>Eryngium campestre</i>	H	1
ENV61_1	<i>Festuca valesiaca</i>	H	7
ENV61_1	<i>Fragaria viridis</i>	H	15
ENV61_1	<i>Galium album</i> subsp. <i>album</i>	H	0,1
ENV61_1	<i>Galium verum</i>	H	2

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV61_1	<i>Hypericum perforatum</i>	H	0,1
ENV61_1	<i>Linaria vulgaris</i>	H	0,1
ENV61_1	<i>Luzula campestris</i> agg.	H	0,1
ENV61_1	<i>Pimpinella saxifraga</i>	H	0,1
ENV61_1	<i>Plantago lanceolata</i>	H	0,1
ENV61_1	<i>Poa pratensis</i> agg.	H	3
ENV61_1	<i>Potentilla argentea</i>	H	0,1
ENV61_1	<i>Prunus spinosa</i>	S	1
ENV61_1	<i>Rosa canina</i> agg.	S	1
ENV61_1	<i>Securigera varia</i>	H	0,1
ENV61_1	<i>Trifolium campestre</i>	H	1
ENV61_1	<i>Veronica chamaedrys</i> agg.	H	0,1
ENV61_1	<i>Vicia hirsuta</i>	H	0,01
ENV62_1	<i>Artemisia absinthium</i>	H	0,01
ENV62_1	<i>Bromus japonicus</i>	H	0,01
ENV62_1	<i>Centaurea stoebe</i>	H	0,1
ENV62_1	<i>Elymus hispidus</i>	H	2
ENV62_1	<i>Elymus repens</i>	H	1
ENV62_1	<i>Eryngium campestre</i>	H	0,1
ENV62_1	<i>Euphorbia cyparissias</i>	H	0,1
ENV62_1	<i>Festuca valesiaca</i>	H	15
ENV62_1	<i>Lycium barbarum</i>	H	1
ENV62_1	<i>Medicago falcata</i>	H	1
ENV62_1	<i>Medicago x varia</i>	H	2
ENV62_1	<i>Poa pratensis</i> agg.	H	0,1
ENV62_1	<i>Potentilla recta</i>	H	0,1
ENV62_1	<i>Salvia nemorosa</i>	H	3
ENV62_1	<i>Securigera varia</i>	H	0,1
ENV62_1	<i>Setaria viridis</i>	H	0,1
ENV62_1	<i>Stipa capillata</i>	H	12
ENV63_1	<i>Agrimonia eupatoria</i>	H	1
ENV63_1	<i>Achillea millefolium</i> agg.	H	1
ENV63_1	<i>Achillea millefolium</i> agg.	H	0,1
ENV63_1	<i>Anemone sylvestris</i>	H	0,1
ENV63_1	<i>Astragalus cicer</i>	H	1
ENV63_1	<i>Brachypodium pinnatum</i>	H	20
ENV63_1	<i>Bromus erectus</i>	H	7
ENV63_1	<i>Bupleurum falcatum</i>	H	0,1
ENV63_1	<i>Carex tomentosa</i>	H	15
ENV63_1	<i>Carlina acaulis</i>	H	1
ENV63_1	<i>Carlina vulgaris</i>	H	1
ENV63_1	<i>Centaurea scabiosa</i>	H	2
ENV63_1	<i>Cornus sanguinea</i>	juv.	20

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV63_1	<i>Daucus carota</i>	H	0,01
ENV63_1	<i>Eryngium campestre</i>	H	1
ENV63_1	<i>Euonymus europaeus</i>	juv.	0,1
ENV63_1	<i>Euphorbia virgata</i>	H	0,1
ENV63_1	<i>Festuca rupicola</i>	H	3
ENV63_1	<i>Galium album</i> subsp. <i>album</i>	H	3
ENV63_1	<i>Hieracium</i> sp.	H	0,1
ENV63_1	<i>Hieracium umbellatum</i>	H	0,1
ENV63_1	<i>Chamaecytisus austriacus</i>	H	1
ENV63_1	<i>Knautia arvensis</i>	H	1
ENV63_1	<i>Lathyrus tuberosus</i>	H	0,1
ENV63_1	<i>Linum catharticum</i>	H	0,1
ENV63_1	<i>Lotus maritimus</i>	H	0,1
ENV63_1	<i>Peucedanum alsaticum</i>	H	1
ENV63_1	<i>Plantago media</i>	H	1
ENV63_1	<i>Poa pratensis</i> agg.	H	1
ENV63_1	<i>Ranunculus polyanthemus</i>	H	0,1
ENV63_1	<i>Rosa</i> sp.	juv.	0,1
ENV63_1	<i>Rubus fruticosus</i> agg.	H	2
ENV63_1	<i>Salvia verticillata</i>	H	1
ENV63_1	<i>Sanguisorba minor</i>	H	0,1
ENV63_1	<i>Scabiosa ochroleuca</i>	H	0,1
ENV63_1	<i>Securigera varia</i>	H	0,1
ENV63_1	<i>Silene vulgaris</i>	H	0,01
ENV63_1	<i>Verbascum chaixii</i> subsp. <i>austriacum</i>	H	0,01
ENV63_1	<i>Viola odorata</i>	H	0,01
ENV64_1	<i>Achillea millefolium</i> agg.	H	0,1
ENV64_1	<i>Astragalus cicer</i>	H	0,1
ENV64_1	<i>Brachypodium pinnatum</i>	H	15
ENV64_1	<i>Elymus hispidus</i>	H	2
ENV64_1	<i>Eryngium campestre</i>	H	0,1
ENV64_1	<i>Erysimum diffusum</i>	H	0,1
ENV64_1	<i>Euphorbia cyparissias</i>	H	0,1
ENV64_1	<i>Euphorbia virgata</i>	H	0,1
ENV64_1	<i>Falcaria vulgaris</i>	H	0,1
ENV64_1	<i>Hypericum perforatum</i>	H	0,1
ENV64_1	<i>Ligustrum vulgare</i>	juv.	1
ENV64_1	<i>Melica transsilvanica</i>	H	0,1
ENV64_1	<i>Peucedanum alsaticum</i>	H	1
ENV64_1	<i>Poa pratensis</i> agg.	H	1
ENV64_1	<i>Potentilla recta</i>	H	0,1
ENV64_1	<i>Rosa canina</i> agg.	juv.	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV64_1	<i>Salvia nemorosa</i>	H	1
ENV64_1	<i>Salvia verticillata</i>	H	3
ENV64_1	<i>Securigera varia</i>	H	0,1
ENV64_1	<i>Verbascum chaixii</i> subsp. <i>austriacum</i>	H	1
ENV65_1	<i>Artemisia absinthium</i>	H	15
ENV65_1	<i>Bromus inermis</i>	H	3
ENV65_1	<i>Dactylis glomerata</i>	H	0,1
ENV65_1	<i>Elymus repens</i>	H	1
ENV65_1	<i>Falcaria vulgaris</i>	H	5
ENV65_1	<i>Hypericum perforatum</i>	H	0,1
ENV65_1	<i>Chenopodium album</i> agg.	H	0,1
ENV65_1	<i>Lamium purpureum</i>	H	2
ENV65_1	<i>Melica transsilvanica</i>	H	1
ENV65_1	<i>Saponaria officinalis</i>	H	0,1
ENV65_2	<i>Agrimonia eupatoria</i>	H	0,1
ENV65_2	<i>Achillea millefolium</i> agg.	H	0,1
ENV65_2	<i>Arrhenatherum elatius</i>	H	1
ENV65_2	<i>Brachypodium pinnatum</i>	H	35
ENV65_2	<i>Bupleurum falcatum</i>	H	0,01
ENV65_2	<i>Calamagrostis epigejos</i>	H	10
ENV65_2	<i>Carlina vulgaris</i>	H	1
ENV65_2	<i>Centaurea scabiosa</i>	H	2
ENV65_2	<i>Cornus sanguinea</i>	juv.	0,1
ENV65_2	<i>Dactylis glomerata</i>	H	0,1
ENV65_2	<i>Eryngium campestre</i>	H	0,1
ENV65_2	<i>Falcaria vulgaris</i>	H	0,1
ENV65_2	<i>Fragaria viridis</i>	H	0,1
ENV65_2	<i>Galium verum</i>	H	0,1
ENV65_2	<i>Gymnadenia conopsea</i> agg.	H	0,01
ENV65_2	<i>Hieracium umbellatum</i>	H	1
ENV65_2	<i>Hypericum perforatum</i>	H	0,1
ENV65_2	<i>Inula salicina</i>	H	1
ENV65_2	<i>Knautia arvensis</i>	H	0,1
ENV65_2	<i>Lotus corniculatus</i>	H	0,01
ENV65_2	<i>Lotus maritimus</i>	H	2
ENV65_2	<i>Melilotus officinalis</i>	H	0,1
ENV65_2	<i>Odontites luteus</i>	H	0,1
ENV65_2	<i>Peucedanum alsaticum</i>	H	0,1
ENV65_2	<i>Peucedanum cervaria</i>	H	0,1
ENV65_2	<i>Pilosella densiflora</i>	H	0,1
ENV65_2	<i>Pilosella officinarum</i>	H	0,1
ENV65_2	<i>Poa pratensis</i> agg.	H	1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV65_2	<i>Rosa</i> sp.	juv.	0,01
ENV65_2	<i>Sanguisorba minor</i>	H	0,1
ENV65_2	<i>Scabiosa ochroleuca</i>	H	0,1
ENV65_2	<i>Securigera varia</i>	H	0,1
ENV65_2	<i>Viola ambigua</i>	H	0,1
ENV66_1	<i>Achillea millefolium</i> agg.	H	0,1
ENV66_1	<i>Arrhenatherum elatius</i>	H	1
ENV66_1	<i>Asperula cynanchica</i>	H	0,1
ENV66_1	<i>Brachypodium pinnatum</i>	H	15
ENV66_1	<i>Bromus erectus</i>	H	10
ENV66_1	<i>Carex flacca</i>	H	5
ENV66_1	<i>Centaurea scabiosa</i>	H	0,1
ENV66_1	<i>Cornus sanguinea</i>	juv.	1
ENV66_1	<i>Dactylis glomerata</i>	H	0,1
ENV66_1	<i>Dorycnium pentaphyllum</i> agg.	H	2
ENV66_1	<i>Eryngium campestre</i>	H	0,1
ENV66_1	<i>Euphorbia virgata</i>	H	0,1
ENV66_1	<i>Falcaria vulgaris</i>	H	0,1
ENV66_1	<i>Festuca rupicola</i>	H	40
ENV66_1	<i>Fragaria viridis</i>	H	0,1
ENV66_1	<i>Galium verum</i>	H	4
ENV66_1	<i>Chamaecytisus ratisbonensis</i>	H	0,01
ENV66_1	<i>Ligustrum vulgare</i>	juv.	0,1
ENV66_1	<i>Medicago falcata</i>	H	0,1
ENV66_1	<i>Nonea pulla</i>	H	0,1
ENV66_1	<i>Pimpinella saxifraga</i>	H	0,01
ENV66_1	<i>Poa pratensis</i> agg.	H	0,1
ENV66_1	<i>Potentilla verna</i>	H	0,1
ENV66_1	<i>Prunus</i> sp.	juv.	0,01
ENV66_1	<i>Rosa canina</i> agg.	S	0,1
ENV66_1	<i>Rosa canina</i> agg.	juv.	0,1
ENV66_1	<i>Salvia pratensis</i>	H	3
ENV67_1	<i>Agrostis stolonifera</i>	H	0,1
ENV67_1	<i>Achillea millefolium</i> agg.	H	0,1
ENV67_1	<i>Achillea millefolium</i> agg.	H	0,1
ENV67_1	<i>Anemone sylvestris</i>	H	15
ENV67_1	<i>Arrhenatherum elatius</i>	H	2
ENV67_1	<i>Brachypodium pinnatum</i>	H	50
ENV67_1	<i>Bromus erectus</i>	H	0,1
ENV67_1	<i>Bupleurum falcatum</i>	H	0,1
ENV67_1	<i>Calamagrostis epigejos</i>	H	1
ENV67_1	<i>Campanula glomerata</i>	H	0,01
ENV67_1	<i>Carex praecox</i>	H	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV67_1	<i>Carlina acaulis</i>	H	0,1
ENV67_1	<i>Centaurea jacea</i>	H	0,1
ENV67_1	<i>Centaurea scabiosa</i>	H	5
ENV67_1	<i>Dactylis glomerata</i>	H	1
ENV67_1	<i>Daucus carota</i>	H	0,01
ENV67_1	<i>Euphorbia cyparissias</i>	H	0,1
ENV67_1	<i>Euphorbia virgata</i>	H	0,1
ENV67_1	<i>Festuca rupicola</i>	H	2
ENV67_1	<i>Galium verum</i>	H	1
ENV67_1	<i>Hieracium umbellatum</i>	H	0,1
ENV67_1	<i>Inula salicina</i>	H	1
ENV67_1	<i>Juglans regia</i>	juv.	0,01
ENV67_1	<i>Knautia arvensis</i>	H	0,1
ENV67_1	<i>Lathyrus tuberosus</i>	H	0,1
ENV67_1	<i>Leucanthemum vulgare</i>	H	0,01
ENV67_1	<i>Linaria vulgaris</i>	H	0,01
ENV67_1	<i>Linum catharticum</i>	H	0,1
ENV67_1	<i>Odontites luteus</i>	H	0,1
ENV67_1	<i>Onobrychis arenaria</i>	H	0,1
ENV67_1	<i>Ononis spinosa</i>	H	0,01
ENV67_1	<i>Peucedanum cervaria</i>	H	5
ENV67_1	<i>Plantago media</i>	H	0,1
ENV67_1	<i>Poa pratensis</i> agg.	H	2
ENV67_1	<i>Rosa canina</i> agg.	juv.	0,1
ENV67_1	<i>Sanguisorba minor</i>	H	0,1
ENV67_1	<i>Scabiosa ochroleuca</i>	H	0,1
ENV67_1	<i>Securigera varia</i>	H	0,1
ENV67_1	<i>Viola hirta</i>	H	0,1
ENV68_1	<i>Achillea millefolium</i> agg.	H	0,1
ENV68_1	<i>Allium flavum</i>	H	0,01
ENV68_1	<i>Arenaria serpyllifolia</i>	H	0,01
ENV68_1	<i>Arrhenatherum elatius</i>	H	5
ENV68_1	<i>Artemisia campestris</i>	H	0,5
ENV68_1	<i>Astragalus onobrychis</i>	H	0,1
ENV68_1	<i>Bothriochloa ischaemum</i>	H	2
ENV68_1	<i>Capsella bursa-pastoris</i>	H	0,01
ENV68_1	<i>Carex humilis</i>	H	5
ENV68_1	<i>Centaurea stoebe</i>	H	0,1
ENV68_1	<i>Dactylis glomerata</i>	H	2
ENV68_1	<i>Dianthus carthusianorum</i> agg.	H	0,1
ENV68_1	<i>Echium vulgare</i>	H	0,1
ENV68_1	<i>Elymus hispidus</i>	H	5
ENV68_1	<i>Eryngium campestre</i>	H	3

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV68_1	<i>Falcaria vulgaris</i>	H	0,1
ENV68_1	<i>Festuca rupicola</i>	H	2
ENV68_1	<i>Festuca valesiaca</i>	H	15
ENV68_1	<i>Koeleria macrantha</i>	H	10
ENV68_1	<i>Medicago falcata</i>	H	10
ENV68_1	<i>Pilosella officinarum</i>	H	0,1
ENV68_1	<i>Plantago lanceolata</i>	H	0,5
ENV68_1	<i>Poa pratensis</i> agg.	H	1
ENV68_1	<i>Potentilla argentea</i>	H	0,1
ENV68_1	<i>Potentilla incana</i>	H	3
ENV68_1	<i>Sanguisorba minor</i>	H	0,01
ENV68_1	<i>Seseli hippomarathrum</i>	H	0,1
ENV68_1	<i>Seseli osseum</i>	H	0,1
ENV68_1	<i>Stipa capillata</i>	H	5
ENV68_1	<i>Thymus glabrescens</i>	H	0,1
ENV68_1	<i>Trifolium arvense</i>	H	0,1
ENV68_1	<i>Verbascum chaixii</i> subsp. <i>austriacum</i>	H	2
ENV68_1	<i>Veronica praecox</i>	H	0,01
ENV68_1	<i>Veronica prostrata</i>	H	0,1
ENV69_1	<i>Achillea millefolium</i> agg.	H	1
ENV69_1	<i>Alyssum alyssoides</i>	H	0,5
ENV69_1	<i>Anthericum ramosum</i>	H	10
ENV69_1	<i>Arrhenatherum elatius</i>	H	5
ENV69_1	<i>Artemisia campestris</i>	H	5
ENV69_1	<i>Aster amellus</i>	H	1
ENV69_1	<i>Brachypodium pinnatum</i>	H	15
ENV69_1	<i>Bupleurum falcatum</i>	H	0,5
ENV69_1	<i>Carlina acaulis</i>	H	0,5
ENV69_1	<i>Centaurea scabiosa</i>	H	1
ENV69_1	<i>Cerastium arvense</i>	H	0,5
ENV69_1	<i>Cytisus nigricans</i>	H	0,5
ENV69_1	<i>Erysimum diffusum</i>	H	0,5
ENV69_1	<i>Euphorbia esula</i>	H	0,1
ENV69_1	<i>Festuca rupicola</i>	H	20
ENV69_1	<i>Galium glaucum</i>	H	10
ENV69_1	<i>Helictotrichon pratense</i>	H	0,5
ENV69_1	<i>Koeleria pyramidata</i>	H	0,1
ENV69_1	<i>Medicago falcata</i>	H	0,5
ENV69_1	<i>Peucedanum species</i>	H	2
ENV69_1	<i>Pimpinella saxifraga</i>	H	0,5
ENV69_1	<i>Plantago lanceolata</i>	H	0,5
ENV69_1	<i>Prunus</i> sp.	juv.	0,1

id	Taxon	Vegetační patro	Pokryvnost; %
	Taxon	Vegetation layer	Cover; %
ENV69_1	<i>Rubus fruticosus</i> agg.	H	1
ENV69_1	<i>Salvia pratensis</i>	H	3
ENV69_1	<i>Securigera varia</i>	H	2
ENV69_1	<i>Sedum acre</i>	H	1
ENV69_1	<i>Seseli osseum</i>	H	1
ENV69_1	<i>Silene vulgaris</i>	H	2
ENV69_1	<i>Solidago virgaurea</i>	H	0,5
ENV69_1	<i>Stachys recta</i>	H	3
ENV69_1	<i>Thesium linophyllum</i>	H	0,5
ENV69_1	<i>Thymus glabrescens</i>	H	1
ENV69_1	<i>Viola rupestris</i>	H	0,1
ENV70_1	<i>Arenaria serpyllifolia</i>	H	1
ENV70_1	<i>Arrhenatherum elatius</i>	H	10
ENV70_1	<i>Berteroa incana</i> subsp. <i>incana</i>	H	1
ENV70_1	<i>Bromus hordeaceus</i>	H	0,5
ENV70_1	<i>Centaurea scabiosa</i>	H	7
ENV70_1	<i>Echium vulgare</i>	H	1
ENV70_1	<i>Eryngium campestre</i>	H	0,5
ENV70_1	<i>Festuca rupicola</i>	H	20
ENV70_1	<i>Festuca valesiaca</i>	H	5
ENV70_1	<i>Hylotelephium telephium</i> agg.	H	0,5
ENV70_1	<i>Medicago falcata</i>	H	5
ENV70_1	<i>Potentilla argentea</i>	H	10
ENV70_1	<i>Rosa canina</i> agg.	juv.	0,5
ENV70_1	<i>Sedum acre</i>	H	1
ENV70_1	<i>Sedum sexangulare</i>	H	0,5
ENV70_1	<i>Seseli osseum</i>	H	0,5
ENV70_1	<i>Thesium linophyllum</i>	H	0,5
ENV70_1	<i>Trifolium</i> sp.	H	3
ENV70_1	<i>Verbascum phoeniceum</i>	H	2
ENV26_1	<i>Viscaria vulgaris</i>	H	2